



THE
COMPUTER
IS PERSONAL
AGAIN.

The ultimate thin client for a superb remote computing experience

HP gt7725 Thin Client

The HP gt7725 Thin Client is designed for businesses that require superior processing power and rich multimedia functionality with all the ease and familiarity of a traditional thin client.

True PC performance with Thin Client benefits

Enjoy excellent graphics support, run applications faster, improve worker productivity – all while helping ensure greater security, increased reliability, easier management and lower TCO. As with all of HP's thin clients, the HP gt7725 is easy to set up, providing an appliance-like end user experience.

Superior performance

The HP gt7725 features a robust 2.3GHz dual-core processor with a generous amount of memory, providing the horsepower of a workstation client in a compact footprint. Configured with dual channel memory, data throughput is further optimized, bringing new levels of system performance in thin clients.

Rich multimedia

Bring superb 2D/3D graphics, full motion video, enhanced browsing and a richer Web 2.0 experience to remote client computing. In combination with preinstalled HP Remote Graphics Software, this specialty thin client is ideal for VDI and blade environments, supporting an impressive delivery of streaming media and USB redirection over remote connections.

Multi-display support

Efficiently multi-task with dual or quad displays¹ – standard or wide-screen – to maximize desktop space. Multi-display rotation allows for a mixture of portrait or landscape orientations across displays.

Excellent resolution

The HP gt7725 is also capable of driving ultra high resolutions for a unified desktop. With two monitors, get up to 5120x1600 (at 2560x1600 per display), or with four monitors, up to 7680x1200 or 3840x2400 (at 1920x1200

per display) resolutions.

Unleash the power of the high performance HP gt7725 today.



HP gt7725 Thin Client

Operating system	HP ThinPro
Browser	Firefox
Processor	AMD Turion dual-core
Memory	1 GB Flash, 2 GB DDR2 SODIMM (128 MB of system RAM is reserved for video graphics usage)
Video	ATI Radeon HD 3200 graphics with support for high-resolution monitors up to 2560 x 1600 display, ATI Fire MV 2250 (PCI Express x16) 2 Dual DVI-I (via splitter cable), 128 MB reserved for graphics memory
Expansion slots	PCI expansion slot
Ports and jacks	USB or PS/2, local and/or network printer support
I/O and peripheral support	Eight USB 2.0 ports (two in front, four in rear, two in secure USB compartment), Dual link DVI-Ix1, DVI-Dx1, 2 PS/2, 1 serial, 1 RJ-45
Connectivity	10/100/1000 Gigabit Ethernet, twisted pair (RJ-45), TCP/IP with Dynamic DNS and DHCP support, Point-to-Point Protocol (PPP), Direct Connection through RS-232, Wake on LAN (WOL), PXE
Emulations	Built in dual monitor support DVI-D native
Networking / communication	HP Device Manager, Altiris Deployment Solution (full license DS 6.9 SP1), HP ThinState included with each thin client
Software included	Altiris Deployment Solution (full client license), Altiris Deployment Solution (management console), HP Remote Graphics Software Receiver 5.1.6 (RGS 5.2 available as add-on), Citrix ICA 10.x, rdesktop RDP client 1.5, TeemTalk terminal emulation software, Debian Package Manager, Synaptic Installer, HP ThinState for rapid deployment, Device Manager Management agent
Server OS compatibility / support	Windows 2000/2003 Server families, Windows 2000/2003 Server Terminal Services, Windows 2000 Advanced Server, Windows 2000 Advance Server Terminal Services, Citrix Presentation Server (up to 4.5), Citrix Metaframe XP Presentation Server, Citrix Metaframe 1.x, Microsoft® Windows® NT 4.0 Server, Windows NT 4.0 Terminal Server Edition, VMware Virtual Desktop Infrastructure using RDP
Dimensions (W x D x H)	4.57 x 21.51 x 26.67 cm with stand
Weight	1.6 kg with stand
Power	Worldwide auto-sensing 100-240 VAC, 50-60 Hz energy-saving automatic power-down, surge-tolerant 120 W power supply
Operating temperature	10 to 35° C
Non-operating temperature	-30 to 60° C
Warranty	3 years pick-up and return service (Certain restrictions apply)

¹ Number of displays supported varies by model.

© 2008 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. Microsoft and Windows are trademarks or registered trademarks of Microsoft Corporation in the U.S. or other countries. Intel and Intel Celeron are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the U.S. and other countries. AMD, Geode, HyperTransport, and Opteron are trademarks of Advanced Micro Devices, Inc.

For more information, please visit www.hp.com/eur/thinclients

4AA0-3831EEE. February 2009



HP gt7725 Thin Client

Recommended accessories

HP Integrated Work Center Stand



Easily attach a 17-, 19-, or 22-inch HP LCD monitor and an HP Compaq dc7800 Ultra-slim Desktop PC or HP Thin Client on a single stand for the convenience of an "all-in-one" form factor ² for the exact desktop configuration you need.

Product number: GN783AA

HP Quick Release



A secure and easy-to-use mounting solution for your VESA-compliant HP flat panel monitors, thin clients and other HP desktop products. Attach to any a compatible stand, bracket or wall mount and make the most of your workspace.

Product number: EM870AA


Kensington Security Lock



Peace of mind in an instant. This handy cable lock device attaches itself to your hardware and is then secured to an anchor point in your workspace, ensuring your hardware remains exactly where it should.

Product number: PC766A

3 years Next Day Exchange, excl. external Monitor, HW Support



HP provides quick replacement of your failed hardware unit the day after it goes down, if the problem can't be resolved remotely. Offers a convenient, cost-saving alternative to onsite hardware repair for your HP product.

Product number: U4847E



For more information, please visit www.hp.com/eur/thinclients