



HP LD4200tm 106,7 cm (42") Widescreen LCD Interactive Digital Signage Display

Leading the way with the world's first 106,7cm (42") full
HD touch digital signage display

Tap into the future with the HP LD4200tm 106,7 cm (42") widescreen LCD interactive digital signage display, featuring Infrared technology to enable quick and easy onscreen interactivity in environments, such as point-of-sale (POS), hospitality, education, banking, manufacturing, and kiosks.



Feel the difference

Infrared technology is built into each HP LD4200tm display. This technology uses an array of infrared (IR) light-emitting diodes (LEDs), along with photo sensors, to determine touch by pairing to create a grid of light beams across the display. When an object (such as a finger, pen or any other pointing device) touches the screen, the light beam within the grid is interrupted and thus, touch is recognized.

With this technology, you can touch your fingertip to the panel to scroll through screens or use two fingers to replace your mouse as you perform common multi-touch gestures. You can also easily rotate position, shrink and enlarge your documents or navigate media rich 3D content.

Striking signage with high performance

The HP LD4200tm's bright screen, high contrast ratio, and 1920 x 1080 native resolution offer a stunning vision in both bright and dim lighting and the ultra-wide 178 x 178 degree viewing angle enables observation from almost any angle. The HP LD4200tm monitor can also be set in either a horizontal or vertical position for more flexible placement options.

End-to-end HP hardware solution

HP can help you easily manage your display(s) by adding the following (each sold separately):

- A stand to set on a countertop
- An HP PC, Workstation or Thin Client to store data and control updates (optional to bundle)
- Speakers for audio

Worry-free longevity and reliability

Unlike large TV screens, the HP LD4200 digital signage display is built to run 24/7 while maintaining longevity. It is fully tested and qualified for out-of-the-box functionality and compatibility with HP business products, plus it includes a three-year limited warranty backed by HP service and support from 65,000 IT professionals worldwide.

THE
COMPUTER
IS PERSONAL
AGAIN.



HP LD4200tm 106,7 cm (42") Widescreen LCD Interactive Digital Signage Display

SPECIFICATIONS

Panel type	Active matrix TFT
Viewable image area	106,7 cm (42") widescreen
Viewing angle	178 degrees
Brightness	500 cd/m ²
Contrast ratio	1000:1
Response rate	9 ms
Native resolution	1920 x 1080
Input signal	VGA; HDMI; component (2); composite (1); S-Video; VGA out for tiling
Input power	Auto-Sensing, 100 to 240 VAC
Power consumption	220 watts, standby 4 W (HDMI) and 1 W (VGA)
Dimensions	with stand: 99.9 x 29.3 x 66.7 cm without stand: 99.9 x 11.9 x 59.2 cm
Weight	27 kg with stand
Environmental	Operating temperature: 5° C to 35° C; Operating humidity: 10 to 80% RH
Certification and compliance	TAA Compliant, UL UL60950-1 First Edition, cUL CAN/CSA-C22.2 NO. 60950-1-03, NOM NYCE, TUV EN60950-1, PSE J60065 (H14), J55013 (H14), CCC GB4943, GB9254, GB17625.1, PSB IEC60950-1, TUV-S (Argentina) IEC60950-1, BSMI CNS13438, CNS14336, FCC CLASS B FCC 47 CFR Part 15 Class B, ICES-003 Class B, ICES-003 Class B, CE EN55022B, EN55024, EN61000-3-2, 3, VCCI VCCI-V2 V-3 V-4, CISPR-22B, C-Tick AS/NZS3548:1995, KCC (Korean) Requirements, Korea Energy Boy, SmartWay – NA only - Energy logistics, EUP Lot 6 Tier 1, China Energy Label (CEL), HDCP.
Warranty	Limited 3 years parts, labour and on-site service, including backlight. Availability varies by region. Certain restrictions and exclusions apply. For details, contact HP Customer Support or Service

For more information, please visit www.hp.com/eur/monitors

© 2010 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. Microsoft and Windows are trademarks or registered trademarks of Microsoft Corporation in the U.S. or other countries. Windows Vista is either a registered trademark or trademark of Microsoft Corporation in the United States and/or other countries.


4AA2-7776EEE. September 2010



HP LD4200tm 106,7 cm (42") Widescreen LCD Interactive Digital Signage Display

Accessories and Services

HP Digital Signage
Wall Mount Solution
with Quick Release and
Security Plate



HP offers a variety of optional products (each sold separately) designed to complement our monitors and enhance the overall computing and viewing experience. The HP Digital Signage Wall Mount Solution with Quick Release and Security Plate is the newest option designed for use with HP-branded LCD digital signage displays. The wall mount has a 90-degree pivot for use in landscape or portrait position, and can be used in tandem with an HP 8000 Series USDT PC or compatible thin client to create a complete hardware solution for HP customers.

Product number: WB976AA

HP Speaker Option Kit



Add a full range of sound (10 watts each) with these rear-facing audio amplifier and speakers that discreetly attach to the rear of HP LD4200 display.

Product number: WD019AA

HP LD4200 Digital
Signage Stand



This durable stand attaches to bottom of display, for positioning the unit as part of a desktop-based PC or workstation solution.

Product number: WD018AA

HP Next Business Day
Onsite HW Support 5
year



Receive 5 years of next business day onsite repair from an HP-qualified technician for your computing device, if the issue cannot be solved remotely.

Product number: UE370E