



HP Z Workstations graphics card options

Quick reference guide



Table of contents

HP Desktop Workstations graphics support matrix ¹	3
HP Desktop Workstations integrated graphics spec summary	4
HP Desktop Workstations graphics spec summary	5
HP Desktop Workstations graphics spec summary (continued)	6
HP Desktop Workstations graphics spec summary (continued)	7
HP Desktop Workstations graphics spec summary (continued)	8
HP Mobile Workstations graphics support matrix	9
HP Mobile Workstations integrated graphics spec summary	10
HP Mobile Workstations integrated graphics spec summary (continued)	10
HP Mobile Workstations discrete graphics spec summary	11
HP Mobile Workstations discrete graphics spec summary (continued)	11
Graphics accessories	12

Professional graphics solutions for HP Z Workstations

HP is proud to exclusively offer professional graphics choices on all of our HP Workstations—from the HP ZBook Mobile Workstation family to our ultimate workstation, the HP Z840.

HP's professional graphics line-up is perfect for users who are running business critical applications based on OpenGL and DirectX® who require stability, reliability, great performance, additional support, and application-specific features and optimization for things like complex design modeling, dataset manipulation, visual effects and visualization.

HP Desktop Workstations graphics support matrix¹

Platform		HP Z2 Mini G3	HP Z240 SFF	HP Z240 Tower	HP Z440	HP Z640	HP Z840
Graphics	Category						
Intel® HD Graphics 630	Office 2D	•	•	•			
Intel® HD Graphics P630	Entry 3D	•	•	•			
Intel® HD Graphics 510	Office 2D		•	•			
Intel® HD Graphics 530	Office 2D	•	•	•			
Intel® HD Graphics P530	Entry 3D	•*	•	•			
AMD FirePro™ W2100	Entry 3D		•	••	••	••	••
AMD FirePro™ W4300	Mid-range 3D			••	••	••	•••
AMD FirePro™ W5100	Mid-range 3D			•	••	••	•••
AMD Radeon™ Pro WX 4100	Mid-range 3D		•	•	•	••	•••
AMD FirePro™ W7100	High-end 3D			•	•	••	••
AMD Radeon™ Pro WX 7100	High-end 3D			•	••	••	•••
NVIDIA® Quadro® M620	Entry 3D	•					
NVIDIA® Quadro® K420	Sub-entry 3D		•	••	••	••	••
NVIDIA® Quadro® K620	Entry 3D		•	•	••	••	••
NVIDIA® Quadro® K1200	Mid-range 3D		•	••	••	••	•••
NVIDIA® Quadro® K2200	Mid-range 3D			•	••	••	•••
NVIDIA® Quadro® M2000	Mid-range 3D			•	••	••	•••
NVIDIA® Quadro® M4000	High-end 3D			•	••	••	•••
NVIDIA® Quadro® M5000	High-end 3D				•	••	•••
NVIDIA® Quadro® M6000 (12 GB)	Ultra 3D					• ³	•• ^{1,3}
NVIDIA® Quadro® M6000 (24 GB)	Ultra 3D					•	•• ¹
NVIDIA® Quadro® P400	Sub-entry 3D		•	••	••		
NVIDIA® Quadro® P600	Entry 3D		•	•	••	••	••
NVIDIA® Quadro® P1000	Mid-range 3D		•	•	••		
NVIDIA® Quadro® P2000	Mid-range 3D			•	••	••	••
NVIDIA® Quadro® P4000	High-end 3D			•	•	••	•
NVIDIA® Quadro® P5000	Ultra 3D				•	••	•••

HP Desktop Workstations graphics support matrix¹

NVIDIA® Quadro® P6000	Ultra 3D				• •		• • ¹
NVIDIA® Quadro® GP100	Ultra HD						• • ¹
NVIDIA® Tesla® K40	Ultra 3D				•	•	• •
NVIDIA® NVS™ 310	Pro 2D	• •	• •	• • •	• • • •	• • • •	• • • •
NVIDIA® NVS™ 315	Pro 2D	• •	• •	• • •	• • • •	• • • •	• • • •
NVIDIA® NVS™ 510	Pro 2D	•	•	• •	• •		• •

Key Legend:

- single
- • dual
- • • triple
- • • • quad

Note: *Premium solution can be configured to use both discrete and integrated GPUs.

HP Desktop Workstations integrated graphics spec summary

Graphics Module	Intel® HD Graphics 510	Intel® HD Graphics 530	Intel® HD Graphics 630 (for Intel® Core™ processors)	Intel® HD Graphics P530	Intel® HD Graphics P630 (for Intel® Xeon® processors)
Graphics Category	Office 2D	Office 2D	Office 2D	Entry 3D	Entry 3D
Memory (shared with system)	up to 1.7 GB	up to 1.7 GB	up to 64 GB	up to 1.7 GB	up to 1.7 GB
Execution Units	12	24	24	24	72
DirectX Support ²	12	12	12	12	12
OpenGL Support	4.4	4.4	4.4	4.4	4.4
Max Resolution (DP) ³	4096 x 2304 @ 60 Hz	4096 x 2304 @ 60 Hz	4096 x 2304 @ 60 Hz	4096 x 2304 @ 60 Hz	4096 x 2304 @ 60 Hz
Max Displays	3	3	3	3	3
Video Outputs:					
HP Z2 Mini		3x DP	3x DP	3x DP	3x DP
HP Z240 SFF	3x DP	3x DP	3x DP	3x DP	3x DP
HP Z240 Tower	2x DP 1x DVI-I	2x DP 1x DVI-I	2x DP 1x DVI-I	2x DP 1x DVI-I	2x DP 1x DVI-I
ISV Certified	No	No	No	Yes	Yes
Other	OpenCL 2.0	OpenCL 2.0	OpenCL 2.0	OpenCL 2.0	OpenCL 2.0

HP Desktop Workstations graphics spec summary

Graphics Module	NVIDIA® NVS™ 310	NVIDIA® NVS™ 315	NVIDIA® NVS™ 510	NVIDIA® Quadro® K420	NVIDIA® Quadro® M620	AMD FirePro™ W2100	NVIDIA® Quadro® K620
Graphics Category	Pro 2D	Pro 2D	Pro 2D	Sub Entry 3D	Entry 3D	Entry 3D	Entry 3D
Memory (dedicated memory)	1 GB DDR3	1 GB DDR3	2 GB DDR3	2 GB DDR3	2 GB GDDR5	2 GB DDR3	2 GB GDDR5
Memory Bandwidth	14 GB/s	14 GB/s	28.5 GB/s	28.8 GB/s	80 GB/s	14.4 GB/s	28.8 GB/s
Cores	48	48	192	192	512	320	384
Power	20 W	20 W	35 W	41 W		26 W	45 W
Host Interface	PCIe x16, Gen 2	PCIe x16, Gen 2	PCIe x16, Gen 2	PCIe x16, Gen 2	PCIe x16, Gen 3	PCIe x8, Gen 3	PCIe x16, Gen 2
Form Factor	single slot, Half Height	single slot, Half Height	single slot, Half Height	single slot, Half Height	Motherboard down	single slot, Half Height	single slot, Half Height
DirectX Support ²	11/11	11/11	11/11	11/11.2	12	11.2/12	11/11.2
OpenGL Support	4.3	4.3	4.3	4.4	4.5	4.4	4.4
Max Resolution (DP) ³	2560 x 1600 @ 60 Hz	2560 x 1600 @ 60 Hz	3840 x 2160 @ 60 Hz	3840 x 2160 @ 60 Hz	4096 x 2160 @ 60 Hz	5120 x 2880 @ 60 Hz ⁴	4096 x 2160 @ 60 Hz
Max Displays	2	2	4	2 or 4 with DP MST	4	2	2 or 4 with DP MST
Video Outputs	2x DP	DMS-59	4x mini-DP	DP and DL-DVI	4x DP 1.2	2x DP	DP and DL-DVI
Included Video Cables:							
CTO	None	1x DMS-59 to Dual DVI	4x mini-DP to DP	None	None	None	None
AMO	2x DP to DVI	1x DMS-59 to Dual DVI	4x mini-DP to DP	1x DP to DVI	None	None	1x DP to DVI
ISV Certified	No	No	No	Yes	Yes	Yes	Yes
Other	Nview®	Nview®	Nview®	CUDA®, Mosaic™	CUDA®, Mosaic™, Nview®	OpenCL 2.0	CUDA®, Mosaic™

HP Desktop Workstations graphics spec summary (continued)

Graphics Module	AMD FirePro™ W4300	NVIDIA® Quadro® K1200	NVIDIA® Quadro® P1000	AMD Radeon™ Pro WX 4100	AMD FirePro™ W5100	NVIDIA® Quadro® K2200	NVIDIA® Quadro® M2000
Graphics Category	Mid-range 3D	Mid-range 3D	Mid-range 3D	Mid-range 3D	Mid-range 3D	Mid-range 3D	Mid-range 3D
Memory (shared with system)	4 GB GDDR5	4 GB GDDR5	4 GB GDDR5	4 GB GDDR5	4 GB GDDR5	4 GB GDDR5	4 GB GDDR5
Memory Bandwidth	96 GB/s	80 GB/s	Up to 80 GB/s	160 GB/s	96 GB/s	80 GB/s	105 GB/s
Cores	768	512	640	1024	768	640	768
Power	<50 W	46 W	47 W	50 W	<75 W	68 W	75 W
Host Interface	PCIe x16, Gen 3	PCIe x16, Gen 2	PCIe x16, Gen 3	PCIe x16, Gen 3	PCIe x16, Gen 3	PCIe x16, Gen 2	PCIe x16, Gen 3
Form Factor	single slot, Full Height	single slot, Half Height	single slot, Half Height	single slot, Half Height	single slot, Full Height	single slot, Full Height	single slot, Full Height
DirectX Support ²	11.2/12	11/12	12/12	12/12	11.2/12	11/11.2	12/12
OpenGL Support	4.4	4.4	4.5	4.5	4.4	4.4	4.5
Max Resolution (DP) ³	4096 x 2160 @ 60 Hz	5120 x 2880 @ 60 Hz ⁴	5120 x 2880 @ 60 Hz	5120 x 2880 @ 60 Hz ⁵	5120 x 2880 @ 60 Hz ⁴	5120 x 2880 @ 60 Hz ⁴	5120 x 2880 @ 60 Hz ⁴
Max Displays	4 or 6 with DP MST	4	4	4 or 6 with DP MST	4 or 6 with DP MST	3 or 4 with DP MST	4
Video Outputs	4x mini-DP	4x mini-DP	4x mini-DP	4x mDP 1.4	4x DP	2x DP and DL-DVI	4x DP
Included Video Cables:							
CTO	None	4x mini-DP to DP	4x mini-DP to DP	4x mini-DP to DP	None	None	None
AMO	None	4x mini-DP to DP	4x mini-DP to DP	4x mini-DP to DP	None	1x DP to DVI	None
ISV Certified	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Other	OpenCL 2.0 Eyefinity DirectGMA FreeSync	CUDA®, Mosaic™	GPU Boost 3.0, CUDA®, Mosaic™	AMD® Sync, OpenCL 2.0, Eyefinity, DirectGMA, FreeSync, HDR Ready	OpenCL 2.0 Eyefinity DirectGMA FreeSync	CUDA® Mosaic™	CUDA® Mosaic™

HP Desktop Workstations graphics spec summary (continued)

Graphics Module	NVIDIA® Quadro® P2000	AMD FirePro™ W7100	AMD Radeon™ Pro WX 7100	NVIDIA® Quadro® M4000	NVIDIA® Quadro® M5000	NVIDIA® Quadro® P5000
Graphics Category	Mid-range 3D	High-end 3D	High-end 3D	High-end 3D	High-end 3D	High-end 3D
Memory (shared with system)	5 GB GDDR5	8 GB GDDR5	8 GB GDDR5	8 GB GDDR5	8 GB GDDR5	16 GB GDDR5X
Memory Bandwidth	Up to 140 GB/s	176 GB/s	224 GB/s	192 GB/s	211 GB/s	288 GB/s
Cores	1024	1792	2304	1664	2048	2560
Power	75 W	150 W	130 W	~120 W	~150 W	180 W
Host Interface	PCIe x16, Gen 3	PCIe x16, Gen 3	PCIe x16, Gen 3	PCIe x16, Gen 3	PCIe x16, Gen 3	PCIe x16, Gen 3
Form Factor	single slot, Full Height	single slot, Full Height	single slot, Full Height	single slot, Full Height	dual slot, Full Height	dual slot, Full Height
DirectX Support ²	12/12	11.2/12	12/12	12/12	12/12	12/12
OpenGL Support	4.5	4.4	4.5	4.4	4.4	4.5
Max Resolution (DP) ³	5120 x 2880 @ 60 Hz	5120 x 2880 @ 60 Hz ⁴	5120 x 2880 @ 60 Hz ⁵	5120 x 2880 @ 60 Hz ⁴	5120 x 2880 @ 60 Hz ⁴	5120 x 2880 @ 60 Hz
Max Displays	4	4 or 6 with DP MST	4 or 6 with DP MST	4	4	4
Video Outputs	4x DP 1.4	4x DP	4x DP 1.4	4x DP	4x DP and DL-DVI	4x DP 1.4 and DL-DVI
Included Video Cables:						
CTO	None	None	None	None	None	None
AMO	None	None	None	None	None	None
ISV Certified	Yes	Yes	Yes	Yes	Yes	Yes
Other	GPU Boost 3.0, CUDA®, Mosaic™	AMD® Sync OpenCL 2.0 Eyefinity DirectGMA FreeSync	AMD® Sync OpenCL 2.0 Eyefinity DirectGMA FreeSync HDR Ready VR Capable	Quadro® Sync GPUDirect SLI® CUDA® Mosaic™	Quadro® Sync GPUDirect SLI® CUDA® Mosaic™	Quadro® Sync II GPUDirect GPU Boost 3.0 SLI® CUDA® Mosaic™ VR Ready

HP Desktop Workstations graphics spec summary (continued)

Graphics Module	NVIDIA® Quadro® M6000 12 GB	NVIDIA® Quadro® M6000 24 GB	NVIDIA® Quadro® P6000	NVIDIA® Quadro® GP100
Graphics Category	Ultra 3D	Ultra 3D	Ultra 3D	Ultra 3D
Memory (shared with system)	12 GB GDDR5	24 GB GDDR5	24 GB GDDR5X	16 GB HBM2
Memory Bandwidth	317 GB/s	317 GB/s	432 GB/s	717 GB/s
Cores	3072	3072	3840	3584
Power	~250 W	~250 W	250 W	235 W
Host Interface	PCIe x16, Gen 3	PCIe x16, Gen 3	PCIe x16, Gen 3	PCIe x16, Gen 3
Form Factor	dual slot, Full Height	dual slot, Full Height	dual slot, Full Height	dual slot, Full Height
DirectX Support ²	12/12	12/12	12/12	12/12
OpenGL Support	4.4	4.5	4.5	4.5
Max Resolution (DP) ³	5120 x 2880 @ 60 Hz ⁴	5120 x 2880 @ 60 Hz ⁴	5120 x 2880 @ 60 Hz	5120 x 2880 @ 60 Hz
Max Displays	4	4	4	4
Video Outputs	4x DP and DL-DVI	4x DP and DL-DVI	4x DP 1.4 and DL-DVI	4x DP 1.4 and DL-DVI
Included Video Cables:				
CTO	None	None	None	None
AMO	None	None	None	None
ISV Certified	Yes	Yes	Yes	Yes ⁶
Other	Quadro® Sync GPUDirect SLI® CUDA® Mosaic™ VR Ready	Quadro® Sync GPUDirect SLI® CUDA® Mosaic™ VR Ready	Quadro® Sync II GPUDirect GPU Boost 3.0 SLI® CUDA® Mosaic™ VR Ready	Quadro® Sync II, GPUDirect, GPU Boost 3.0, CUDA®, Mosaic™, VR Ready, Multi-GPU Scalability NVLink (2-way) ⁷

HP Mobile Workstations graphics support matrix

Graphics	Category	HP ZBook	HP ZBook	HP ZBook	HP ZBook	HP ZBook	HP ZBook	HP ZBook	HP ZBook	HP ZBook
		14u G4	15u G3	15u G4	Studio G3	Studio G4	15 G3	15 G4	17 G3	17 G4
Intel® HD Graphics 620	Office 2D	•		•						
Intel® HD Graphics 630	Office 2D					•		•		•
Intel® HD Graphics P630	Entry 3D					•		•		•
Intel® HD Graphics 520	Office 2D		•							
Intel® HD Graphics 530	Office 2D				•		•		•	
Intel® HD Graphics P530	Entry 3D				•		•		•	
Intel® Iris™ Pro Graphics P580	Entry 3D				•		•		•	
AMD Radeon™ Pro WX 4150	Entry 3D							•		
AMD Radeon™ Pro WX 4170	Mid-range 3D									•
AMD FirePro™ W4190M	Entry 3D	•	•	•						
AMD FirePro™ W5170M	Mid-range 3D						•			
AMD FirePro™ W6150M	Mid-range 3D								•	
NVIDIA® Quadro® M620	Entry 3D							•		
NVIDIA® Quadro® M1200	Mid-range 3D					•		•		•
NVIDIA® Quadro® M2200	Mid-range 3D							•		•
NVIDIA® Quadro® P3000	High-end 3D									•
NVIDIA® Quadro® P4000	High-end 3D									•
NVIDIA® Quadro® P5000	Ultra 3D									•
NVIDIA® Quadro® M1000M	Mid-range 3D				•		•		•	
NVIDIA® Quadro® M2000M	Mid-range 3D						•		•	
NVIDIA® Quadro® M3000M	High-end 3D								•	
NVIDIA® Quadro® M4000M	High-end 3D								•	
NVIDIA® Quadro® M5000M	Ultra 3D								•	

Key Legend:

- single

HP Mobile Workstations integrated graphics spec summary

Graphics Module	Intel® HD Graphics 520	Intel® HD Graphics 620	Intel® HD Graphics 530	Intel® HD Graphics 630 (for Intel® Core™ processors)
Graphics Category	Office 2D	Office 2D	Office 2D	Office 2D
Memory (shared with system)	up to 1.7 GB	up to 32 GB	up to 1.7 GB	up to 64 GB
Execution Units	24	24	24	24
DirectX Support	12	12	12	12
OpenGL Support	4.4	4.4	4.4	4.4
Max Resolution (DP) ¹	4096 x 2304 @ 60 Hz	4096 x 2304 @ 60 Hz	4096 x 2304 @ 60 Hz	4096 x 2304 @ 60 Hz
Max Displays ¹	2	3	3	3
ISV Certified	No	No	No	No
Other	OpenCL 2.0	OpenCL 2.0	OpenCL 2.0	OpenCL 2.0

HP Mobile Workstations integrated graphics spec summary (continued)

Graphics Module	Intel® HD Graphics P530	Intel® HD Graphics P630 (for Intel® Xeon® processors)	Intel® HD Graphics P580
Graphics Category	Entry 3D	Entry 3D	Entry 3D
Memory (shared with system)	up to 1.7 GB	up to 1.7 GB	up to 1.7 GB
Execution Units	24	24	72
DirectX Support	12	12	12
OpenGL Support	4.4	4.4	4.4
Max Resolution (DP) ¹	4096 x 2304 @ 60 Hz	4096 x 2304 @ 60 Hz	4096 x 2304 @ 60 Hz
Max Displays ¹	3	3	3
ISV Certified	Yes	Yes	Yes
Other	OpenCL 2.0	OpenCL 2.0	OpenCL 2.0

HP Mobile Workstations discrete graphics spec summary

Graphics Module	AMD FirePro™ W4190M	NVIDIA® Quadro® M620	AMD Radeon™ Pro WX 4150	AMD Radeon™ Pro WX 4170	NVIDIA® Quadro® M1000M	NVIDIA® Quadro® M1200	AMD FirePro™ W5170M	NVIDIA® Quadro® M2000M
Graphics Category	Entry 3D	Entry 3D	Entry 3D	Mid-range 3D	Mid-range 3D	Mid-range 3D	Mid-range 3D	Mid-range 3D
Memory	2 GB GDDR5	2 GB GDDR5	4 GB GDDR5	4 GB GDDR5	2 GB GDDR5/ 4 GB GDDR5	4 GB GDDR5	2 GB GDDR5	4 GB GDDR5
Cores	384	512	896	1024	512	640	640	640
Power	<30 W	30 W	35 W	50 W	45 W	45 W	45 W	55 W
Host Interface	On system board	MXM	MXM	MXM	MXM 3.1 Type A²	MXM¹	MXM 3.1 Type A	MXM 3.1 Type A
DirectX Support	11.1	12	12	12	12	12	12	12
OpenGL Support	4.4	4.5	4.5	4.5	4.4	4.5	4.4	4.4
Max Resolution (DP)³	3840 x 2160 @ 60 Hz	5120 x 2880 @ 60 Hz	5120 x 2880 @ 60 Hz	5120 x 2880 @ 60 Hz	4096 x 2160 @ 60 Hz	5120 x 2880 @ 60 Hz	4096 x 2160 @ 60 Hz	4096 x 2160 @ 60 Hz
Display Pipelines³	2	4	5	5	4	4	6	4
ISV Certified	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Other	OpenCL 2.0	CUDA®	OpenCL 2.0	OpenCL 2.0	CUDA®	CUDA®	OpenCL 2.0	CUDA®

HP Mobile Workstations discrete graphics spec summary (continued)

Graphics Module	NVIDIA® Quadro® M2200	AMD FirePro™ W6150M	NVIDIA® Quadro® M3000M	NVIDIA® Quadro® P3000	NVIDIA® Quadro® M4000M	NVIDIA® Quadro® P4000	NVIDIA® Quadro® M5000M	NVIDIA® Quadro® P5000
Graphics Category	Mid-range 3D	Mid-range 3D	High-end 3D	High-end 3D	High-end 3D	High-end 3D	Ultra 3D	Ultra 3D
Memory	4 GB GDDR5	4 GB GDDR5	4 GB GDDR5	6 GB GDDR5	4 GB GDDR5	8 GB GDDR5	8 GB GDDR5	16 GB GDDR5
Cores	1024	896	1024	1280	1280	1792	1536	2048
Power	55 W	65 W	75 W	75 W	~100 W	100 W	100 W	100 W
Host Interface	MXM	MXM 3.1 Type B	MXM 3.1 Type B	MXM	MXM 3.1 Type B	MXM	MXM 3.1 Type B	MXM
DirectX Support	12	12	12	12	12	12	12	12
OpenGL Support	4.5	4.4	4.4	4.5	4.4	4.5	4.4	4.5
Max Resolution (DP)³	5120 x 2880 @ 60 Hz	4096 x 2160 @ 60 Hz	4096 x 2160 @ 60 Hz	5120 x 2880 @ 60 Hz	4096 x 2160 @ 60 Hz	5120 x 2880 @ 60 Hz	4096 x 2160 @ 60 Hz	5120 x 2880 @ 60 Hz
Display Pipelines³	4	6	4	4	4	4	4	4
ISV Certified	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Other	CUDA®	OpenCL 2.0	CUDA®	CUDA®	CUDA®	CUDA®	CUDA®	CUDA®

Graphics accessories

DisplayPort™ to DVI-D	Single link DVI-D support (max 1920x1200 @ 60 Hz) Part number: FH973AA
DisplayPort™ to dual link DVI	Dual link DVI-D supports 2560x1600 @60 Hz Part number: NR078AA
DisplayPort™ to HDMI 4k Adapter	Supports audio over DP, supports UHD up to 30 Hz and True 4K up to 24 Hz (HDMI 1.4) Part number: K2K92AA
DisplayPort™ to VGA	VGA support Part number: AS615AA
DMS-59 to dual DVI-I	Transmits two DVI-I signals via single connector and split into 2 DVI-I connectors Part number: DL139AA
DMS-59 to dual VGA	Transmits two VGA signals via single connector and split into 2 VGA connectors Part number: GS567AA
DMS-59 to dual DisplayPort™	Transmits two DP protocols via single connector and split into 2 DP connectors Part number: XP688AA
DVI to VGA	VGA support Part number: VE053AA
6-pin to 8-pin Power Adapter	HP Z Workstation PSU adaptor for graphics Part number: N1G35AA
6-pin to Dual 6-pin Power Adapter	HP Z Workstation PSU adaptor for graphics Part number: F5J05AA
NVIDIA® Quadro® Sync	For NVIDIA® Quadro® M4000, M5000, M6000 applications Part number: G5K57AA
NVIDIA® SLI® Connector	For NVIDIA® Quadro® M4000, M5000, M6000, P5000, P6000 applications Part number: PP654A
NVIDIA® 3D Stereo Bracket	For NVIDIA® Quadro® M4000, M5000, M6000, P5000, P6000 applications Part number: KOA25AA
NVIDIA® Quadro® Sync II	For NVIDIA® Quadro® P4000, P5000, P6000, GP100, Part number: 1ZE81AA

Resources, contacts, or additional links

AMD FirePro™ Professional Graphics
amd.com/en-us/solutions/workstations

NVIDIA® Quadro® Graphics
nvidia.com/object/hp_workstations.html

High Performance Computing
www8.hp.com/us/en/campaigns/workstations/gpu-computing.html

Learn more at
hp.com/go/leadershipgraphics

HP Z Desktop Workstation notes

¹ Please refer to platform specifications and ordering guides for applicable configuration restrictions.

² 1st/2nd where 1st is DirectX HW level version support, and 2nd is SW API DirectX version support .

³ Not all video outputs of the graphics card may support the stated Max Resolution. See the card QuickSpecs for details and any restrictions.

⁴ Two video card DP outputs must be cabled using two DP cables to a 5k (5120x2880) display that accepts dual DP inputs (such as the HP Z27q).

⁵ 2x dual DP 1.3 cabled 5k displays max., or 1x single cable DP 1.4.

⁶ Select ISVs test GP100.

⁷ NVLink is not supported due to mechanical limitation.

HP ZBook Mobile Workstation notes

¹ On system board for the HP ZBook Studio G4.

² On system board for the HP ZBook Studio G3.

³ See Mobile Workstation system specifications for display output types and max displays supported.

⁴ 4 GB GDDR5 configuration offered on HP ZBook Studio G3 only.

Sign up for updates
hp.com/go/getupdated



Share with colleagues

© 2017 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. Intel and Iris are a trademark of Intel Corporation in the U.S. and other countries. AMD® and FirePro are trademarks of Advanced Micro Services, Inc. All other trademarks are the property of their respective owners. NVIDIA, CUDA, Mosaic, nView, NVS, Quadro and SLI, and the NVIDIA logo are trademarks and/or registered trademarks of NVIDIA Corporation in the U.S. and other countries.

