

Datasheet

HP EliteDisplay E271i 68,6 cm (27") LED Backlit Monitor



A huge screen, customizable comfort, and wide-angle IPS.

A huge screen, customizable comfort, and wide-angle IPS. IPS goes mainstream with the HP EliteDisplay E271i 68,6 cm (27") LED Backlit Monitor, a business-class combination of an extra-large screen, extra-wide viewing angles, and extraordinary comfort.



Now see everything.

- Get great 178-degree viewing angles and stunning color integrity from In-Plane Switching (IPS) technology that lets you share your screen with everyone in the room.

Power through your day in comfort.

- Customizable tilt, height adjustment, swivel, and pivot settings—the most adjustability available on an HP business display—help you find your sweet spot.
- The display also meets TCO Certified Edge requirements for innovative products at the forefront of environmental and ergonomic stand design.

Control your environmental impact.

- Reduce power consumption and help lower your costs with an intelligent, energy-efficient design that is ENERGY STAR® qualified and EPEAT® Gold registered.¹
- The display also includes mercury-free display backlights, low halogen components,² and arsenic-free display glass.

Enhance your view.

- Get crisp, clear content and video from the high contrast ratio and fast response time. Easily connect devices with convenient VGA, DVI, and DisplayPort inputs and the integrated USB hub.

Meet your monitor's new best friend.

- Personalize your workspace with resizable screen partitions and work in documents, spreadsheets, and e-mail in separate regions of the screen—at the same time—with HP Display Assistant software.
- View open applications on all of your connected displays with the expanded toolbar. Deter theft with a user-designated PIN that deactivates the monitor if it's disconnected from a PC without approval.

Featuring

HP EliteDisplay E271i 68,6 cm (27") LED Backlit Monitor

Specifications Table



Product Number	D7Z72AA; D7Z72AS; D7Z72AT
Product Color	Silver
Display size (diagonal)	68,6 cm (27")
Viewing Angle	178° horizontal; 178° vertical
Brightness	250 cd/m²
Contrast Ratio	1000:1 static; 5000000:1 dynamic
Response Ratio	7 ms gray to gray
Aspect Ratio	Widescreen (16:9)
Native Resolution	1920 x 1080
Display Features	Plug and Play; Anti-glare; User programmable; Language selection; On-screen controls; LED Backlights; In plane switching
Input signal	1 VGA; 1 DVI-D (with HDCP support); 1 DisplayPort (with HDCP support)
Ports and Connectors	3 USB 2.0 (one upstream, two downstream)
Input power	Input voltage: 100 to 240 VAC
Power consumption	Power consumption Description: 40 W (maximum), 35 W (typical), 0.5 W (standby); Screen resolution: 1920 x 1080
Dimensions with Stand (W x D x H)	64.2 x 27.85 x 53.21 cm
Dimensions without Stand (W x D x H)	64.2 x 5.22 x 38.73 cm
Weight	7.7 kg
Ergonomic features	Tilt: -5 to +30°; Swivel 360°; Height: 150 mm; Pivot rotation: 90°
Certification and Compliance	TCO Certified Edge; CE; CB; KC; KCC; NOM; PSB; ICE; TUV-S; CCC; CEL Grade 1; CEC; SEPA; EPA; ISC; VCCI; FCC; Taiwan BSMI
Environmental	Arsenic-free display glass; Mercury-free display backlighting; Low halogen; TCO Certified Edge
Energy Efficiency Compliance	Energy Star® qualified
What's in the box	HP EliteDisplay E271i 68,6 cm (27") LED Backlit Monitor; VGA cable; DisplayPort cable; USB cable; AC power cable; Printed documentation and CD; HP DisplayAssistant software
Warranty	5 years Next Business Day Onsite Support. HP support includes HP 3-year limited warranty plus a 5-year HP Onsite Care Pack support, as of date of purchase of the hardware product. Onsite support is offered if the problem cannot be handled over the phone. Delivery of support services outside of the applicable HP coverage areas may be subject to longer response times.

HP EliteDisplay E271i 68,6 cm (27") LED Backlit Monitor

Accessories and services (not included)

HP Dual Output USB Graphics Adapter



Increase screen real estate and productivity with a dual-monitor setup with the HP Dual Output USB Graphics Adapter, featuring DVI-I and DisplayPort outputs to drive displays at high resolutions through a single USB 3.0 B connection to your PC.

Product number: C5U89AA

HP Quick Release



A secure and easy-to-use mounting solution for your VESA-compliant HP thin clients, compatible HP flat panel monitors and other HP desktop products. Attach to any a compatible stand, bracket or wall mount and make the most of your workspace.

Product number: EM870AA

HP LCD Speaker Bar



Attach seamlessly to the front bezel of your monitor to add full multimedia support features, including stereo speakers with full sound range and an external jack for headphones.

Product number: NQ576AA

HP DisplayPort Cable Kit



Connects a DisplayPort connector on an HP Business Desktop computer to a DisplayPort connector on a monitor.

Product number: VN567AA

Learn more at
www.hp.eu/hpoptions

HP EliteDisplay E271i 68,6 cm (27") LED Backlit Monitor

Messaging Footnotes

¹ EPEAT® Gold where HP registers commercial display products. See www.epeat.net for registration status in your country.

² External power supplies, power cords, cables and peripherals are not Low Halogen. Service parts obtained after purchase may not be Low Halogen.

Learn more at
www.hp.eu/monitors

Sign up for updates
www.hp.com/go/getupdated

© Copyright 2017 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

4AA4-7598EECH, May 2017

