

Datasheet

HP Z Display Z30i 76,2 cm (30") IPS LED Backlit Monitor



Maximize productivity in the commercial enterprise with an HP Z Display

Get outstanding image accuracy, exceptional adjustability, and mission-critical reliability optimized for commercial environments. Built with IPS Gen 2 panels, the HP Z30i 76,2 cm (30") IPS Display delivers power savings over first-generation IPS technology and extra-wide viewing angles that foster collaboration.



Say hello to your new power-smart IPS Gen 2 team player

- Lower your power consumption¹ and get 100% coverage of sRGB color spaces and 99% coverage of Adobe RGB color spaces from IPS Gen 2 panels.
- Speed team reviews and collaborative decision-making with extra-wide viewing angles that give everyone the same great view.
- See all the stunning details on a 30-inch diagonal display with narrow bezels and an ultra-high resolution of 2560 x 1600 that provides 4.1M pixels of ultimate visual power.
- Experience crisp, clear presentation from 350 cd/m² brightness, 1000:1 contrast ratio, 5M:1 dynamic contrast ratio, and 8 ms response time.²
- Enhance the dark regions of your onscreen images and see the smallest details even better with integrated Black Stretch technology.

Designed-in comfort

- Find your most comfortable position with an HP-exclusive 4-way adjustable stand and an integrated HP QR2 Quick Release that enables VESA mounting.

Get connected

- Enjoy future-ready and legacy connectivity from a range of inputs that include DisplayPort 1.2, DVI, VGA, HDMI 1.4, audio output for an HP Speaker Bar,³ and four USB 3.0 ports with speeds up to 10x faster than USB 2.0.

Keep it together

- Get organized with the integrated cable management clip. Create a clean, compact all-in-one with the optional HP Thin Client Mount Kit⁴. The HP QR2 Quick Release is integrated into the display to enable quick set up, and it's VESA mountable.

Meet your monitor's new best friend

- Customize your workspace with resizable screen partitions. Work in documents, spreadsheets, and email in separate regions of the screen—at the same time—with HP Display Assistant software.
- View open applications on all of your connected displays with the expanded toolbar. Help deter theft with a user-designated PIN that deactivates the monitor if it's disconnected from a PC without approval.

HP Z Display Z30i 76,2 cm (30") IPS LED Backlit Monitor Specifications Table



Product Number	D7P94A4; D7P94AT; J7Y50A4
Product Color	Black
Display size (diagonal)	76,2 cm (30")
Viewing Angle	178° horizontal; 178° vertical
Brightness	350 cd/m ²
Contrast Ratio	1000:1 static; 5000000:1 dynamic
Response Ratio	8 ms gray to gray
Aspect Ratio	Widescreen (16:10)
Native Resolution	2560 x 1600
Display Features	Plug-and-Play; Anti-glare; User programmable; Language selection; On-screen controls; LED Backlights; Pivot rotation; In Plane Switching panel
Input signal	1 VGA; 1 DisplayPort (with HDCP support); 1 DVI-D (with HDCP support); 1 HDMI (with HDCP support)
Ports and Connectors	5 USB 3.0 (one upstream, four downstream)
Input power	Input voltage: 100 to 250 VAC
Power consumption	Energy Efficiency Class: C; On-mode power consumption: 66 W; Annual energy consumption: 97 kWh; Power consumption (standby): 0,35 W; Power consumption (off-mode): 0,34 W; Power consumption Description: 125 W (maximum), 85 W (typical), > 0.5 W (standby); Screen resolution: 2560 x 1600
Dimensions with Stand (W x D x H)	69.03 x 26.64 x 60.1 cm
Dimensions without Stand (W x D x H)	69.03 x 6.63 x 44.98 cm
Weight	9.96 kg (with stand)
Ergonomic features	Tilt: -5 to +20°; Swivel: ±45°
Multimedia	Audio output connector
Environmental	Mercury-free display backlighting; Arsenic-free display glass; Low halogen; TCO Certified
Energy Efficiency Compliance	Energy Star® qualified
What's in the box	Monitor; AC power cord; USB cable; DisplayPort cable; DVI-D cable; Documentation CD; HP Display Assistant software
Warranty	5 years Next Business Day Onsite Support. HP support includes HP 3-year limited warranty plus a 5-year HP Onsite Care Pack support, as of date of purchase of the hardware product. Onsite support is offered if the problem cannot be handled over the phone. Delivery of support services outside of the applicable HP coverage areas may be subject to longer response times.

HP Z Display Z30i 76,2 cm (30") IPS LED Backlit Monitor

Accessories and services (not included)

HP Thin Client Mount Kit



Attach your HP Thin Client or USDT PC to the back of select HP Z Displays and maintain optimal ergonomic adjustability with the HP Thin Client Mount Kit.

Product number: E5J35AA

HP Z Display Z30i 76,2 cm (30") IPS LED Backlit Monitor

Messaging Footnotes

¹ Comparison is to IPS Gen 1 panels.

² All performance specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower.

³ Options sold separately. Thin client sold separately. Thin client kit expected availability September 2013.

⁴ EPEAT® Gold where HP registers commercial display products. See www.epeat.net for registration status in your country.

⁵ External power supplies, power cords, cables and peripherals are not Low Halogen. Service parts obtained after purchase may not be Low Halogen.

Learn more at

www.hp.eu/monitors

Engage HP Financial Services

Explore monthly payment options and technology refresh plans that can provide more flexibility to help you meet your IT goals. More information on www.hp.com/go/hpfs.

Sign up for updates

www.hp.com/go/getupdated

The product could differ from the images shown. © 2015 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. Specific features may vary from model to model. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

