

HP Color LaserJet Pro MFP M476 series



Connect the office to a wired or wireless MFP with vibrant color printing and scanning features.

This HP Color LaserJet Pro MFP connects the whole office to vibrant color printing, even on the go^{1,3,4}—and improves productivity with fast, versatile scanning that can send documents directly to email, network folders, and the cloud.



HP Color LaserJet Pro MFP M476 series

Print on your terms

- Just go and print—easily send print jobs wirelessly without a network.¹
- Enable touch-to-print convenience from mobile devices.²
- Easily print from smartphone, tablets and notebooks at work, home, or on-the-go; Mopria-certified.³
- Share all your printer has to offer—set up, print, and share with Ethernet and wireless connectivity.⁴

Scan fast, send securely

- Finish faster—with less standing around—using single-pass, dual-head scanning.
- Control access to walkup features and easily look up network email addresses, using LDAP connectivity.
- Scan, send, simple—capture and route digital files directly to the cloud, email, or network folders.⁷
- With HP Flow CM Professional, you can easily collaborate on, search, and share your business content.⁵

Move jobs fast

- Save time and help reduce paper costs, using automatic two-sided printing.⁶
- Work smarter—access content and quickly launch tasks from the 3.5-inch color touchscreen.⁷
- Finish projects fast—use the 50-page automatic document feeder to save time.
- Just walk up and print on this MFP from your USB drive, using the easy-access USB port.

¹Wireless direct printing is standard on the HP Color LaserJet Pro MFP M476nw only. Mobile device needs to be connected directly to the WiFi network of a wireless direct-capable printer prior to printing. Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the printer. ²Touch-to-print capability is standard on the HP Color LaserJet Pro MFP M476 dw only. ³Local printing requires mobile device and printer to be on the same wireless network or have a direct wireless connection. Wireless performance is dependent on physical environment and distance from access point. Wireless operations are compatible with 2.4 GHz operations only. Remote printing requires an Internet connection to an HP web-connected printer. App or software and HP ePrint account registration may also be required. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. See hp.com/go/businessmobileprinting for more details. Mopria-certified devices adhere to a common standard that enables easy mobile printing with little or no set up. ⁴Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN connections. ⁵HP Flow CM Professional is available in the United States and Canada only and through select HP partners. ⁶Automatic two-sided printing is not available on the HP Color LaserJet Pro MFP M476nw. ⁷Requires an Internet connection to the printer. Services may require registration. App availability varies by country, language, and agreements. For details, see hpconnected.com


Product walkaround

- 1 50-sheet automatic document feeder (ADF) with single-pass, dual-head scanning
- 2 Flatbed scanner
- 3 150-sheet output bin
- 4 One-door access to the preinstalled cartridges
- 5 50-sheet multipurpose tray
- 6 250-sheet input tray 2
- 7 3.5-inch (8.89 cm) color touchscreen control panel with HP Business Apps
- 8 Built-in wireless direct and touch-to-print capabilities¹
- 9 Easy-access USB port
- 10 Built-in automatic two-sided printing²
- 11 Convenient front on/off button
- 12 Telephone line out port
- 13 RJ-11 fax port
- 14 Built-in wireless networking
- 15 Fast Ethernet network port
- 16 Hi-Speed USB 2.0 printing port

HP Color LaserJet Pro MFP M476dw shown



Front view



Rear I/O panel close-up

Series at a glance



Model	HP Color LaserJet Pro MFP M476nw	HP Color LaserJet Pro MFP M476dw
Part number	CF385A	CF387A
50-sheet multipurpose tray 1	✓	✓
250-sheet tray 2	✓	✓
250-sheet tray 3	Optional	Optional
Wireless direct³	✓	✓
Touch-to-print⁴	Not Available	✓
Ethernet networking	✓	✓
Wireless networking	✓	✓
Automatic duplexer	Not available	✓

¹ Touch-to-print capability is standard on M476dw only. ² Available on the M476dw models. ³ Wireless direct printing is standard on the HP Color LaserJet Pro MFP M476nw and M476dw model only.

⁴ Touch-to-print capability is standard on the HP Color LaserJet Pro MFP M476dw only.

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. Choose from:

Optimized Care (optimum performance and stability): 4 hour Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Standard Care (high level of uptime): Next Business Day Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Basic Care (minimum recommended support): Next Business Day Onsite Support

4 hour Onsite Support: Onsite support within four hours after a service call received within the coverage window

Next Business Day Onsite Support: Onsite service the next business day after the service call is received

Installation with Network Configuration Service: Assembly, network configuration, and basic administrator familiarization

For more information about HP Care Pack, HP Contractual, or HP Managed Print Services, visit hp.com/go/printservices

Top Features

Easily print how you want, where you want. Across the office or on the go, printing to this MFP is simple and direct—even without a network—using Ethernet, wireless options, or touch-to-print technology.^{1,2,3}

Capture scans in a single pass and send them quickly to their next destination—email, network folders, or the cloud.⁵ Help boost productivity with fast, secure sign-on and advanced processing, routing, and retrieval tools.

Make copying and scanning more hands free, with a 50-page automatic document feeder and automatic two-sided printing.⁴ Let your fingers fly through tasks at the touchscreen. The easy-access USB makes it simple to walk up and print.

Accessories

CF106A HP LaserJet 250-sheet Paper Feeder

Supplies⁵

CF380A HP 312A Black LaserJet Toner Cartridge
 CF380X HP 312X Black LaserJet Toner Cartridge
 CF381A HP 312A Cyan LaserJet Toner Cartridge
 CF382A HP 312A Yellow LaserJet Toner Cartridge
 CF383A HP 312A Magenta LaserJet Toner Cartridge

Services

U1H64E HP 3-year Next Business Day Color LaserJet M475/M476 MFP Hardware Support
 U1H65E HP 3-year 4hr 9 x 5 Color LaserJet M475/M476 MFP Hardware Support
 U1H66E HP 3-year 4hr 13 x 5 Color LaserJet M475/M476 MFP Hardware Support
 U1H72PE HP 1-year Post Warranty 4hr 9 x 5 Color LaserJet M475/M476 MFP Hardware Support
 U1H73PE HP 1-year Post Warranty 4hr 13 x 5 Color LaserJet M475/M476 MFP Hardware Support
 U1H74PE HP 1-year Post Warranty Next Business Day Color LaserJet M475/M476 MFP Hardware Support



¹ Touch-to-print capability is standard on the HP Color LaserJet Pro MFP M476dw only. ² Local printing requires mobile device and printer to be on the same wireless network or have a direct wireless connection. Wireless performance is dependent on physical environment and distance from access point. Wireless operations are compatible with 2.4 GHz operations only. Remote printing requires an Internet connection to an HP web-connected printer. App or software and HP ePrint account registration may also be required. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. See hp.com/go/businessmobileprinting for more details. Mopria-certified devices adhere to a common standard that enables easy mobile printing with little or no set up. ³ Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN connections. ⁴ Automatic two-sided printing is not available on the HP Color LaserJet Pro MFP M476nw. ⁵ Requires an Internet connection to the printer. Services may require registration. App availability varies by country, language, and agreements. For details, see hpconnected.com. ⁶ Product ships with preinstalled introductory print cartridges (yield ~1,200 pages)

HP Color LaserJet Pro MFP M476 series

Technical specifications	HP Color LaserJet Pro MFP M476nw (CF385A)	HP Color LaserJet Pro MFP M476dw (CF387A)
AIO functions	Print, copy, scan, fax; AIO multitasking supported: Yes	
Duplex print options	Manual (driver support provided)	
Print speed¹	Normal, letter: Up to 21 ppm black, Up to 21 ppm color	
First page out	Black (ready): As fast as 16.5 sec; Color (ready): As fast as 16.5 sec	
Print resolution	Black (best): Up to 600 x 600 dpi; Color (best): Up to 600 x 600 dpi	
Print technology	Laser	
Print resolution technologies	HP ImageREt 3600	
Print cartridges number	4 (1 each black, cyan, yellow, magenta)	
Mobile printing capability²	HP ePrint, Apple AirPrint™, Wireless direct printing, Mopria-certified, Mobile Apps	HP ePrint, Apple AirPrint™, Wireless direct printing, NFC touch-to-print, Mopria-certified, Mobile Apps
Standard print languages	HP PCL 6, HP PCL 5, HP postscript level 3 emulation, PCLm, PDF, URF	
Printer smart software features	HP ePrint, Apple AirPrint™, Wireless Direct Print, Mopria-certified, HP Auto-On/Off Technology, Intuitive 3.5" touchscreen control panel, Print from Cloud using business apps on the control panel, Print from USB	
Printer management	HP Web Jetadmin; HP Utility (Mac); HP Imaging & Printing Security Center; Device Toolbox	
Scan type/technology	Type: Flatbed, ADF; Technology: Contact Image Sensor (CIS)	
Scan speed³	Normal, A4: Up to 17 ppm (b&w), up to 13 ppm (color); Duplex: Up to 31 ipm (b&w), up to 11 ipm (color)	
Scan resolution	Enhanced: Up to 300 x 300 dpi (ADF); up to 1200 x 1200 dpi (Flatbed); Hardware: Up to 300 x 300 dpi (color and mono ADF); up to 300 x 300 dpi, 600 x 600 dpi, 1200 x 1200 dpi (Flatbed)	
Scan file format	Optical: Up to 300 x 300 dpi (color and mono ADF); up to 300 x 300 dpi, 600 x 600 dpi, 1200 x 1200 dpi (Flatbed)	
Scan input modes	PDF, searchable PDF, JPG, RTF, TXT, BMP, PNG, TIFF	
Scan size maximum	From PC: Solution Center Lite (Windows Vista, Windows XP) or Device Stage (Windows 7); TWAIN-compliant or WIA-compliant software	
Scanner advanced features	216 x 356 mm (8.5 x 14 in)	
Digital sending standard features	Scan-to-e-mail, scan-to-cloud, Scan-to-USB, Scan-to-network folder, LDAP e-mail lookup	
Bit depth/Grayscale levels	Scan to email; Scan to folder; LDAP authentication	
Copy speed⁴	Bit Depth: 24-bit (color); 8-bit (mono); Grayscale: 256	
Copy resolution	Normal, letter: Up to 21 cpm black, Up to 21 cpm color	
Max. no. of copies	Black (text and graphics): Up to 300 x 420 dpi; Color (text and graphics): Up to 300 x 420 dpi (Flatbed); 300 x 360 dpi (ADF)	
Copier resize	Up to 99 copies	
Copier settings	25 to 400%	
Fax speed	Number of copies; Reduce/Enlarge; Lighter/Darker; Optimize; Paper; Multi-page copy; Collation; Tray Select; Two-Sided; Draft Mode; Image Adjustment; Set as New Defaults; Restore Defaults	
Fax resolution	3 sec per page	
Fax smart software features	Black (standard): 203 x 98 dpi; Black and White (fine): 203 x 196 dpi; Black Photo Grayscale: 300 x 300 dpi (halftone); Black and White (superfine): 300 x 300 dpi (no halftone)	
Fax features	Permanent fax memory backup, auto fax reduction, auto redialing, fax forwarding, TAM interface, polling, junk barrier, distinctive ring detection, cover page wizard, block fax, billing codes, save and load, poll receive, fax activity reports, dial prefix setting, print fax log	
Standard connectivity	Hi-Speed USB 2.0; Fast Ethernet 10/100Base-TX; Wireless 802.11b/g/n; Host USB	Hi-Speed USB 2.0; Fast Ethernet 10/100Base-TX; Wireless 802.11b/g/n; Host USB
Network capabilities	Via built-in 10/100/1000 Base-TX Ethernet; authentication via 802.11x	
Wireless capability	Standard (built-in Fast Ethernet, WiFi 802.11 b/g/n)	
Memory	Yes, 802.11 b/g/n; authentication via WEP, WPA, or 802.11x; encryption via AES or TKIP	Yes, 802.11 b/g/n; authentication via WEP, WPA, or 802.11x; encryption via AES or TKIP; NFC
Processor speed	256 MB	
Duty cycle (monthly)⁵	800 MHz	
Paper handling	Up to 40,000 pages; Recommended monthly page volume: Up to 1,000 to 2,500 pages	
Input	50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF)	
Output	150-sheet output bin	
Media type	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, transparencies, labels, envelopes	
Media weight	Tray 1: 60 to 176 g/m ² (up to 220 g/m ² with postcards and HP Color laser glossy photo papers); Tray 2, optional Tray 3: 60 to 163 g/m ² (up to 176 g/m ² with postcards); Automatic duplexer: 60 to 163 g/m ²	
Media sizes custom	Tray 1: 76 x 127 to 216 x 356 mm; Tray 2, optional Tray 3: 100 x 148 to 216 x 356 mm	
ADF capacity	Standard, 50 sheets	
Dimensions (W x D x H)	420 x 469 x 500 mm; Max: 420 x 679 x 500 mm	
Weight	27.7 kg	
What's in the box⁷	HP LaserJet Pro MFP M476, Preinstalled introductory HP LaserJet Black, Cyan, Yellow, Magenta print cartridges (~1,200 pages); Hardware Installation guide; Printer documentation and software on CD-ROM; Software drivers and documentation on CD-ROMs; CDs containing software and electronic documentation; Power cord; USB cable (Wireless Units only); Telecom cable	
Energy efficiency compliance	Not applicable	
Warranty features	One-year limited warranty	
Compatible operating systems	Windows full software installs supported on: Windows 8 & 8.1 (32 & 64-bit) Windows 7 (32 & 64-bit), Windows Vista (32 & 64-bit), Windows XP (32-bit) (SP2 or higher); Mac full software installs: Mac OS X v 10.6 Leopard, v 10.7 Lion, v 10.8 Mountain Lion, v 10.9 Mavericks; Mobile OS native print support: iOS, Android, Windows 8 RT. Other OSs driver support: Linux (9.4, 9.5), Red Hat Enterprise Linux 5.0 (supported with a pre-built package); SUSE Linux (11.0, 11.1, 11.2), Fedora (9, 9.0, 10, 10.0, 11.0, 11, 12, 12.0), Ubuntu (8.04, 8.04.1, 8.04.2, 8, 10, 9.04, 9.10, 10.04), Debian (5.0, 5.0.1, 5.0.2, 5.0.3) (supported by the automatic installer); HP-UX 11 and Solaris 8/9	
Compatible network operating systems	HP-UX 10.20, 11.x, 11.i; IBM AIX 3.2.5 or higher; OS X 10.7 Lion; OS X 10.8 Mountain Lion; OS X 10.9 Mavericks; Windows 2000; MPE-iX; Citrix MetaFrame Server; Novell 5.1 or higher; Red Hat Linux 7.x or higher; Solaris 2.5 or higher (SPARC systems only); SuSe Linux 8.x or higher; Windows 2003 SP2+ 64-bit; Windows Server 2003 SP2+; Windows Terminal Services; Windows Vista (32-bit and 64-bit); Windows Vista Ready; Windows XP SP3+ 64-bit; Windows XP SP3+ Home; Windows XP SP3+ Professional; Windows XP SP3+ Professional and Windows Vista; Windows 7 SP1 or greater (32-bit and 64-bit); Windows 8 (32-bit and 64-bit); Windows Server 2008 (32-bit and 64-bit); Windows Server 2008 R2 (64-bit); Windows Server 2012 (64-bit)	
Minimum system requirements	PC: Windows 8; Windows Vista; Windows 7 (SP1+); Windows Server 2003 (SP1+); Windows Server 2008; Windows Server 2008 R2 (64-bit); Windows Server 2012 (64-bit); Windows XP (SP2+); CD-ROM or DVD drive, or Internet connection; dedicated universal serial bus (USB 1.1 or 2.0 or 3.0) or network connection or Wireless connection; 200 MB available hard disk space; Operating system compatible hardware system requirements see microsoft.com ; Mac: OS X 10.6 Leopard, OS X 10.7 Lion, OS X 10.8 Mountain Lion; OS X 10.9 Mavericks; Internet connection; Dedicated universal serial bus (USB 1.1 or 2.0), network or wireless connection; 1 GB of available hard-disk space	
Environmental ranges	Operating temperature range: 15 to 30° C (59 to 86° F); Recommended operating temperature: 15 to 27° C (59 to 80.6° F); Non-operating humidity range: 10 to 95% RH (non-condensing); Operating humidity range: 20 to 70% RH (non-condensing); Recommended operating humidity range: 20 to 70% RH (non-condensing)	
Acoustic⁸	Acoustic power emissions: 6.5 dB(A); Acoustic pressure emissions: 28 dB(A)	
Power	Power supply type: Built-in power supply; Power supply required: 110-volt input voltage; 110 to 127 VAC (+/- 10%), 60 Hz (+/- 3 Hz); (Not dual voltage, power supply varies by part number with # Option code identifier); Power consumption: 397 watts (print/copy), 17.6 watts (ready), 1.5 watts (sleep), 0.8 watts (Auto-Off/Auto-On), 0.2 watts (Auto-off/Manual-On), 0.2 watts (Off)	
Display	8.89 cm (3.5") intuitive touchscreen Color Graphic Display (CGD)	
Fonts and typefaces	84 scalable TrueType fonts	
Software included	Windows: HP Installer/Uninstaller (with Wireless setup assist), HP PCL 6 print driver, HP WIA Scan Driver, HP TWAIN Scan Driver, HP Scan, HP Fax Setup Wizard, Scan to Folder Setup Wizard, Scan-to-e-mail setup Wizard, HP Send Fax, HP Fax Print Driver, Status Alerts, HP Update, DXP (Device Experience), HP Help & Learn Center, HP Product Improvement Study; Mac: HP Installer/Uninstaller, HP Postscript driver, HP Scan, HP Setup Assistant, HP Fax Print Driver, HP Utility, HP Alerts, HP Firmware Updater	
Security management	Embedded Web Server: password-protection, secure browsing via SSL/TLS; Network: enable/disable network ports and features, SNMPv1 community password change; HP ePrint: HTTPS with certificate validation, HTTP Basic Access Authentication, SASL authentication; LDAP authentication and authorization; Firewall and ACL; SNMPv3	

¹ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ² Requires an Internet connection to the printer. Feature works with any connected Internet- and email-capable device. Requires HP Web Services Account Registration. Print times may vary. For a list of supported documents, and image types, see hp.com/go/eprintcenter. And for additional solutions, see hp.com/go/mobile-printing-solutions. Supports the following devices running iOS 4.2 or later: iPad®, iPad® 2, iPhone® (3GS or later), iPod touch® (3rd generation or later). Works with HP's AirPrint™ enabled printers and requires the printer be connected to the same network as your iOS device. Wireless performance is dependent upon physical environment and distance from the access point. AirPrint, the AirPrint Logo, iPad, iPhone, and iPod touch are trademarks of Apple® Inc., registered in the U.S. and other countries. ³ While scanning to file from ADF. Exact speed varies depending on the system configuration and document complexity. ⁴ First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ⁵ Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups. ⁶ HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period. ⁷ Introductory cartridges included; yields ~1,200 color composite (C/Y/M) and black pages. Actual yields vary considerably based on images printed and other factors. For details see hp.com/go/learnaboutsupplies. ⁸ Acoustic values are subject to change. For current information see hp.com/support. Configuration tested: base model, simplex printing, A4 paper at an average of 20 ppm. ⁹ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.

To learn more, visit hp.com

© Copyright 2014 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Microsoft and Windows are registered trademarks of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linus Torvalds.

