#### **Data sheet**

# HP Officejet Enterprise Color MFP X585 series



An HP Officejet for the enterprise—up to twice the speed and half the cost per page of lasers.<sup>1,2</sup>

A printing revolution for business. HP Officejet Enterprise MFPs deliver colour prints at up to twice the speed and half the cost per page of colour lasers plus copy, scan, and fax.<sup>1,2,8</sup> They're designed for advanced workflow—and built to last.



**HP Officejet Enterprise Color MFP X585dn** 



**HP Officejet Enterprise Color MFP X585f** 



**HP Officejet Enterprise Color Flow MFP X585z** 

#### Faster than lasers—for less1,2

- Quality colour, up to half the cost. Spend up to 50% less per page compared with colour lasers.<sup>2</sup>
- Accelerate business printing and keep productivity high—print up to twice as fast as lasers.<sup>1</sup>
- Rely on pigment inks for durable documents that are water-, fade-, and smear-resistant.5
- Designed for speed—enable full-page-width printing at high speeds with HP PageWide Technology.

#### Fully loaded for the enterprise

- Be confident that sensitive business data is protected with advanced security solutions.
- Centrally monitor and control your printers with HP Web Jetadmin.<sup>6</sup>
- Deploy new features through upgradable firmware and add solutions to expand the capabilities
  of this MFP.
- ullet Enable optional wireless direct printing and NFC touch-to-print technology—no need to access the network.  $^{3.4}$

#### Performance you can rely on

- High volume, high value—get exceptional value from Original HP high-capacity black ink cartridges.<sup>10</sup>
- Up to the task—choose a robust MFP designed for demanding, high-volume workloads.
- Rely on longevity—this MFP is designed for less maintenance, with minimal consumable parts.
- Loaded for productivity—tackle large print jobs with a paper capacity of up to 1,050 sheets.

#### Make workflow faster

- Worry-free scanning—capture every page and detect potential misfeeds before they slow you down.<sup>9</sup>
- Finish faster—scan in a single pass and send documents to network folders, email, and more. 11
- Manage jobs directly at the MFP, using the 20.3 cm (8-inch) colour touchscreen with image preview.
- Fast, accurate input—enter data more quickly and accurately using the pull-out keyboard.9


¹ Comparison based on manufacturers' published specifications of fastest-available colour mode (as of December 2013) and includes colour laser MFPs <\$3,000 USD, based on market share as reported by IDC as of Q3 2013 and HP internal testing of printer in fastest-available colour mode (sample 4-page category documents tested from ISO 24734). For more information, see <a href="https://hp.com/go/printerspeeds">hp.com/go/printerspeeds</a>² Cost-per-page (CPP) claim is based on the majority of colour laser MFPs <\$3,000 USD as of December 2013, based on market share as reported by IDC as of Q3 2013. ISO yield is based on continuous printing in default mode. CPP comparisons for laser supplies are based on published specifications of the manufacturers' highest-capacity cartridges. For details, see <a href="hp.com/go/ficejet.">hp.com/go/ficejet.</a> CPP based on HP 980 ink cartridges' estimated street price. For more information, see <a href="hp.com/go/learnaboutsupplies">hp.com/go/learnaboutsupplies</a> ³ Wireless direct printing requires purchase of optional module. Mobile device needs to be connected directly to the Wi-Fi network of a wireless-direct-capable MFP prior to printing. Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the MFP. For details, see <a href="hp.com/go/wirelessprinting">hp.com/go/wirelessprinting</a> ¹ Touch-to-print capability requires purchase of optional module. Mobile device must support near field communications-enabled printing. For a list of supported devices, see <a href="hp.com/go/businessmobileprinting">hp.com/go/businessmobileprinting</a> ¹ Display-permanence rating by Wilhelm Imaging Research, Inc., or HP Image Permanence Lab. For details, see <a href="hp.com/go/businessmobileprinting">hp.com/go/businessmobileprinting</a> ¹ Display-permanence rating by Wilhelm Imaging Research, Inc., or HP Image Permanence and the proper of the more of the proper of the proper of the proper

# **Product walkaround**

- 1 Intuitive 8-inch (20.3 cm) HP Easy Select pivoting touchscreen colour control panel
- 2 Hardware integration pocket for solution integration
- 3 Easy access USB port to save and print files directly
- 4 Pull-out keyboard for easy, accurate data entry (z bundle only)
- Front door allows convenient access to easy to replace ink cartridges
- 6 50-sheet multipurpose tray with long paper extension
- 7 Integrated automatic two-sided printing
- 8 Power On/Off button
- 9 100-sheet automatic document feeder with single-pass, two-sided scanning and HP EveryPage with ultrasonic double-feed detection¹
- 10 Platen glass colour scanner handles up to legal size (216 by 356 mm)
- 11 300-sheet output bin with long paper extension
- 12 500-sheet input tray 2
- 13 796 MHz processor, 1.75 GB RAM
- 14 320 GB HP High-Performance Secure Hard Disk
- 15 Two internal host USB 2.0 type ports for third-party solutions
- 16 Hi-Speed USB 2.0 printing port
- 17 HP Jetdirect Gigabit Ethernet print server
- 18 Foreign interface harness (for connecting external devices)
- 19 Access port for optional Kensington-style lock
- 20 Fax port, RJ-11
- 21 Hi-Speed USB 2.0 port for connecting third-party devices

#### HP Officejet Enterprise Color Flow MFP X585z shown





Back I/O panel close-up

# Series at a glance







Model	HP Officejet Enterprise Color MFP X585dn	HP Officejet Enterprise Color MFP X585f	HP Officejet Enterprise Color Flow MFP X585z	
Part number	B5L04A	B5L05A	B5L06A	
ADF input capacity	Up to 50 sheets	Up to 50 sheets	Up to 100 sheets	
HP EveryPage ultrasonic double-feed detection	Not available	Not available	✓	
Two-sided scanning	Reversing ADF	Reversing ADF	Single-pass duplexing ADF	
OCR (optical character recognition)	Optional with HP DSS	Optional with HP DSS	✓	
Large pull-out keyboard	Not available	Not available	✓	
Fax	Optional	✓	✓	

<sup>&</sup>lt;sup>1</sup> Available only on HP Officejet Enterprise Color Flow MFP X585z.

### **HP Services**

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs.

HP Care Pack Services provide comprehensive suite of protection services designed to keep HP Hardware and software up and running so employees can stay productive.

Choose from:

**Next Business Day Onsite Repair:** Makes an HP technician available at customers' premise the next business day, if the issue cannot be resolved remotely.

#### Same Day Onsite - 4 hour 9 x 5 and 13 x 5:

Sends an HP technician to customer's site the same business day for repair, within 4 hours, if the issue cannot be resolved through remote support. Various support window times are available, for different requirements.

**Next Business Day Onsite with Defective Media Retention:** Customers can retain their hard disk drive and keep control of sensitive data.

For care pack availability visit: hp.com/qo/cpc











# **Top Features**

Keep productivity high while keeping your bottom line in mind. These powerful HP MFPs deliver colour documents at up to twice the speed and half the cost per page of colour lasers. <sup>1,2</sup> Proven HP PageWide Technology makes it possible.

Designed for the demands of business, this MFP delivers the enterprise features you need. Make it easy on IT, with advanced security and management solutions, easy upgrades and mobile printing options.

Bolster your fleet with an MFP that goes the distance. Load large projects and let it handle the job while employees move on with business. Like an HP LaserJet, this MFP is built to last.

Give your office powerful productivity with all the features of lasers. Count on super-fast, dual-sided scanning, a colour touchscreen with image preview, and an integrated keyboard for smooth data entry.

Accessories				
B5L07A	HP Officejet Enterprise 500-sheet paper tray			
B5L08A	HP Officejet Enterprise Printer Cabinet & Stand			
J8026A	HP Jetdirect 2700w USB Wireless Print Server			
J8029A	HP NFC/Wireless Direct Accessory			
CC487A	HP MFP Analog Fax Accessory 500			
L2718A	HP 100 ADF Roller Replacement Kit			
B5L09A	HP Officejet Ink Collection Unit			
Supplies <sup>1</sup>				
D8J07A	HP 980 Cyan Original Ink Cartridge (6,600 pages)			
D8J08A	HP 980 Magenta Original Ink Cartridge (6,600 pages)			
D8J09A	HP 980 Yellow Original Ink Cartridge (6,600 pages)			
D8J10A	HP 980 Black Original Ink Cartridge (10,000 pages)			
Services				
U1PB8E	HP 2-year Next business day Color Officejet X585 MFP Hardware Support			
U1PB9E	HP 3-year Next business day Color Officejet X585 MFP Hardware Support			
U1PC0E	HP 4-year Next business day Color Officejet X585 MFP Hardware Support			
U1PC1E	HP 5-year Next business day Color Officejet X585 MFP Hardware Support			
U1PC2E	HP 3-year 4 hour 9 x 5 Color Officejet X585 MFP Hardware Support			
U1PC4E	HP 4-year 4 hour 9 x 5 Color Officejet X585 MFP Hardware Support			
U1PC6E	HP 5-year 4 hour 9 x 5 Color Officejet X585 MFP Hardware Support			
U1PC8E	HP 3-year Next business day+Defective Media Retention Color Officejet X585 MFP Support			
U1PC9E	HP 4-year Next business day+Defective Media Retention Color Officejet X585 MFP Support			
U1PD0E	HP 5-year Next business day+Defective Media Retention Color Officejet X585 MFP Support			
U1PE0PE	HP 1-year Post Warranty Next business day Color Officejet X585 MFP Hardware Support			
U1PE1PE	HP 2-year Post Warranty Next business day Color Officejet X585 MFP Hardware Support			
U1PE2PE	HP 1-year Post Warranty 4 hour 9 x 5 Color Officejet X585 MFP HW Support			
U1PE3PE	HP 1-year Post Warranty 4 hour 13 x 5 Color Officejet X585 MFP HW Support			
U1PE4PE	HP 1-year Post Warranty Next business day+Defective Media Retention Color Officejet X585 MFP Support			
U1PE5PE	HP 1-year Post Warranty Channel Partner only Remote and Parts Color Officejet X585 MFP Support			
U1PE6PE	HP 1-year PW Next business day Call to Repair with Defective Media Retention Color			
114 DE 7 DE	Officejet X585 MFP Support			
U1PE7PE	HP 1-year PW 2nd Business day Call to Repair with Defective Media Retention Color Officejet X585 MFP Support			

<sup>1</sup> Average colour composite (C/M/Y) and black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see hp.com/go/learnaboutsupplies

# **HP Officeiet Enterprise Color MFP X585 series**

	HP Officejet Enterprise Color MFP X585dn (B5L04A)	HP Officejet Enterprise Color MFP X585f (B5L05A)	HP Officejet Enterprise Color Flow MFP X585z (B5L06A)		
iO functions	Print, scan, and copy: AiO multitasking supported: Yes Print, scan, copy and fax; AiO multitasking supported: Yes				
iplex print options	Automatic (standard)				
int speed¹	ISO speed: Up to 42 ppm black, Up to 44 ppm colour; Maximum, A4: Up to 72 ppm black, Up to 75 ppm colour				
st page out	Black (ready): As fast as 10 sec; Colour (ready): As fast as 10 sec				
int resolution		timized dpi from 600 x 600 input dpi (on ColorLok®, Plain, HP Premium Present			
	Colour (best): Up to 2400 x 1200 optimized dpi from 600 x 600 input dpi (on HP Advanced Photo Papers)  If Depolation Technology and the company of the compa				
int technology	HP PageWide Technology with pigmented inks				
int cartridges number		1 each (black, cyan, magenta, yellow)			
bile printing capability²		HP ePrint, Apple AirPrint™			
andard print languages		PCL 5c driver available from the Web only), HP Postscript Level 3 emulation, n			
inter smart software features	HP ePrint, Apple AirPrint™, Open Extensibility Platform, FutureSmart Firmware, HP Auto-On/Auto-Off, print preview, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, job separator				
inter management	HP Web Jetadmin; HP Utility (Mac)				
an type/technology		Type: Flatbed, ADF; Technology: Charge Coupled Device (CCD)			
an speed	Normal, A4: Up to 41 ipm (b8w); up to 41 ipm (colour); Duplex: Up to 16 ipm (b8w), up to 16 ipm (colour)  Normal, A4: Up to 41 ipm (b8w); up to 59 ipm (colour)  Duplex: Up to 89 ipm (b8w), up to 66 ipm (colour)				
an resolution	<b>Enhanced:</b> Up to 600 dpi; <b>Hardware:</b> Up to $600 \times 600$ dpi; <b>Optical:</b> Up to $600 \times 600$ dpi				
n file format	PDF, JPEG, TIFF, I	MTIFF, XPS, PDF/A	PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, Text (OCR), Unicode Text (OCR), RTF (		
an input modes	Front page   applications: Capu F, mail Caus to Naturaly Folder Caus to His	5B, Save to Device Memory, Open Extensibility Platform (OXP) applications	Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OC Front panel applications: Copy, E-mail, Save to Network Folder, Sav		
an input inoues	Profit pariet applications. Copy, E-mail, save to Network Police, save to 0.	to SharePoint, Save to USB, Save to Device Memory, Open Exte Platform (OXP) applications			
an size maximum		<b>Flatbed:</b> 8.5 x 14 in (216 x 356 mm)			
nner advanced features	Optimize text/picture; Image adjustments; Job build; Output qu	ality setting; Selectable scan resolution 75 to 600 dpi; Auto detect colour; Edge	Erase; Job notification; Blank page suppression; HP Quick Sets		
depth/Grayscale levels	Bit Depth: 24-bit; Grayscale: 256				
y speed³	ISO speed: Up to 44 ppm black, Up to 44 ppm colour				
by resolution	Black (text and graphics): Up to 600 x	Black (text and graphics): Up to 600 x 600 dpi (Flatbed), 300 x 600 dpi (ADF); Colour (text and graphics): Up to 600 x 600 dpi (Flatbed), 300 x 600 dpi (ADF)			
x. no. of copies		Up to 9,999 copies			
pier resize		25 to 400%			
pier settings	Two-sided copying, scalability, image adjustments (darkness, con-	trast, background cleanup, sharpness), N-up, N or Z-ordering, content orientati	on, collation, booklet, ID Scan, job build. edge-to-edge. job storage		
c speed	Not applicable		er page		
resolution	Not applicable	Black (standard): 203 × 98 dpi; Black and White (fine): 204 × 196 dpi; Black			
features	Not applicable	Auto fax reduction supported: Yes; Auto-Redialing: Yes; Fax delayed			
r remem 63	ίνοι αμμιταυτέ		aling numbers: Up to 9,999 numbers; PC interface supported: Yes		
indard connectivity	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Foreign Interface;	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Foreign Interface; 1 Hardware Integration Pock Internal USB Host; 1 Fax modern port			
	1 Hardware Integration Pocket; 2 Internal USB Host				
twork capabilities	Via HP Jetdirect Ethernet embedded print server (standard) supports: 10Ba	se-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gi	gabit Ethernet; IPsec (standard); 802.11b/g/n wireless networking (opti		
reless capability		Optional, enabled with purchase of a hardware accessory			
emory		1792 MB (system memory)			
ocessor speed		796 MHz			
rty cycle (monthly)4	UF UF	to 75,000 pages; <b>Recommended monthly page volume:</b> 2,000 to 6,000 pa	ges		
per handling					
nput		500-sheet input tray, 50-sheet multi-purpose tray			
Output		300-sheet face-down output bin			
Media type	Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunched, recycled, bond, other inkjet plain paper), photo (glossy, gloss, soft gloss, satin, matte, other inkjet photo), envelopes, labels, cards, specialty papers (g brochure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet specialty paper)				
Media weight	60 to 120 g/m² (plain pape	r); 125 to 300 g/m² (photo); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broch	ure); 163 to 200 g/m² (card)		
Media sizes custom	Tray 1: 3 x 5 ii	n to 8.5 x 14 in; <b>Tray 2:</b> 4.0 x 8.3 in to 8.5 x 11.7 in; <b>Optional Tray 3:</b> 4.0 x 8.3	in to 8.5 x 14 in		
ADF capacity	Standard	,50 sheets	Standard, 100 sheets		
nensions (W x D x H)		x 26.4 x 23.8 in (800 x 670 x 604 mm) with MP tray down and extended, mair			
ight		36.3 kg (80 lb)	* ************************************		
	HP Officejet Enterprise Color X585dn MFP; Introductory HP Officejet Black,	HP Officejet Enterprise Color X585f MFP; Introductory HP Officejet Black,	HP Officejet Enterprise Color X585z MFP; Introductory HP Officejet Bla		
nat's in the box"	Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord	Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord	Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages,		
	Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Software	Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Software	Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Softwand electronic documentation on CD-ROM; Power cord		
arranty features	Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Software	Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord	Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Softw and electronic documentation on CD-ROM; Power cord		
hat's in the box <sup>4</sup> arranty features nergy efficiency compliance ampatible operating systems	Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord  Windows XP (SP3 or greater) (32-bit & 64-bit); Windows Vista (3 Windows Server 2008 R2-bit & 64-bit); Windows Server 2008 R2-bit & 64-bit	Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on DC-ROM; Power cord One-year, onsite warranty; one-year technical phone support, chat, and e-mai	Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty, card; Softw and electronic documentation on CD-ROM; Power cord I colour state of the col		
arranty features ergy efficiency compliance impatible operating systems impatible network operating	Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord  Windows XP (SP3 or greater) (32-bit & 64-bit); Windows Vista (3 Windows Server 2008 R2 AirPrint support.apple.com/kb/ht4356; Android; Citrix and Windows The Company of	Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord One-year, onsite warranty; one-year technical phone support, chat, and e-mail Blue Angel, ENBROY STAR® qualified, EPEAT® Silver 2-bit & 64-bit); Windows 7 (32-bit & 64-bit); Windows 8 (32-bit & 64-bit), Windows Server 2012 (64-bit); Mac 05 X v 10.6, 05 X v 10.7 Lion, 05 X erminal Services (Ipp.com/go/leprint).	Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Softw and electronic documentation on CD-ROM; Power cord I  lows 8.1; Windows Server 2003 (SP2 or greater) (32-bit & 64-bit); V10.8 Mountain Lion. For the latest operating system support see: Software; Linux (hplip.net); Novell (novell.com/iprint); SAP device types tunix_software; Unix Model Scripts  rover, Novell 5.1 or higher; Red Hat Linux 7.x or higher; Solaris 2.5 or high = 2-bit & 64-bit); Windows Vista Ready; Windows XP (SP3+) (64-bit); Windows Strever 2		
arranty features Iergy efficiency compliance	Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord  Windows XP (SP3 or greater) (32-bit & 64-bit); Windows Vista (3 Windows Server 2008 R2 AirPrint support.apple.com/kb/ht4356; Android; Citrix and Windows Thp.com/go/sapldfivers; SAP Print HP-LIX 10.20, 11.x, 11.i; IBM AN3.2.5 or higher; Windows 2003 (SP2+) (64-bit); Windows SP (SP3+) Home; Windows XP (SP3+) Home; Windows XP (SP3+) Home; Windows XP (SP3+) Profession (32-bit and 64-bit); Windows Server 2008 R2 (64-bit); Windows PC: Windows XP (SP3+) Home; Windows XP (SP3+) Windows	Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord One-year, onsite warranty; one-year technical phone support, chat, and e-mai Blue Angel, ENERGY STAR* qualified, EPEAT* Silver 2-bit & 64-bit); Windows 7 (32-bit & 64-bit); Windows 8 (32-bit & 64-bit), Windows 5 (40-bit); Windows 5 (40-	Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Softwa and electronic documentation on CD-ROM; Power cord I  lows 8.1; Windows Server 2003 (SP2 or greater) (32-bit & 64-bit); Vx10.8 Mountain Lion. For the latest operating system support see: software; Linux (hplip.net); Novell (novell.com/iprint); SAP device types tunix_software; Unix Model Scripts  arver, Novell 5.1 or higher; Red Hat Linux 7.x or higher; Solaris 2.5 or high carbon control of the cont		
erranty features ergy efficiency compliance mpatible operating systems mpatible network operating stems nimum system requirements	Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord  Windows XP (SP3 or greater) (32-bit & 64-bit); Windows Server 2008 R2 Windows Server 2008 R2 AirPrint support.apple.com/kb/ht4356; Android; Citrix and Windows Fire Phys. Com/glo/sapldfivers; SAP Print hP-LIX 10.20, 11.x, 11.i; IBM AN3.2.5 or higher; Windows 2003 (SP2+) (64-bit); Windows SP (SP3+) Home; Windows XP (SP3+) Home; Windows XP (SP3+) Profession (32-bit and 64-bit); Windows Server 2008 R2 (64-bit); Windows PC: Windows SP (SP3+) Home; Windows XP (SP3+) Home; Windows XP (SP3+) Mindows Server 2008 R2 (64-bit); Windows SP (SP3+) Mindows	Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord One-year, onsite warranty; one-year technical phone support, chat, and e-mai Blue Angel, ENBENG STAR® (audified, EPEAT® Silver 2-bit & 64-bit); Windows 7 (32-bit & 64-bit); Windows 8 (32-bit & 64-bit), Windows 8 (32-bit & 64-bit); Windows 8 (32-bit & 64-bit), Windows 8 (32-bit & 64-bit), Windows 8 (40-bit); Windows 5erver 2012 (64-bit); Wac 05 x v 10.6, 05 X v 10.7 Lion, 05 X reminal Services (Ipp.com/gol/pail); HP ePrint Software Driver Ipp.com/gol/pail/printy. UNIX hp.com/gol/nini; UNIX JetDirect hp.com/gol/pail/printy. UNIX hp.com/gol/nini; UNIX JetDirect hp.com/gol/pail/printy. UNIX hp.com/gol/ninix; UNIX JetDirect hp.com/gol/pail/printy. UNIX hp.com/gol/ninix; UNIX JetDirect hp.com/gol/pail/printy. UNIX hp.com/gol/ninix; UNIX JetDirect hp.com/gol/pail/printy. UNIX hp.com/gol/minx; UNIX JetDirect hp.com/gol/pail/printy. UNIX hp.com/gol/pail/printy. Windows Server 2003 (SP2+); Windows Terminal Services; Windows 7 (SP1) or grew Server 2012 (64-bit); Por Microsoft IPVs Compability use Windows 2003, Windows Server 2008 (26-bit); Por Microsoft IPVs Compability use Windows 2003, Windows Server 2008 R2 (64-bit); Windows 2003, Windows Server 2008 R2 (64-bit); Windows 2003, Windows Server 2008 R2 (64-bit); Windows 2003, Windows 2003, Windows 2003, Windows 2003, Windows 2003, SP1+); Windows Server 2008 R2 (64-bit); Windows 2003, Windows 2004, SP1+); Windows 2004, Windows 2004, Windows 2004, Windows 2004, SP1+); Windows 2004,	Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Softw and electronic documentation on CD-ROM; Power cord I  lows 8.1; Windows Server 2003 (SP2 or greater) (32-bit & 64-bit); V10.8 Mountain Lion. For the latest operating system support see: Software; Linux (hplip.net); Novell (novell.com/iprint); SAP device types tunix_software; Unix Model Scripts  arver, Novell 5.1 or higher; Red Hat Linux 7.x or higher; Solaris 2.5 or higher; Jebit & 64-bit); Windows Vista Ready; Windows XP (SP3+) (64-bit); Windows Strate (32-bit and 64-bit); Windows XP Professional and Windows Vista ready; Windows Strate (32-bit and 64-bit); Windows XP (SP2+); CD-ROM or DVD drive, sem compatible hardware system requirements see microsoft.com; 1.1 or 2.0), or network connection; 1 GB of available hard-disk space; ddity range: 5 to 90% RH; Operating humidity range: 20 to 80% RH;		
arranty features ergy efficiency compliance mpatible operating systems mpatible network operating stems nimum system requirements	Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord  Windows XP (SP3 or greater) (32-bit & 64-bit); Windows Vista (3 Windows Server 2008 R2 AirPrint support.apple.com/kb)th4356; Android; Citrix and Windows Thp.com/go/sapld/twers; SAP Print HP-UX 10.20, 11.x, 11.i; IBM AIX 3.2.5 or higher; Mac OS X v 10.6, OS X v 1 (SPARC systems only); SuSe Linux B.x or higher; Mindows 2003 (SP2+) (64-XP (SP3+) Home; Windows XP (SP3+) + Offsession (32-bit and 64-bit); Windows Server 2008 R2 (64-bit); Window PC: Windows Se; Windows Vista; Windows 7 (SP1+); Windows Server or Internet Connection; Dedicated universal serial bus (USB 1.1 or Mac: Mac OS X v 10.6, OS X 10.7 Lion, OS X 10.8 Mountain Lion; CD-Operating temperature range; S9 to 86° F (15 to 30° C); Recommended operating humidit	Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord  One-year, onsite warranty; one-year technical phone support, chat, and e-mai Blue Angel, ENERGY STAR® qualified, EPEAT® Silver  2-bit & 64-bit); Windows 7 (32-bit & 64-bit); Windows 8 (32-bit & 64-bit), Windows 6 (32-bit & 64-bit), Windows 5 (32-bit & 64-bit), Windows 6 (32-bit & 64-bit), Windows 5 (40-bit), Windows 6 (40-bit), Windows 6 (40-bit), Windows 6 (40-bit), Windows 6 (40-bit), Windows 5 (40-bit), Windows 6 (4	Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Softw and electronic documentation on CD-ROM; Power cord I.  Jows 8.1; Windows Server 2003 (SP2 or greater) (32-bit & 64-bit); (v10.8 Mountain Lion. For the latest operating system support see: software; Linux (hplip.net); Novell (novell.com/iprint); SAP device types tunix, software; Linux (hplip.net); Novell (novell.com/iprint); SAP device types trunix, software; Linix Model Scripts erver; Novell 5.1 or higher; Red Hat Linux 7.x or higher; Solaris 2.5 or high c2-bit & 64-bit); Windows Vista Ready; Windows XP (SP3+) (64-bit); Windows KP (SP3+) (64-bit); Windows XP (SP3+); CD-ROM or DVD drive, most Server 2012 (64-bit); Windows XP (SP2+); CD-ROM or DVD drive, mcompatible hardware system requirements see microsoft.com; 1.1 or 2.0), or network connection; 1 GB of available hard-disk space; ditty range: 5 to 90% RH; Operating humidity range: 20 to 80% RH; torage Altitude (imperial): 4572 m		
arranty features nergy efficiency compliance mpatible operating systems mpatible network operating stems	Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord  Windows XP (SP3 or greater) (32-bit & 64-bit); Windows Server 2008 R2 Windows Server 2008 R2 AirPrint support.apple.com/kb/ht4355; Andford; Citra wad Windows 1 Mp.com/go/sapl/drivers; SAP Print HP-UX 10.20, 11.x, 11.; IBM AN 3.2.5 or higher; Windows 2003 (SP2+) (64-XP (SP3+) Home; Windows XP (SP3+) Home; Windows 2003 (SP2+) (64-XP (SP3+) Home; Windows XP (SP3+) Home; Windows 2003 (SP2+) (64-bit); Windows Server 2008 R2 (64-bit); Windows Server or internet connection; Dedicated universal serial bus (USB 1.1 or Mac: Mac 05 X v10.6, 05 X 10.7 Lion, 05 X 10.8 Mountain Lion; CD-  Operating temperature range: 59 to 86° F (15 to 30° C); Recomme Recommended operating humidit  Acoustic power emissions: 5.7 B (# Power supply type: Internal (Built-in) power supply; Power	Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord  One-year, onsite warranty; one-year technical phone support, chat, and e-mai Blue Angel, ENERGY STAR® qualified, EPEAT® Silver  2-bit & 64-bit); Windows 7 (32-bit & 64-bit); Windows 8 (32-bit & 64-bit), Windows 5 (32-bit & 64-bit); Windows 5 (32-bit & 64-bit); Windows 5 (32-bit & 64-bit), Windows 5 (32-bit & 64-bit), Windows 5 (32-bit & 64-bit), Windows 5 (32-bit & 64-bit); Windows 5 (32-bit); Windows	Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Softwing and electronic documentation on CD-ROM; Power cord lows 8.1; Windows Server 2003 (SP2 or greater) (32-bit & 64-bit); V10.8 Mountain Lion. For the latest operating system support see: Software: Linux (hplip.net); Novell (novell.com/iprint); SAP device types tunix, software; Unix Model Scripts server, Novell 5.1 or higher; Red Hat Linux 7.x or higher; Solaris 2.5 or high Lebit & 64-bit); Windows Vista Ready; Windows XP (SP3+) (64-bit); Windows Stard and 64-bit); Windows Stard and 64-bit); Windows Stard and 64-bit); Windows Stard (64-bit); Windows XP (SP2+); CD-ROM or DVD drive, em compatible hardware system requirements see microsoft.com; 1.1 or 2.0), or network connection; 1 GB of available hard-disk space;  dity range: 5 to 90% RH; Operating humidity range: 20 to 80% RH; torage Altitude (imperial): 4572 m sistons: 53 dB(A) (printing at 43 ppm) consumption: 67 watts (Printing), 34 watts (Ready), 9 watts (Sleep),		
ergy efficiency compliance mpatible operating systems mpatible network operating stems nimum system requirements vironmental ranges pustic	Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord  Windows XP (SP3 or greater) (32-bit & 64-bit); Windows Server 2008 R2 Windows Server 2008 R2 AirPrint support.apple.com/kb/ht4355; Andford; Citra wad Windows 1 Mp.com/go/sapl/drivers; SAP Print HP-UX 10.20, 11.x, 11.; IBM AN 3.2.5 or higher; Windows 2003 (SP2+) (64-XP (SP3+) Home; Windows XP (SP3+) Home; Windows 2003 (SP2+) (64-XP (SP3+) Home; Windows XP (SP3+) Home; Windows 2003 (SP2+) (64-bit); Windows Server 2008 R2 (64-bit); Windows Server or internet connection; Dedicated universal serial bus (USB 1.1 or Mac: Mac 05 X v10.6, 05 X 10.7 Lion, 05 X 10.8 Mountain Lion; CD-  Operating temperature range: 59 to 86° F (15 to 30° C); Recomme Recommended operating humidit  Acoustic power emissions: 5.7 B (# Power supply type: Internal (Built-in) power supply; Power	Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord One-year, onsite warranty; one-year technical phone support, chat, and e-mai Blue Angel, ENBROY STAR®, Qualified, PEPAT® Silver 2-bit & 64-bit); Windows 7 (32-bit & 64-bit); Windows 8 (32-bit & 64-bit), Windows 8 (32-bit & 64-bit); Windows 8 (32-bit & 64-bit); Windows 8 (32-bit & 64-bit), Windows 5erver 2012 (64-bit); Wac 05 x V 10.6, 05 X v 10.7 Lion, 05 X erminal Services (Ipp.com/gol/pit); HP ePrint Software Driver Ipp.com/gol/pitdired O7 Lion, 05 X v 10.8 Mountain Lion; Windows 2000; MPE-X; Citrix MetaFrame Stbit); Windows Server 2003 (SP2+); Windows Terminal Services; Windows Vista; Windows Y (SP3) Porfessional and Windows Vista; Windows 7 (SP1) or grew Server 2016 (64-bit); For Microsoft IPAS compability use Windows 2003; Windows 2003 (SP1+); Windows Server 2008 R2 (64-bit); Windows Server 2008 R2 (64-bit); Windows Server 2008 R2 (64-bit); Windows Compability use Windows 2003; Windows 2003 (SP1+); Windows Server 2008 R2 (64-bit); Windows Server 2008 R2 (64-bit); Windows Server 2008 R2 (64-bit); Windows 2003, Windows 2003; Windows 2003 (SP1+); Windows Server 2008 R2 (64-bit); Windows 2003, Windows 2003 (SP1+); Windows Server 2008 R2 (64-bit); Windows 2003, Windows 2003 (SP1+); Windows 2003, Windows 2004 (SP1+); Windows 2003, Windows 2004 (SP1+); Wind	Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Softwand electronic documentation on CD-ROM; Power cord lows 8.1; Windows Server 2003 (SP2 or greater) (32-bit & 64-bit); V10.8 Mountain Lion. For the latest operating system support see: Software: Linux (hplip.net); Novell (novell.com/iprint); SAP device types tunix, software; Unix Model Scripts server, Novell 5.1 or higher, Red Hat Linux 7.x or higher; Solaris 2.5 or high 2-bit & 64-bit); Windows Vista Ready; Windows XP (SP3+) (64-bit); Windows Stapes); Windows Stapes, Windows		
arranty features ergy efficiency compliance mpatible operating systems mpatible network operating stems nimum system requirements vironmental ranges oustic wer	Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord  Windows XP (SP3 or greater) (32-bit & 64-bit); Windows Vista (3 Windows Server 2008 R2 His & 64-bit); Windows Server 2008 R2 AirPrint support apple.com/kb/ht4356; Android; Citrix and Windows To Server 2008 R2 (32-bit & 64-bit); Windows Server 2008 R2 (34-bit); Windows Server 2008 R2 (64-bit); Windows Server 2008 (32-bit and 64-bit); Windows Server 2008 R2 (64-bit); Windows S	Cyan, Yellovi, Magenta print cartridges (Black: ~7,800 pagies, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord One-year, onsite warranty; one-year technical phone support, chat, and e-mail Blue Angel, ENERGY STAR® qualified, EPEAT® Silver 2-bit & 64-bit); Windows 7 (32-bit & 64-bit); Windows 8 (32-bit & 64-bit); Windows 5 (32-bit & 64-bit); Windows 5 (32-bit & 64-bit); Windows 5 (42-bit & 64-bit); Windows 5 (40-bit), Windows 5 (40-bit); Mac OS X v 10.6, OS X v 10.7, Lion, OS X v 10.6, OS X v 10.7, Lion, OS X v 10.6, OS X v 10.7, Lion, OS X v 10.6, OS X v 10.7, Lion, OS X v 10.6, OS X v 10.8, Mountain Lion; Windows 2000; Morare Driver hp.com/go/jetdirec O.7, Lion, OS X v 10.8 Mountain Lion; Windows 2000; Windows Vota; Windows V (52-b) or gree was Server 2012 (64-bit); For Microsoft IPv6 compatibility use Windows 2003, Windows (52-bit); Windows Server 2013 (64-bit); For Microsoft IPv6 compatibility use Windows 2003, Windows 2003, Windows X (42-bit); Windows 2003, Windows Server 2014 (64-bit); Windows Server 2008 R2 (64-bit); Windows 2003, Windows Server 2014 (64-bit); Windows Server 2008 R2 (64-bit); Windows 2003, Wi	Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Softw and electronic documentation on CD-ROM; Power cord I  lows 8.1; Windows Server 2003 (SP2 or greater) (32-bit & 64-bit); (v10.8 Mountain Lion. For the latest operating system support see: software; Linux (hplip.net); Novell (novell.com/lprint); SAP device types tunix_software; Unix Model Scripts  erver; Novell 5.1 or higher; Red Halt Linux 7.x or higher; Solaris 2.5 or high clark 32-bit and 64-bit); Window Star Ready; Windows XP (SP3+) (64-bit); Windows Star Ready; Windows XP (SP3+) (64-bit); Windows XP Home, Windows XP Porfessional and Windows Vista www. Server 2012 (64-bit); Windows XP (SP2+); CD-ROM or DVD drive, em compatible hardware system requirements see microsoft.com; 1 or 2.0), or network connection; 1 GB of available hard-disk space; dity range: 5 to 90% RH; Operating humidity range: 20 to 80% RH; torage Altitude (Imperial): 4572 m ssions: 53 dB(A) (printing at 43 ppm) consumption: 67 watts (Printing), 34 watts (Ready), 9 watts (Sleep), efault shipping configuration)		
arranty features ergy efficiency compliance mpatible operating systems mpatible network operating stems nimum system requirements vironmental ranges oustic wer splay ftware included	Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord  Windows XP (SP3 or greater) (32-bit & 64-bit); Windows Server 2008 R2 Windows Server 2008 R2 AirPrint support.apple.com/kb/ht/355; Android; Citrik and Windows T AirPrint support.apple.com/kb/ht/355; Android; Citrik and Windows T SPARC systems only; SuSe Linux R. xor Injeher; Windows SV 10.6, 05 XV 1 (SPARC) systems only; SuSe Linux R. xor Injeher; Windows XP (SP3+) Profession (32-bit and 64-bit); Windows Server 2008 R2 (64-bit); Window SP (SP1+); Windows GV 10, Windows SP (SP1+); Windows SP (SP1+) Windows S	Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord  One-year, onsite warranty; one-year technical phone support, chat, and e-mai Blue Angel, ENERGY STAR® qualified, EPEAT® Silver  2-bit & 64-bit); Windows 7 (32-bit & 64-bit); Windows 8 (32-bit & 64-bit), Winc (64-bit); Windows 5 erver 2012 (64-bit); Windows 5 (32-bit & 64-bit), December (19, 2007); Windows 5 (19, 2018); Wardows 5 (19, 2018); Windows 5 (19, 2018); W	Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Softwand electronic documentation on CD-ROM; Power cord I.  Iows 8.1; Windows Server 2003 (SP2 or greater) (32-bit & 64-bit); V10.8 Mountain Lion. For the latest operating system support see: software; Linux (Inplip.net); Novell (Inovell.com/Iprint); SAP device types tunix_software; Unix Model Scripts  zerver, Novell 5.1 or higher; Red Hat Linux 7.x or higher; Solaris 2.5 or high 2-bit 8.64-bit); Windows Wister Ready; Windows XP (SP3+) (64-bit); Windows Stard; Windows XP (SP3+) (64-bit); Windows Stard; Unix Model Scripts  zerver, Novell 5.1 or higher; Red Hat Linux 7.x or higher; Solaris 2.5 or high atter (32-bit and 64-bit); Windows Stard Ready; Windows XP (SP3+) (64-bit); Windows Stard Novel Server 2 of Stard St		
arranty features ergy efficiency compliance mpatible operating systems  mpatible network operating stems  nimum system requirements  vironmental ranges oustic	Cyan, Yellow, Magenta print cartridges (Black ~ 7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord  Windows XP (SP3 or greater) (32-bit & 64-bit); Windows Server 2008 R2 Windows Server 2008 R2 AirPrint support.apple.com/kb/ht4356; Android; Citrix and Windows To Server 2008 R2 AirPrint Sp.com/go/sap/drivers; SAP Print SPARC Systems only); SuSe Linux B.x or higher; Mac OS X v 10.6, OS X v 1 (SPARC Systems only); SuSe Linux B.x or higher; Mindows 2003 (SP2+) (64-XP (SP3+) Home; Windows XP (SP3+) Home; Windows XP (SP3+) Profession  PC: Windows 8; Windows Vista; Windows 7 (SP1+); Windows Server or Internet connection; Dedicated universal serial bus (USB 1.1 or Mac: Mac OS X v 10.6, OS X 10.7 Lion, OS X 10.8 Mountain Lion; CD-  Operating temperature range: 59 to 86* F (15 to 30* C); Recomme Recommended operating humidit  Acoustic power emissions: 6.7 Bi?  Power supply type: Internal (Built-in) power supply; Power supply (10,35 watts (Manual-Off), 0.	Cyan, Yellovi, Magenta print cartridges (Black: ~7,800 pagies, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord One-year, onsite warranty; one-year technical phone support, chat, and e-mail Blue Angel, ENERGY STAR® qualified, EPEAT® Silver 2-bit & 64-bit); Windows 7 (32-bit & 64-bit); Windows 8 (32-bit & 64-bit); Windows 5 (32-bit & 64-bit); Windows 5 (32-bit & 64-bit); Windows 5 (42-bit & 64-bit); Windows 5 (40-bit), Windows 5 (40-bit); Mac OS X v 10.6, OS X v 10.7, Lion, OS X v 10.6, OS X v 10.7, Lion, OS X v 10.6, OS X v 10.7, Lion, OS X v 10.6, OS X v 10.7, Lion, OS X v 10.6, OS X v 10.8, Mountain Lion; Windows 2000; Morare Driver hp.com/go/jetdirec O.7, Lion, OS X v 10.8 Mountain Lion; Windows 2000; Windows Vota; Windows V (52-b) or gree was Server 2012 (64-bit); For Microsoft IPv6 compatibility use Windows 2003, Windows (52-bit); Windows Server 2013 (64-bit); For Microsoft IPv6 compatibility use Windows 2003, Windows 2003, Windows X (42-bit); Windows 2003, Windows Server 2014 (64-bit); Windows Server 2008 R2 (64-bit); Windows 2003, Windows Server 2014 (64-bit); Windows Server 2008 R2 (64-bit); Windows 2003, Wi	Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Softw and electronic documentation on CD-ROM; Power cord I was an electronic documentation on CD-ROM; Power cord I was a support see: Software; Linux, (hplip.net); Novell (novell.com/print); SAP device types contrave; Linux, (hplip.net); Novell (novell.com/print); SAP device types Lunix, software; Linux (hplip.net); Novell (novell.com/print); SAP device types Lunix, software; Unix Model Scripts evers; Novell 5.1 or higher; Red Hat Linux 7.x or higher; Solaris 2.5 or high 2-bit & 64-bit); Windows Vista Ready; Windows XP (SP3+) (64-bit); Windows Vista Ready; Windows XP (SP3+); (64-bit); Windows XP (SP2-bit) and 64-bit); Windows XP (SP2-bit) and 64-bit); Windows XP (SP2-bit) and 64-bit); Windows XP (SP2-bit); CD-ROM or DVD drive, ent compatible hardware system requirements see microsoft.com; 1. or 2.0), or network connection; 1. GB of available hard-disk space; ditty range; 5 to 90% RH; Operating humidity range; 20 to 80% RH; torage Altitude (imperial): 4572 m ssions; 53 dB(A) (printing at 43 ppm) consumption; 67 watts (Printing), 34 watts (Ready), 9 watts (Sleep), results hisping configuration)		

¹ISO speeds measured using ISO/IEC 24734. Excludes first page or first set of ISO test pages. For details see hp.com/go/printerclaims an Internet connection to the printer. Feature works with any connected Internet- and email-capable device. Requires HP Web Services Account Registration. Print times may vary. For a list of supported documents, and image types, see hp.com/go/eprintcenter. And for additional solutions, see hp.com/go/mobile-printing-solutions. Supports the following devices running iOS 4.2 or later: iPad®, iPad® 2, iPhone® (3GS or later), iPod touch® (3rd generation or later). Works with IHPs AirPrint™ enabled printers and requires the printer be connected to the same network as your iOS device. Wireless performance is dependent upon physical environment and distance from the access point. AirPrint, topa, iPad, iPhone, and iPod touch are trademarks of Apple® inc., registered in the U.S. and other countries. ³ I'rist topy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of trest documents. For more information see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. \*Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP Colour LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups. \*HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device if for over an extended warranty period. \*Average colour composite (CINVI) and black declared vigled based on ISO/IEC 19789 and ontinious printing, Actual by over an extended voer an extended voer

#### To learn more, visit hp.com

© Copyright 2014 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. Warranties for HP products and services are set out in the express warranty statements accompanying such products and services. In addition, our products and services come with guarantees that cannot be excluded under the Australian Consumer Law. Subject to the foregoing, nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. Microsoft and Windows are registered trademarks of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linus Torvalds. UNIX is a registered trademark of The Open Group. NetWare® is a trademark of Novell, Inc. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks.

