



Waste profile datasheet for HP Black 2580 Solvent Ink

Used or spent cartridges should not be considered empty and should be disposed of according to local and government regulations.

Flashpoint (USEPA Method 1020)—5° C

Corrosivity to steel (USEPA Method 1110)—not detectable

Toxicity—LC50 96 hour test for Rainbow Trout toxicity is between 10 and 100 mg/l



Metals content mg/l

Antimony	<2.0 mg/l
Arsenic	<2.0 mg/l
Barium	<0.39 mg/l
Beryllium	<0.1 mg/l
Cadmium	<0.1 mg/l
Chromium (total)	2550 mg/l
Chromium (Hexavalent)	8.4 mg/l
Cobalt	579 mg/l
Copper	<0.39 mg/l
Lead	<0.98 mg/l
Mercury	<0.02 mg/l
Molybdenum	<0.39 mg/l
Nickel	1.7 mg/l
Selenium	<2.0 mg/l
Silver	<0.4 mg/l
Vanadium	4.06 mg/l

Supplemental information:

The ink carries the following classification according to (EC) Directive No 1272/2008

Category 1	H318—Serious Eye Damage/Eye Irritation
Category 2	H225—Highly flammable liquid or vapor
Category 3	H412—Harmful to aquatic life with long lasting effects

Learn more at
hp.com/go/oeminkjet

Sign up for updates
hp.com/go/getupdated



Share with colleagues



Rate this document