

## Datasheet

# HP LD4730Ga 119,4 cm (47") Micro-Bezel Video Wall Display with Protective Glass



## Create a stir

Perfect for eye-popping video wall installations that attract customer attention, the HP LD4730Ga with integrated Corning® Gorilla® Glass delivers stunning display technology and performance plus a micro-thin bezel that's virtually invisible when tiled.



### Smart technology

- Use simplified Video-Over-Ethernet (VOE) to efficiently manage and deploy up to 12 network-attached large format displays (LFDs) over the enterprise, simplify installations, increase flexibility, and help reduce deployment costs.

### Out-of-the-box productivity

- Remotely control and manage your LFD and your message with "on-the-fly" command and setting changes with HP Network Sign Manager Software--perfect for multiple LAN-connected displays in stores, lobbies, offices, and travel hubs.

### HP DreamColor quality

- Simplify color matching on all LFDs and keep your video wall at peak performance with the HP DreamColor Calibration Solution (sold separately), which offers host-less color calibration for consistent and accurate color across the entire display area.

### Built to last

- Enjoy the durability of LFD engineered for enhanced performance and reliability that also includes integrated Corning® Gorilla® Glass, an easy-to-clean, wear-resistant coating for smooth, flat surfaces that keeps optical clarity intact.

# HP LD4730Ga 119,4 cm (47") Micro-Bezel Video Wall Display with Protective Glass

## Specifications Table



<b>Product Number</b>	K4Q70AA;
<b>Product Color</b>	Black
<b>Display size (diagonal)</b>	119,4 cm (47")
<b>Display Type</b>	IPS panel
<b>Panel Active Area</b>	103.97 x 58.48 cm;
<b>Viewing Angle</b>	178° horizontal; 178° vertical
<b>Brightness</b>	800 cd/m <sup>2</sup>
<b>Contrast Ratio</b>	1400:1 static; 100000:1 dynamic <sup>1</sup>
<b>Response Ratio</b>	30 ms on/off; 12 ms gray to gray <sup>1</sup>
<b>Aspect Ratio</b>	16:9
<b>Native Resolution</b>	1920 x 1080
<b>Resolutions Supported</b>	1920 x 1080; 1680 x 1050; 1600 x 1200; 1600 x 900; 1440 x 900; 1366 x 768; 1280 x 1024; 1280 x 720; 1024 x 768; 800 x 600; 640 x 480
<b>Display Features</b>	Anti-static; Anti-glare; Language selection; Plug and Play; User controls; User programmable; In plane switching
<b>User Controls</b>	Input; Menu; 4-button OSD; Power
<b>Input signal</b>	1 VGA in; 1 VGA out; 1 DisplayPort in; 1 DisplayPort out
<b>Ports and Connectors</b>	1 USB 2.0; 1 RJ-45; 2 RS-232C; 1 audio; 2 Speaker (Speakers not included)
<b>Input power</b>	Input voltage: 100 to 240 VAC
<b>Power consumption</b>	Panel Active Area: 103.97 x 58.48 cm; 200 W (maximum), 160 W (typical), 0.5 W (standby); Screen resolution: 1920 x 1080
<b>Dimensions without Stand (W x D x H)</b>	104.9 x 10.13 x 59.41 cm
<b>Weight</b>	29.3 kg (Head Only)
<b>Certification and Compliance</b>	UL UL60950-1 First Edition; cUL CAN/CSA-C22.2 NO. 60950-1-03; NOM NYCE; TUV EN60950-1; PSE J60065 (H14); J55013 (H14); CCC GB4943; GB9254; GB17625.1; PSB IEC60950-1; TUV-S (Argentina) IEC60950-1; BSMI CNS13438; CNS14336; FCC CLASS B FCC 47 CFR Part 15 Class B; ICES-003 Class B; CE EN55022B; EN55024; EN61000-3-2; VCCI VCCI-V-2 V-3 V-4; CISPR-22B; C-Tick AS/NZS3548:1995; KCC (Korean) Requirements; Korea Energy Boy; SmartWay - NA only - Energy logistics; EUP Lot 6 Tier 1
<b>What's in the box</b>	VGA cable; DisplayPort cable; Power cable; Remote control; IR cable; IR receiver module; Documentation kit
<b>Warranty</b>	1-year limited warranty including 1 year of parts and labour. Certain restrictions and exclusions apply.

## HP LD4730Ga 119,4 cm (47") Micro-Bezel Video Wall Display with Protective Glass

### Accessories and services (not included)

---

HP 3 year 4 hour 9x5 Onsite  
Desktop Only Hardware  
Support



HP Care Pack Services offer upgraded service levels to enhance your warranty cover for your total peace of mind and help you to stay up and running.  
**Product number: U4863E**

---

## HP LD4730Ga 119,4 cm (47") Micro-Bezel Video Wall Display with Protective Glass

### Technical specifications disclaimers

<sup>1</sup> All specifications represent the typical specifications provided by HP's component manufacturers, actual performance may vary either higher or lower.

### Learn more at

[www.hp.eu/monitors](http://www.hp.eu/monitors)

### Engage HP Financial Services

Explore monthly payment options and technology refresh plans that can provide more flexibility to help you meet your IT goals. More information on [www.hp.com/go/hpfs](http://www.hp.com/go/hpfs).

### Sign up for updates

[www.hp.com/go/getupdated](http://www.hp.com/go/getupdated)

---

The product could differ from the images shown. © 2015 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. Specific features may vary from model to model. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

4AA5-6757EEE, January 2015

