HP PageWide XL 5000 Printer series



Powerful, efficient monochrome and color production with up to 30% savings in total production costs1



Fast delivery times in monochrome and color

- Up to 14 A1/D pages/minute print speed, quick 30-second first page out
- Deliver mixed monochrome and color sets in 50% of the time with a consolidated workflow²
- Start printing in 50% of the time³ an ultra-fast processor, native PDF management, HP SmartStream software
- Free up the operator—production stacker/online folder.4 up to 4 rolls, dual ink supplies with auto-switch

Fast color, excellent document quality

- Generate new business growth—print GIS map, point-of-sale (POS) poster applications at breakthrough speeds
- Set a new technical document standard with crisp lines, fine detail, and smooth grayscales that beat LED5
- HP PageWide XL pigment ink for dark blacks, vivid colors, moisture/fade resistance—even on uncoated bond⁶
- Print on a wide range of media up to 101.6 cm/40 inches—covering ISO/US technical and offset standards7

Cut total production costs up to 30%1

- Print monochrome and color technical documents at the same or lower cost than comparable LED printers8
- Do it all with one space-saving device for both monochrome and color, or opt for the MFP to print/scan/copy
- Cut job preparation and finishing costs up to 50%2
- See up to 5 times lower energy consumption than comparable LED printers9

For more information, please visit hp.com/go/pagewidexl/5000series





Dynamic security enabled printer. Only intended to be used with cartridges using an HP original chip. Cartridges using a non-HP chip may not work, and those that work today may not work in the future. More at: hp.com/go/learnaboutsupplies

Note: HP PageWide XL printers are not designed to use continuous ink systems. HP PageWide XL printers are designed for ink cartridges to be used until they are empty. Refilling cartridges prior to depletion might cause the printer to fail, and voids the HP ink cartridge warranty.

- Production costs savings based on an HP PageWide XL 5000 Printer compared with a combination of a mid-volume monochrome LED printer and a mid-volume color production printer (both under \$40,000 USD) as of April, 2015. Production costs consist of supplies and service costs, printer energy costs, and operator costs. For testing criteria, see hp.com/go/pagewidexlclaims.

 Based on internal HP testing on the HP PageWide XL 5000 Printer compared to preparing and printing the job on two different printers (one comparable monochrome mid-volume LED printer for the monochrome pages and one color printer for the color pages). For testing criteria, see hp.com/go/pagewidexlclaims.

 Using HP SmartStream software compared with using equivalent software programs. For testing criteria, see hp.com/go/pagewidexlclaims.

 The HP PageWide XL Folder and the HP F60 Folder are optional accessories. The HP PageWide XL High-capacity Stacker may be an optional accessory. Options vary by region.

- The HP PageWide XL Folder and the HP FbU Folder are optional accessories. In et HP PageWide XL High-capacity Stacker may be an optional accessory. Uptions vary by region.

 For output produced with HP PageWide XL printers and LED printers from different manufacturers and that preaser than 50% of the annual shipments of LED printers in North America as of 2014 according to IDC. For testing criteria, see https://docs.py.docs.py.docs.py.docs.org/1/1980 inks that are fade and moisture resistant per ISO 11798 Permanence and Durability Methods certification. For testing criteria, see <a href="https://docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py.docs.py
- printing 4 h/fu pages per minute of more and united as 50,000 050 for large-format printing of technical documents of the printers of the printing of the share of mid-volume LED printers capable of printing 8 to 13 A1/D pages per minute and which represent more than 80% of the share of mid-volume LED printers in the US and Europe according to IDC as of April, 2015. For testing criteria, see https://px.com/go/pagewidexlclaims.

Beat record delivery with consolidated workflows—produce mixed monochrome and color sets in 50% of the time.² Achieve up to 30% savings in total production costs.¹ Save space and trim workflow cost with a single device for monochrome and color, or print/scan/copy with a multifunction printer.

HP PageWide Technology

The HP PageWide XL 5000 Printer series includes a stationary 101.6-cm (40-inch) printbar that spans the whole printing width. As paper moves under the printbar, the entire page is printed in one pass, enabling very high printing speeds.

HP PageWide XL pigment ink for HP PageWide XL printers

HP PageWide XL pigment ink is specially designed to provide reliable and dependable operation with HP PageWide XL printers and produce high-quality output:

- Dark blacks and vivid colors on a range of media including uncoated bond papers
- Moisture- and fade-resistant prints⁶

Proven technology for reliable operation

Designed for mid-volume production, the HP PageWide XL 5000 Printer series is based on proven HP PageWide Technology, currently powering HP PageWide Web Presses—producing 4 billion impressions monthly—and HP PageWide Pro and HP PageWide Enterprise printers.

HP 841 PageWide XL Printheads provide reliable and long-life operation, with an average life per printhead of 32 liters of ink.


Save time and reduce complexity by consolidating your monochrome and color workflows

It is very common to print mixed monochrome and color sets—typically a long and complex process that requires separate printing on different printers as well as manual collation.

Consolidated workflow efficiencies in delivering mixed monochrome and color sets help contribute to up to 30% savings in total production costs. HP SmartStream software can help you improve your technical production workflow efficiency for single, multiple operator environments by preparing your jobs in 50% of the time. 3



8 HP PageWide XL ink cartridges (2 x 400-ml per color with auto-switch)



Print fast, deliver faster

- 1. Using HP SmartStream Preflight Manager, jobs can be prepared in 50% of the time³
- **2.** With an ultra-fast processor and the embedded Adobe PDF Print Engine 4,¹⁰ HP PageWide XL printers are designed for quick processing, including the most complex jobs
- 3. Print up to 14 A1/D pages/minute in monochrome and color
- **4.** Reduce the wait for short jobs with a quick, 30-second first page out

Gain even greater versatility

Expand the versatility of your HP PageWide XL 5000 Printer series with HP and third-party software and hardware solutions, see hp.com/go/pagewidexl3rdparty.

Cover a wide range of applications with HP large format printing materials optimized with HP PageWide XL printers and pigment inks for high-quality printing, see <u>HPLFMedia.com</u>. And choose from a growing variety of other commercially available media compatible with HP PageWide XL printers, see hp.com/go/mediasolutionslocator.

Set a new quality standard for technical documents

HP 841 PageWide XL Printheads, working with HP PageWide XL pigment ink, are designed to produce durable and high-quality output with dark blacks and vivid colors.

Accurate and reliable dot placement results in crisp lines, fine detail, and smooth grayscales. HP PageWide XL printers do not apply heat to the paper as part of the printing process, enabling very high levels of line accuracy $(\pm 0.1\%)$.¹¹

Save space and trim workflow cost with a single device for monochrome and color, and print, scan, and copy with a multifunction printer





- **1. Up to 4 rolls**—automatic roll switching when a roll is depleted or a different page size is selected
- **2. Dual 400-ml HP ink supplies** with auto-switch—replace used cartridges while the printer is running.
- 203-mm (8-inch) touchscreen—status light reports current status and provides
 progressive alerts on potential issues that could impact production (i.e., out of paper
 or ink).
- **4. Top stacker**—designed to save space, with capacity up to 100 pages.
- **5. High-capacity output solutions** HP PageWide XL Folder, HP F60 Folder, and HP PageWide XL High-capacity Stacker specially designed to keep up with HP PageWide XL print speeds.

The Adobe PDF Print Engine (APPE) is Adobe's high speed, high fidelity print platform. Version 4 extends APPE's leading edge for print reproduction with new performance efficiencies and breakthrough rendering features. APPE 4 enables printers to increase workflow efficiency and capitalize on the profit potential of innovations in inkjet print technology. To learn more, visit adobe.com/products/pdfprintengine.

Technical specifications

	Large-format color MFP or printer
	HP PageWide Technology
	Line drawings, Maps, Orthophotos, Posters
	Pigment-based (cyan, magenta, yellow, black) 8 (2 x 400-ml per color) with auto-switch
	8 x HP 841 PageWide XL Printheads
	32 liters
	10 liters or 12 months from installation
	1200 x 1200 dpi
	0.02 mm (0.0008 in) (HP-GL/2 addressable)
	0.085 mm (0.0033 in) (ISO/IEC 13660:2001(E)) ¹²
line width	0.003 1111 (0.0033 11) (130/120 13000.200 1(2))
Line accuracy	±0.1% ¹¹
Maximum print speed14	9 m/min (27.8 ft/min)
A1/Arch D/ANSI D	14 pages/min, 600 pages/hr
(long edge first)	
	7 pages/min, 300 pages/hr
	10
	10 pages/min
	No warm up
	30 sec (from Ready mode)
	2 rolls default with auto-switching, expandable to 4 rolls
	279 to 1016 mm (11 to 40 in) Up to 200 m (650 ft)
	Up to 177 mm (7 in)
	7.6 cm (3 in)
	Up to 1000 mm (39.4 in)
	Up to 200 m (650 ft) for CAD and 30 m (98 ft) for poster ¹⁵
	70 to 200 g/m² (19 to 53 lb)
	Up to 0.4 mm (15.7 mil)
	Bond and recycled papers, poster papers, polypropylene,
r redia types	Tyvek®, matte film
Media output (standard)	Basket
Media output (optional)	High-capacity stacker, online folders, top stacker
Maximum page size	102 x 122 cm (40 x 48 in) ¹⁶
Capacity	Up to 150 (A0/E) with the HP PageWide XL Folder
	Up to 100 (A0/E) with the HP F60 Folder
	70 to 200 g/m² (19 to 53 lb)
	101 x 125 x 108 cm (55.6 x 49.1 x 42.6 in)
	140 kg (308 lb)
Page width	28 to 91.4 cm (11 to 36 in)
Page length	Cross fold: 2.5 m (8.2 ft)
	Fan fold: 6 m (19.7 ft) (standard), unlimited (optional with
Madia waight for folding	HP PageWide XL Folder Upgrade Kit for Long Plots)
	75 to 200 g/m² (20 to 53 lb)
	Up to 150 (A0) with HP PageWide XL Folder
	Up to 100 (A0) with HP F60 Folder
Dimensions	2100 x 1620 x 1220 mm (82.7 x 63.8 x 48 in)
Weight	360 kg (794 lb)
Weight	360 kg (794 lb) Available with HP PageWide XL Folder with Tab Applicator, and
Weight Tab applicator	360 kg (794 lb) Available with HP PageWide XL Folder with Tab Applicator, and HP F60 Folder with Tab Applicator only 91-cm (36-in) CIS scanner Color: up to 7.62 cm/sec (3 in/sec) at 200 dpi
Weight Tab applicator Description Speed	360 kg (794 lb) Available with HP PageWide XL Folder with Tab Applicator, and HP F60 Folder with Tab Applicator only 91-cm (36-in) CIS scanner Color: up to 7.62 cm/sec (3 in/sec) at 200 dpi Grayscale: up to 25.4 cm/sec (10 in/sec) at 200 dpi
Weight Tab applicator Description Speed Optical resolution	360 kg (794 lb) Available with HP PageWide XL Folder with Tab Applicator, and HP F60 Folder with Tab Applicator only 91-cm (36-in) CIS scanner Color: up to 7.62 cm/sec (3 in/sec) at 200 dpi Grayscale: up to 25.4 cm/sec (10 in/sec) at 200 dpi 1200 dpi
Weight Tab applicator Description Speed Optical resolution Scan width	360 kg (794 lb) Available with HP PageWide XL Folder with Tab Applicator, and HP F60 Folder with Tab Applicator only 91-cm (36-in) CIS scanner Color: up to 7.62 cm/sec (3 in/sec) at 200 dpi Grayscale: up to 25.4 cm/sec (10 in/sec) at 200 dpi 1200 dpi Up to 914 mm (36 in)
Weight Tab applicator Description Speed Optical resolution Scan width Original thickness	360 kg (794 lb) Available with HP PageWide XL Folder with Tab Applicator, and HP F60 Folder with Tab Applicator only 91-cm (36-in) CIS scanner Color: up to 7.62 cm/sec (3 in/sec) at 200 dpi Grayscale: up to 25.4 cm/sec (10 in/sec) at 200 dpi 1200 dpi Up to 9.14 mm (36 in) Up to 0.26 mm (0.01 in)
Weight Tab applicator Description Speed Optical resolution Scan width Original thickness Maximum copy length	360 kg (794 lb) Available with HP PageWide XL Folder with Tab Applicator, and HP F60 Folder with Tab Applicator only 91-cm (36-in) CIS scanner Color: up to 7.62 cm/sec (3 in/sec) at 200 dpi Grayscale: up to 25.4 cm/sec (10 in/sec) at 200 dpi 1200 dpi Up to 914 mm (36 in) Up to 0.26 mm (0.01 in) 9512 mm (374.5 in)
Weight Tab applicator Description Speed Optical resolution Scan width Original thickness	360 kg (794 lb) Available with HP PageWide XL Folder with Tab Applicator, and HP F60 Folder with Tab Applicator only 91-cm (36-in) CIS scanner Color: up to 7.62 cm/sec (3 in/sec) at 200 dpi Grayscale: up to 25.4 cm/sec (10 in/sec) at 200 dpi 1200 dpi Up to 914 mm (36 in) Up to 0.26 mm (0.01 in) 9512 mm (374.5 in) 18 m (708.7 in) (TIFF, 610-mm (24-in) wide original at 200 dpi),
Weight Tab applicator Description Speed Optical resolution Scan width Original thickness Maximum copy length Maximum scan length	360 kg (794 lb) Available with HP PageWide XL Folder with Tab Applicator, and HP F60 Folder with Tab Applicator only 91-cm (36-in) CIS scanner Color: up to 7.62 cm/sec (3 in/sec) at 200 dpi Grayscale: up to 25.4 cm/sec (10 in/sec) at 200 dpi 1200 dpi Up to 914 mm (36 in) Up to 0.26 mm (0.01 in) 9512 mm (374.5 in) 18 m (708.7 in) (TIFF, 610-mm (24-in) wide original at 200 dpi), 8 m (315 in) (JPEG, 5 m (196.9 in) (PDF)
Weight Tab applicator Description Speed Optical resolution Scan width Original thickness Maximum copy length	360 kg (794 lb) Available with HP PageWide XL Folder with Tab Applicator, and HP F60 Folder with Tab Applicator only 91-cm (36-in) CIS scanner Color: up to 7.62 cm/sec (3 in/sec) at 200 dpi Grayscale: up to 25.4 cm/sec (10 in/sec) at 200 dpi 1200 dpi Up to 914 mm (36 in) Up to 0.26 mm (0.01 in) 9512 mm (374.5 in) 18 m (708.7 in) (TIFF, 610-mm (24-in) wide original at 200 dpi), 8m (315 in) (UPEG), 5 m (196.9 in) (PDF) Standard: JPEG, TIFF; optional: PDF 1.4, multipage PDF 1.4 (with
Weight Tab applicator Description Speed Optical resolution Scan width Original thickness Maximum copy length Maximum scan length	360 kg (794 lb) Available with HP PageWide XL Folder with Tab Applicator, and HP F60 Folder with Tab Applicator only 91-cm (36-in) CIS scanner Color: up to 7.62 cm/sec (3 in/sec) at 200 dpi Grayscale: up to 25.4 cm/sec (10 in/sec) at 200 dpi 1200 dpi Up to 914 mm (36 in) Up to 0.26 mm (0.01 in) 9512 mm (374.5 in) 18 m (708.7 in) (TIFF, 610-mm (24-in) wide original at 200 dpi), 8 m (315 in) (JPEG, 5 m (196.9 in) (PDF)
Weight Tab applicator Description Speed Optical resolution Scan width Original thickness Maximum copy length Maximum scan length Scan format	360 kg (794 lb) Available with HP PageWide XL Folder with Tab Applicator, and HP F60 Folder with Tab Applicator only 91-cm (36-in) CIS scanner Color: up to 7.62 cm/sec (3 in/sec) at 200 dpi Grayscale: up to 25.4 cm/sec (10 in/sec) at 200 dpi 1200 dpi Up to 914 mm (36 in) Up to 9.26 mm (0.01 in) 9512 mm (374.5 in) 18 m (708.7 in) (TIFF, 610-mm (24-in) wide original at 200 dpi), 8 m (315 in) UPGD; 5 m (196.9 in) (PDF) Standard; JPEG, TIFF; optional: PDF 1.4, multipage PDF 1.4 (with PS/PDF upgrade) Preview with cropping, scan quicksets, batch scanning USB, network folder (SMB), scan to email, scan to HP
Weight Tab applicator Description Speed Optical resolution Scan width Original thickness Maximum copylength Maximum scan length Scan format Scan features Scan destination	360 kg (794 lb) Available with HP PageWide XL Folder with Tab Applicator, and HP F60 Folder with Tab Applicator only 91-cm (36-in) CIS scanner Color: up to 7.62 cm/sec (3 in/sec) at 200 dpi Grayscate: up to 25.4 cm/sec (10 in/sec) at 200 dpi 1200 dpi Up to 914 mm (36 in) Up to 0.26 mm (0.01 in) 9512 mm (374.5 in) HSm (708.7 in) (TIFF, 610-mm (24-in) wide original at 200 dpi), 8 m (315 in) (JPEG, 1FF; optional: PDF 1.4, multipage PDF 1.4 (with PS/PDF upgrade) Preview with croppping, scan quicksets, batch scanning
Weight Tab applicator Description Speed Optical resolution Scan width Original thickness Maximum copy length Maximum scan length Scan format Scan features Scan destination Processor	360 kg (794 lb) Available with HP PageWide XL Folder with Tab Applicator, and HP F60 Folder with Tab Applicator only 91-cm (36-in) CIS scanner Color: up to 7.62 cm/sec (3 in/sec) at 200 dpi Grayscale: up to 25.4 cm/sec (10 in/sec) at 200 dpi 1200 dpi Up to 914 mm (36 in) Up to 0.26 mm (0.01 in) 9512 mm (374.5 in) 18 m (708.7 in) (TIFF, 610-mm (24-in) wide original at 200 dpi), 8 m (315 in) (JPEG), 5 m (196.9 in) (PDF) Standard: JPEG, TIFF; optional: PDF 1.4, multipage PDF 1.4 (with PS/PDF upgrade) Preview with cropping, scan quicksets, batch scanning USB, network folder (SMB), scan to email, scan to HP SmartStream software Intel Core i3
Weight Tab applicator Description Speed Optical resolution Scan width Original thickness Maximum copy length Maximum scan length Scan format Scan features Scan destination Processor Memory	360 kg (794 lb) Available with HP PageWide XL Folder with Tab Applicator, and HP F60 Folder with Tab Applicator only 91-cm (36-in) CIS scanner Color: up to 7.62 cm/sec (3 in/sec) at 200 dpi Grayscale: up to 25.4 cm/sec (10 in/sec) at 200 dpi 1200 dpi Up to 914 mm (36 in) Up to 0.26 mm (0.01 in) 9512 mm (374.5 in) 18 m (708.7 in) (TIFF, 610-mm (24-in) wide original at 200 dpi), 8m (315 in) (JPEG), 5 m (196.9 in) (PDF) Standard: JPEG, TIFF; optional: PDF 1.4, multipage PDF 1.4 (with PS/PDF upgrade) Preview with cropping, scan quicksets, batch scanning USB, network folder (SMB), scan to email, scan to HP SmartStream software Intel Core i3 8 GB DDR3
Weight Tab applicator Description Speed Optical resolution Scan width Original thickness Maximum copy length Maximum scan length Scan features Scan destination Processor Memory Hard drive	360 kg (794 lb) Available with HP PageWide XL Folder with Tab Applicator, and HP F60 Folder with Tab Applicator only 91-cm (36-in) CIS scanner Color: up to 7.62 cm/sec (3 in/sec) at 200 dpi Grayscale: up to 25.4 cm/sec (10 in/sec) at 200 dpi 1200 dpi 1200 dpi Up to 914 mm (36 in) Up to 0.26 mm (0.01 in) 9512 mm (374.5 in) 18 m (708.7 in) (TIFF, 610-mm (24-in) wide original at 200 dpi), 8 m (315 in) (UPEG), 5 m (196.9 in) (PDF) Standard: JPEG, TIFF; optional: PDF 1.4, multipage PDF 1.4 (with PS/PDF upgrade) Preview with cropping, scan quicksets, batch scanning USB, network Folder (SMB), scan to email, scan to HP SmartStream software Intel Core i3 8 GB DDR3 1 x 500 GB HDD, self-encrypted with AES-256
Weight Tab applicator Description Speed Optical resolution Scan width Original thickness Maximum copy length Maximum scan length Scan format Scan features Scan destination Processor Memory Hard drive Print languages	360 kg (794 lb) Available with HP PageWide XL Folder with Tab Applicator, and HP F60 Folder with Tab Applicator only 91-cm (36-in) CIS scanner Color: up to 7.62 cm/sec (3 in/sec) at 200 dpi Grayscale: up to 25.4 cm/sec (10 in/sec) at 200 dpi 1200 dpi Up to 914 mm (36 in) Up to 0.26 mm (0.01 in) 9512 mm (374.5 in) 18 m (708.7 in) (TIFF, 610-mm (24-in) wide original at 200 dpi), 8m (315 in) (JPEG), 5 m (196.9 in) (PDF) Standard: JPEG, TIFF; optional: PDF 1.4, multipage PDF 1.4 (with PS/PDF upgrade) Preview with cropping, scan quicksets, batch scanning USB, network folder (SMB), scan to email, scan to HP SmartStream software Intel Core i3 8 GB DDR3
Weight Tab applicator Description Speed Optical resolution Scan width Original thickness Maximum copy length Maximum scan length Scan format Scan features Scan destination Processor Memory Hard drive Print languages (standard)	360 kg (794 lb) Available with HP PageWide XL Folder with Tab Applicator, and HP F60 Folder with Tab Applicator only 91-cm (36-in) CIS scanner Color: up to 7.62 cm/sec (3 in/sec) at 200 dpi grayscale: up to 25.4 cm/sec (10 in/sec) at 200 dpi 1200 dpi Up to 9.14 mm (36 in) Up to 0.26 mm (0.01 in) 9512 mm (374.5 in) 18 m (708.7 in) (TIFF, 610-mm (24-in) wide original at 200 dpi), 8m (315 in) (UPEG), 5 m (196.9 in) (PDF) Standard: JPEG, TIFF; optional: PDF 1.4, multipage PDF 1.4 (with PS/PDF upgrade) Preview with cropping, scan quicksets, batch scanning USB, network folder (SMB), scan to email, scan to HP SmartStream software Intel Core i3 8 GB DDR3 1 x 500 GB HDD, self-encrypted with AES-256 HP-GL/2, PCL 3 Win
Weight Tab applicator Description Speed Optical resolution Scan width Original thickness Maximum copy length Maximum scan length Scan format Scan features Scan destination Processor Memory Hard drive Print languages (standard) Print languages	360 kg (794 lb) Available with HP PageWide XL Folder with Tab Applicator, and HP F60 Folder with Tab Applicator only 91-cm (36-in) CIS scanner Color: up to 7.62 cm/sec (3 in/sec) at 200 dpi Grayscale: up to 25.4 cm/sec (10 in/sec) at 200 dpi 1200 dpi 1200 dpi Up to 914 mm (36 in) Up to 0.26 mm (0.01 in) 9512 mm (374.5 in) 18 m (708.7 in) (TIFF, 610-mm (24-in) wide original at 200 dpi), 8 m (315 in) (UPEG), 5 m (196.9 in) (PDF) Standard: JPEG, TIFF; optional: PDF 1.4, multipage PDF 1.4 (with PS/PDF upgrade) Preview with cropping, scan quicksets, batch scanning USB, network folder (SMB), scan to email, scan to HP SmartStream software Intel Core i3 8 GB DDR3 1 x 500 GB HDD, self-encrypted with AES-256 HP-GL/2, PCL 3 Win
Weight Tab applicator Description Speed Optical resolution Scan width Original thickness Maximum copy length Maximum scan length Scan format Scan features Scan destination Processor Memory Hard drive Print languages (standard) Print languages (optional)	360 kg (794 lb) Available with HP PageWide XL Folder with Tab Applicator, and HP F60 Folder with Tab Applicator only 91-cm (36-in) CIS scanner Color: up to 7.62 cm/sec (3 in/sec) at 200 dpi Grayscale: up to 25.4 cm/sec (10 in/sec) at 200 dpi 1200 dpi Up to 914 mm (36 in) Up to 926 mm (0.01 in) 9512 mm (374.5 in) 18 m (708.7 in) (TIFF, 610-mm (24-in) wide original at 200 dpi), 8 m (315 in) (UPEG), 5 m (196.9 in) (PDF) Standard: JPEG, TIFF; optional: PDF 1.4, multipage PDF 1.4 (with PS/PDF upgrade) Preview with cropping, scan quicksets, batch scanning USB, network folder (SMB), scan to email, scan to HP SmartStream software Intel Core i3 8 GB DDR3 1 x 500 GB HDD, self-encrypted with AES-256 HP-GL/2, PCL 3 Win Adobe POstScript 3, Adobe PDF 1.7, TIFF, JPEG (with PS/PDF upgrade)
Weight Tab applicator Description Speed Optical resolution Scan width Original thickness Maximum copy length Maximum scan length Scan format Scan features Scan destination Processor Memory Hard drive Print languages (standard) Print languages (optional) Remote management	360 kg (794 lb) Available with HP PageWide XL Folder with Tab Applicator, and HP F60 Folder with Tab Applicator only 91-cm (36-in) CIS scanner Color: up to 7.62 cm/sec (3 in/sec) at 200 dpi Grayscale: up to 25.4 cm/sec (10 in/sec) at 200 dpi 1200 dpi Up to 9.14 mm (36 in) Up to 9.26 mm (0.01 in) 9512 mm (374.5 in) 18 m (708.7 in) (TIFF, 610-mm (24-in) wide original at 200 dpi), 8m (315 in) (UPEG), 5 m (196.9 in) (PDF) Standard: JPEG, TIFF; optional: PDF 1.4, multipage PDF 1.4 (with PS/PDF upgrade) Preview with cropping, scan quicksets, batch scanning USB, network folder (SMB), scan to email, scan to HP SmartStream software Intel Core i3 8 GB DDR3 1 x 500 GB HDD, self-encrypted with AES-256 HP-GL/2, PCL 3 Win Adobe PostScript 3, Adobe PDF 1.7, TIFF, JPEG (with PS/PDF upgrade) HP Partner Link, HP Embedded Web Server, HP Web Jetadmin
Weight Tab applicator Description Speed Optical resolution Scan width Original thickness Maximum copy length Maximum scan length Scan features Scan destination Processor Memory Hard drive Print languages (standard) Print languages (optional) Optional	360 kg (794 lb) Available with HP PageWide XL Folder with Tab Applicator, and HP F60 Folder with Tab Applicator only 91-cm (36-in) CIS scanner Color: up to 7.62 cm/sec (3 in/sec) at 200 dpi Grayscale: up to 25.4 cm/sec (10 in/sec) at 200 dpi 1200 dpi Up to 914 mm (36 in) Up to 0.26 mm (0.01 in) 9512 mm (374.5 in) 18 m (708.7 in) (TIFF, 610-mm (24-in) wide original at 200 dpi), 8 m (315 in) (UPEG), 5 m (196.9 in) (PDF) Standard: JPEG, TIFF; optional: PDF 1.4, multipage PDF 1.4 (with PS/PDF upgrade) Preview with cropping, scan quicksets, batch scanning USB, network Folder (SMB), scan to email, scan to HP SmartStream software Intel Core i3 8 GB DDR3 1 x 500 GB HDD, self-encrypted with AES-256 HP-GL/2, PCL 3 Win Adobe PostScript 3, Adobe PDF 1.7, TIFF, JPEG (with PS/PDF upgrade) HP Partner Link, HP Embedded Web Server, HP Web Jetadmin TCP/IP, BootP/DHCP, USB 2.0 host (certified)
Weight Tab applicator Description Speed Optical resolution Scan width Original thickness Maximum copy length Maximum scan length Scan format Scan features Scan destination Processor Memory Hard drive Print languages (standard) Print languages (optional) Remote management	360 kg (794 lb) Available with HP PageWide XL Folder with Tab Applicator, and HP F60 Folder with Tab Applicator only 91-cm (36-in) CIS scanner Color: up to 7.62 cm/sec (3 in/sec) at 200 dpi Grayscale: up to 25.4 cm/sec (10 in/sec) at 200 dpi 1200 dpi 1200 dpi Up to 914 mm (36 in) Up to 9.26 mm (0.01 in) 9512 mm (374.5 in) 18 m (708.7 in) (TIFF, 610-mm (24-in) wide original at 200 dpi), 8 m (315 in) (UPEG), 5 m (196.9 in) (PDF) Standard: JPEG, TIFF; optional: PDF 1.4, multipage PDF 1.4 (with PS/PDF upgrade) Preview with cropping, scan quicksets, batch scanning USB, network folder (SMB), scan to email, scan to HP SmartStream software Intel Core i3 8 GB DDR3 1 x 500 GB HDD, self-encrypted with AES-256 HP-GL/2, PCL 3 Win Adobe PostScript 3, Adobe PDF 1.7, TIFF, JPEG (with PS/PDF upgrade) HP Partner Link, HP Embedded Web Server, HP Web Jetadmin TCP/I/IP, BootP/DHCP, USB 2.0 host (certified) HP SmartStream software (optional)
Weight Tab applicator Description Speed Optical resolution Scan width Original thickness Maximum copy length Maximum scan length Scan features Scan destination Processor Memory Hard drive Print languages (standard) Print languages (optional) Optional	360 kg (794 lb) Available with HP PageWide XL Folder with Tab Applicator, and HP F60 Folder with Tab Applicator only 91-cm (36-in) CIS scanner Color: up to 7.62 cm/sec (3 in/sec) at 200 dpi Grayscale: up to 25.4 cm/sec (10 in/sec) at 200 dpi 1200
	Line accuracy Maximum print speed¹⁴ A1/Arch D/ANSI D (long edge first) A0/Arch E/ANSI E (short edge first) SO B1 (long edge first) Warm-up time First page out Media rolls Roll width Roll diameter Roll core diameter Printable length Media weight Media output (standard) Media output (standard) Media output (standard) Media weight Media output (standard) Media weight Dimensions Weight Page width Page length Media weight Page width Page length Media weight Capacity Media weight for folding Media weight for folding Media weight for stacking Capacity

- ±0.1% of the specified vector length or ±0.2 mm (whichever greater) at 23°C (73°F), 50-60% relative humidity, on A0/E printing material in Best or Normal mode with HP Matte Polypropylene and HP PageWide XL pigment inks.
 ½ Measured on HP Universal Bond Paper.
 Print speed while printing to the HP PageWide XL High-capacity Stacker.

- Print speed while printing to the HP PageWide XL High-capacity Stacker.
 Measured using 91-cm (36-in) print width
 For longer plots (up to 200 m (656 ft)), image quality might be affected.
 Long plots with reduced capacity.
 Printing to non-HP large format printers is done through specific drivers, each of them covering several printers:
 Oce Windows Printer Driver (WPD), KIP Windows Driver WHQL, RICOH PostScript Driver, Xerox WHQL Driver. For more information, please visit: hp.com/go/smartstream/trial.
 BMG trademark license code FSC®-C115319, see fsc.org. HP trademark license code FSC®-C017543, see fsc.org. Not all FSC®-certified products are available in all regions. For information about HP large format printing materials, please visit HPLFMedia.com.
 Can be recycled through commonly available recycling programs.















© Copyright 2015, 2017 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions, contained herein.

1960 x 800 x 1303 mm (77.2 x 31.5 x 51.3 in) 1960 x 864 x 1303 mm (77.2 x 34 x 51.3 in) Dimensions (w x d x h) Depth: 800 + 64 mm removable scanner input tray to pass through doorways (31.5 + 2.5 in) 2180 x 1068 x 1764 mm (86.8 x 42.1 x 69.5 in) Shipping Weight Printer 415 kg (915 lb) MEP 430 kg (948 lb) 521 kg (1149 lb) Shipping Printer Shipping MFP 546 kg (1204 lb) Operating temperature 5 to 40°C (41 to 104°F) Environmental Recommended temperature 20 to 80% RH, depending on media type 53 dB(A) (printing), 35 dB(A) (ready), <24 dB(A) (sleep) 7.1 B(A) (printing), 5.2 B(A) (ready), 4.2 B(A) (sleep) 0.46 kW (typical); 0.8 kW (max printing); 108.4 watts (ready); <1 watts (< 4.6 watts with embedded Digital Front End) (sleep) Operating humidity Acoustic Sound pressure Sound power Power Input voltage (auto ranging) 100-127 / 200-240 V (± 10%), 50/60 ±3 Hz, 10/5 A Requirements IEC 60950-1+A1+A2 compliant; USA and Canada (CSA listed); EU (LVD and EN 60950-1 compliant); Russia, Belarus, and Kazakhstan (EAC) Certification Safety Compliant with Class A requirements, including: USA (FCC rules), Canada (ICES), EU (EMC Directive), Australia and New Zealand (RCM), Japan (VCC), Korea (KC)
ENERGY STAR, EPEAT Silver, CE marking (including RoHS, WEEE, REACH); in compliance with WW RoHS materials restriction requirements in China, Korea, India, Vietnam, Turkay, Sorbia and Ukrain. Electromagnetic Environmental Turkey, Serbia, and Ukraine

Warranty 90 days Dynamic security enabled printer, Only intended to be used with cartridges using an HP original chip. Cartridges using a non-HP chip may not work, and those that work today may not work in the future. More at: hp.com/go/learnaboutsupplies

Ordering information

Product	CZ310A	HP PageWide XL 5000 40-in Printer
	CZ311A	HP PageWide XL 5000 40-in Multifunction Printer
	CZ317A	HP PageWide XL PostScript/PDF Upgrade Kit
	CZ318A	HP PageWide XL Drawer
	CZ319A	HP PageWide XL High-capacity Stacker
	CZ320A	HP PageWide XL Top Stacker
	G6H50B	HP SD 44-in Pro Scanner
	G6H51B	HP HD 42-in Pro Scanner
	K5H75A	HP PageWide XL Folder
	L3M58A	HP PageWide XL Folder with Tab Applicator
	M0V04A	HP PageWide XL Folder Upgrade Kit for Long Plots
	W9C05A	HP PageWide XL Folder with Scandinavian Tab Applicator
	1EW99A	HP F60 Folder
	1EX00A	HP F60 Folder with Tab Applicator
	L3J69AAE	HP SmartStream Preflight Manager
	L3J71AAE	HP SmartStream Preflight Manager One-Year Subscription
	L3J74AAE	HP SmartStream Print Controller for HP PageWide XL 5000 Printer series
	T9B46AAE	HP SmartStream Print Controller for non-HP Large Format printers ¹⁷
Original HP PageWide XL printheads and consumables	C1Q19A	HP 841 PageWide XL Printhead
	F9J47A	HP 841 PageWide XL Cleaning Container
	F9J48A	HP 841 PageWide XL Maintenance Cartridge
Original HP PageWide XL ink cartridges	C1Q65A	HP 843C 400-ml Black PageWide XL Ink Cartridge
	C1Q66A	HP 843C 400-ml Cyan PageWide XL Ink Cartridge
	C1Q67A	HP 843C 400-ml Magenta PageWide XL Ink Cartridge
	C1Q68A	HP 843C 400-ml Yellow PageWide XL Ink Cartridge
Original HP large format printing materials	L4L08A	HP Universal Bond Paper, 3-in Core (FSC® certified) ¹⁸ ᠭᠭ ¹⁹ 914 mm x 152.4 m (36 in x 500 ft)
	L5P98A	HP Production Matte Poster Paper, 3-in Core (FSC® certified) ¹⁸
	L5Q03A	HP Production Satin Poster Paper, 3-in Core (FSC® certified) ¹⁸ 19 1016 mm x 91.4 m (40 in x 300 ft)
	L5C80A	HP Universal Heavyweight Coated Paper, 3-in Core (FSC® certified) ¹⁸ \$\frac{1}{2}\$ 914 mm x 91.4 m (36 in x 300 ft)
	L6B19A	HP Matte Polypropylene, 3-in Core 1016 mm x 45.7 m (40 in x 150 ft)

1016 mm x 45.7 m (40 in x 150 tt)

Enjoy best-in-class support services, knowing HP works with HP PageWide XL Channel Partners to enable them to be properly trained, certified, and equipped to meet your needs. With efficient support and innovative support features, such as printer self-monitoring, predefined resolution paths, and intuitive maintenance wizards, you can work with confidence every day. For more information, please visit hp.com/go/pagewidexlservice.

HP Financial Services can help you acquire an HP PageWide XL printing solution and accelerate the benefits to your business. Our solutions can help you increase your flexibility by preserving cash, freeing up budgets with a monthly payment structure, and offering an easy option to upgrade to the latest model when your business is ready. For more information, please wist hp.com/fpfinancialservices.

Find the media solution that fits your business and your HP PageWide XL printer at hp.com/go/mediasolutionslocator

Eco Highlights

- Save paper with automatic print settings and image nesting
- ENERGY STAR® certified and EPEAT Silver registered Free, convenient HP ink cartridge recycling²
- FSC®-certified papers,³ range of recyclable HP media⁴
- ${\sf EPEAT}\ registered\ where\ applicable\ and/or\ supported.\ See\ \underline{epeat.net}\ for\ registration\ status\ and\ rating\ by\ country.$
- Program availability varies. Please check <u>hp.com/recycle</u> for details.

 BMG trademark license code FSC*-C1T5319, see <u>fsc.org</u>. Not all
 FSC* ecrified products are available in all regions. For information about HP large format printing materials, please vis
- Please recycle large-format printing hardware and printing supplies.

Find out how at our website hp.com/ecosolutions



SILVER