

# HP PageWide T1100S Press

High-speed, ultra-wide simplex colour inkjet web press  
for corrugated packaging



Once again, HP raises the digital pre-print production bar—this time with the HP PageWide T1100S Press. Streamline production and experience new opportunities for growth. Optimise operations and reduce turn-around times with high-volume production and job versatility enabled by variable data processing capabilities and revolutionary HP Multi-lane Print Architecture (MLPA). Pre-print offset-substitutable quality on liners with this 2.8 m (110 in) PageWide Web Press—ideal for short-to-long runs.

## Take production to another level entirely with HP Multi-lane Print Architecture and digital printing

- Transform production with HP Multi-lane Print Architecture (MLPA), which enables you to print variable box sizes down and across the web.
- Utilise the full width of your corrugator with a 2.8 m (110 in) PageWide platform.
- Drive high-volume production with print speeds up to 30,600 m<sup>2</sup> (330 MSF) per hour or 183 m (600 ft) per minute.
- Add embedded security coding, bar codes, or other variable data with variable data processing capabilities.

## Produce offset-substitutable quality on a broad range of paper

- See outstanding colour print quality—across substrate grades and type (uncoated/coated)—with four-colour HP A50 aqueous pigmented CMYK inks.
- Produce high-quality, high-speed results—HP PageWide Web Press printheads enable a native resolution of 1,200 nozzles per inch.
- Use HP Bonding and Priming Agents to print on a wide range of standard uncoated and coated corrugated liners, from 60 gsm to 350 gsm.
- Count on redundant PageWide Web Press printhead technology for added reliability in demanding high-speed production environments.



## Optimise production with cost-effective short-to-long runs


- Produce cost-effective runs of nearly any length—eliminate plates, ink mixing, and make-ready between jobs.
- Cost effective on-demand printing enables just-in-time production and reduces finished goods inventory.
- Reduce substrate costs by printing directly onto thinner, reduced grade or recycled liners.
- Enable value-added capabilities like short runs for marketing campaigns, versioning and variable data.

## HP Multi-lane Print Architecture revolutionises digital corrugate production

While current analogue printing technology is limited to printing multiple copies of one box design—all boxes look the same and are the same size, the HP PageWide T1100S Press, with Multi-lane Print Architecture (MLPA), creates an enormous paradigm shift in the production of corrugated board.

HP MLPA splits the web into multiple print lanes, so different jobs, with different box sizes and run lengths, can be printed in the individual lanes. Multiple ultra-short or short runs can be queued and printed together, with no make-ready in between jobs, while a long run is printed in another lane.

HP MLPA, coupled with all the advantages of digital printing, allows cost-effective customisation and personalisation of corrugated packaging, meeting the demands for shorter print runs without having to create inventory. Print only what is needed, when it is needed.



## Re-invent your operations and business

PrintOS is an operating system for your business—an open, secure cloud-based platform that helps you get more out of your HP PageWide Web Presses and your print production operations. Leverage PrintOS applications to increase efficiency, make better-informed decisions, innovate, collaborate, drive growth—and increase profitability.



### Eco highlight

- Reduce waste with on-demand inkjet printing.
- Water-based HP inks - No hazard warning labels<sup>1</sup>; no HAPs intentionally added; non-flammable and non-combustible.<sup>2</sup>
- Very low VOC emissions.<sup>3</sup>
- Free and convenient printhead recycling.<sup>4</sup>

#### To learn more:

[hp.com/ecosolutions](http://hp.com/ecosolutions)  
[hp.com/recycle](http://hp.com/recycle)



HP Packaging Priming Agents and HP A50 PageWide Web Press Inks have achieved UL Sustainable Product Certification (under UL 2801, referred to as CCD-040, an EcoLogo® standard, in Canada), which demonstrates that they meet a range of stringent criteria related to human health and environmental considerations. You can learn more about this certification at [ul.com/environment](http://ul.com/environment)

<sup>1</sup> Hazardous Air Pollutants (HAPs) may be present at extremely low levels (< 0.1%) according to EPA Method 311.

<sup>2</sup> Not classified as flammable or combustible liquids under the USDOT or international transportation regulations. These materials have been tested as per US Environmental Protection Agency Method 1020 and the flash point is greater than 110°C.

<sup>3</sup> Actual results may vary depending on operating conditions. Consult local authorities regarding Volatile Organic Compound (VOC) regulations in your area.

<sup>4</sup> Visit [hp.com/recycle](http://hp.com/recycle) to see how to participate and for HP Planet Partners programme availability.

## Deliver food safety and environmental compliance

HP A50 PageWide Web Press inks are positioned to comply with regulatory and industry standards for indirect-contact paper-based food packaging. HP has a range of third-party and internal lab migration study data that can be discussed with packaging converters or their customers. Specific compliance criteria and use case definitions should be discussed with HP.

## High-touch, high-tech solutions customised for your printing success

HP Solutions expertise can help shorten your path to success and sharpen your competitive edge. HP's dedicated Solutions Team will work with you to determine your end-to-end requirements, and to recommend a solution customised to meet the specific demands of your business. Additionally, HP offers a full line of services to help you effectively run your digital printing business—from site preparation to training and service programmes.

## Enhance your productivity with HP Services

HP Services offers you the broadest portfolio of proven service programmes to keep your business running productively. Our professional service teams are committed to meeting your end-to-end needs, driving your business productivity and sustainability for a profitable printing operation. Learn more at [hp.com/go/webpressservice](http://hp.com/go/webpressservice)

## HP's digital leadership—taking your business into the future

Transform your business today. HP's latest PageWide Web Press for the production of corrugated board includes revolutionary HP MLPA technology that radically streamlines production and changes the way you serve your customers. When you partner with HP—a leader in digital printing technology—you gain the support and backing of an industry powerhouse. Plus you create a distinct advantage for your business as you leverage HP's decades-long technology development, 4500 patents in the last 10 years alone, and significant R&D investment to drive continued innovation.

## Technical Specifications

<b>Throughput</b>	Up to 183 m/min (600 ft/min) or 30,600 m <sup>2</sup> /hour (330 thousand square feet or MSF/hour)
<b>Substrates</b>	Handling: Tight web continuous roll feed Paper width: 1016 mm to 2794 mm (40 to 110 in) Weight: 80 gsm to 400 gsm (16 lb to 82 lb), 22pt Substrate types: Wide range of standard uncoated and coated liners with recycled and virgin fibre
<b>Printing</b>	Print technology: HP Scalable Thermal InkJet Technology Native resolution: 1200 nozzles per inch Ink type: Water-based HP pigment inks, Bonding Agent, and Priming Agents Ink colours: Cyan, Magenta, Yellow, Black (CMYK) Printable width: up to 2774 mm (109.2 in) Printable frame length maximum: variable up to 2.7m (108 in). Extended frames above 2.7m (108 in) with gapless printing Productivity: up to 30,600 m <sup>2</sup> /hour (330 MSF/hour), at 183 m (600 ft)/min
<b>Dimensions (W x L x H)</b>	10.3 x 29.1 x 5.5 m (406 x 1146 x 215 in) <sup>1</sup>
<b>Operating environment</b>	Press operating temperature range: Optimal 15 to 30°C (59 – 86°F) Digital front-end operating temperature range: Refer to HP ProLiant Server QuickSpecs on <a href="http://hp.com/go/ProLiant">hp.com/go/ProLiant</a> or consult your HP Solutions professional Humidity: Optimal 40 to 60% RH; maximum 15 to 80% RH (non-condensing) <sup>2</sup>
<b>Press operating requirements</b>	Electrical voltage: 400V to 480V, 3 phase
<b>Consumables</b>	Printheads: HP printheads (separate printheads for CMYK colours and Bonding Agent) Ink supply: HP 1000-litre pigment ink containers (separate containers for each colour and Bonding Agent) Priming Agent: HP 200-litre containers Servicing: HP 10-pack Web Wipe Cassette
<b>Optional equipment</b>	Configuration options available to address specific printing requirements <ul style="list-style-type: none"> <li>• Autosplicer and turret rewinder</li> <li>• Priming and coating solutions</li> <li>• Moisturiser</li> <li>• Web cleaner</li> <li>• Colour management</li> </ul>
<b>Warranty</b>	Six-month limited warranty

<sup>1</sup> Dimensions for standard configuration with optional unwinder and rewinder

<sup>2</sup> Optimal operating environment may vary by application.

Learn more at  
[hp.com/go/pagewidewebpressT1100S](http://hp.com/go/pagewidewebpressT1100S)

Sign up for updates  
[hp.com/go/getupdated](http://hp.com/go/getupdated)


  
Share with colleagues

