



## HP V194 18.5-inch Monitor Specifications Table



<b>Product Number</b>	V5E94AA
<b>Display Size (diagonal)</b>	46.99 cm (18.5")
<b>Display Type</b>	TN w/LED backlight
<b>Panel Active Area</b>	16.13 X 9; 409.8 x 230.4 mm
<b>Viewing Angle</b>	90° horizontal; 65° vertical
<b>Brightness</b>	200 cd/m <sup>2</sup> <sup>1</sup>
<b>Contrast Ratio</b>	600:1 static; 5000000:1 dynamic <sup>1</sup>
<b>Response Time</b>	5 ms on/off <sup>1</sup>
<b>Aspect Ratio</b>	16:9
<b>Native Resolution</b>	1366 x 768 @ 60 Hz
<b>Resolutions Supported</b>	1366 x 768; 1280 x 720; 1024 x 768; 800 x 600; 720 x 400; 640 x 480
<b>Display Features</b>	Anti-glare; Plug and Play; User programmable; Language selection; On-screen controls; LED Backlights
<b>User Controls</b>	Menu; Minus ("-"); Plus ("+"); OK; Power
<b>Input Signal</b>	1 VGA;
<b>Input Power</b>	Input voltage: 100 to 240 VAC
<b>Power Consumption</b>	17 W (maximum), 15 W (typical), 0.5 W (standby)
<b>Dimensions with Stand (W x D x H)</b>	17.38 x 8.59 x 13.33 in 44.14 x 21.81 x 33.86 cm
<b>Dimensions without Stand (W x D x H)</b>	17.38 x 1.79 x 10.94 in 44.14 x 4.54 x 27.77 cm Without stand
<b>Weight</b>	5.73 lb 2.6 kg With stand
<b>Ergonomic Features</b>	Tilt: -5 to +22°
<b>Environmental</b>	Mercury-free display backlights; Arsenic-free display glass
<b>What's in the box</b>	Monitor; AC power cord; VGA cable

See important legal disclaimers on the last page

## Accessories and services (not included)

x0 vU' °²BE °IEF P  
R ° U



The HP Adjustable Dual Display Stand allows you to use two displays to maximize your productivity and optimize efficiency. Either or both displays can be rotated to landscape or portrait orientation, and the stand is depth-, height-, tilt-, and angle-adjustable so you can view both screens at eye-level as well as slightly facing each other, letting you track multiple applications and information sources at the same time. Integrated base rollers let you rotate the stand so you can more easily share your work.  
O U @ °²B 8 vVHVv

x0 RF KBD F v



The HP Single Monitor Arm is the perfect desk accessory for your work life. Sleek and streamlined, the HP Single Monitor Arm is designed to complement the way you work.  
O U @ °²B 8 gN9Vbv

x0 S F@j2BB° B g °@B

HP Quick 2Release is an easy to use, 1TT mm VESA-compliant, XID monitor mounting solution that allows you to quickly and securely attach a flat panel monitor to a variety of stands, brackets, arms or wall mounts. HP Quick 2Release can also be used for mounting any combination of devices that are compatible with the 1TT mm VESA Flat Display Mounting Interface Standard. The failsafe (Sure-Xock) mechanism snaps the monitor or mounted device/ securely in place, and can be further secured with a theft-deterrent security screw.  
O U @ °²B 8 jD91'vv

x0 YxE YRg 6 ° WF@  
vU° B

Boost your productivity by extending or mirroring your desktop to a UHD display with the HP UHD USB Graphics Adapter.  
O U @ °²B 8 CkY9bv

x0 g F B Oz RB@ F A @j  
QF

Protect your HP Business PI from tampering or theft in public locations by locking-down peripherals such as keyboards, mice, monitors or USB security devices and preventing the removal of the PI chassis cover.  
O U @ °²B 8 O°V'Vv

x0 tHt B° tCB t² F B tU° t  
j @W° KBtR ° U° UtD F t  
RB F@B

HP Hardware Support Exchange Service offers a reliable and fast exchange service for eligible HP products. Specifically targeted at products that are easily shipped and returned, which customers may easily restore data from backup files, HP Hardware Support Exchange Service is a cost-efficient but still convenient alternative to on-site support. The HP Hardware Support Exchange Service provides a replacement product or part to be delivered free of freight charge to your location within a specified period of time. Replacement products or parts are new or equivalent to new in performance.  
O U @ °²B 8 tY' :b'j

## Messaging Footnotes

<sup>1</sup> All performance specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower.

<sup>2</sup> Sold separately. See product QuickSpecs for exact compatibility. HP Quick Release required and sold separately. Mounting hardware sold separately.

<sup>3</sup> EPEAT® registered where applicable. EPEAT registration varies by country. See [www.epeat.net](http://www.epeat.net) for registration status in your country.

<sup>4</sup> Sold separately. Service levels and response times for HP Care Packs may vary depending on your geographic location. Service starts on date of hardware purchase. Restrictions and limitations apply. For details, visit [www.hp.com/go/cpc](http://www.hp.com/go/cpc). HP Services are governed by the applicable HP terms and conditions of service provided or indicated to Customer at the time of purchase. Customer may have additional statutory rights according to applicable local laws, and such rights are not in any way affected by the HP terms and conditions of service or the HP Limited Warranty provided with your HP Product.

## Technical Specifications Footnotes

<sup>1</sup> All specifications represent the typical specifications provided by HP's component manufacturers, actual performance may vary either higher or lower.

**Sign up for updates**  
[hp.com/go/getupdated](http://hp.com/go/getupdated)

**Learn more at**  
[hp.com](http://hp.com)

---

© Copyright 2016 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

ENERGY STAR® and the ENERGY STAR® mark are registered trademarks of the U.S. Environmental Protection Agency.

