

HP V223 21.5-inch Monitor Specifications Table



Product Number	V5G70AA
Display Size (diagonal)	21.5"
Display Type	TN w/LED backlight
Panel Active Area	18.76 X 10.55 in; 476.64 x 268.11 mm
Viewing Angle	90° horizontal; 65° vertical
Brightness	200 cd/m ² ¹
Contrast Ratio	600:1 static; 5000000:1 dynamic ¹
Response Time	5 ms on/off ¹
Aspect Ratio	16:9
Native Resolution	1920 x 1080 @ 60Hz
Resolutions Supported	1920 x 1080; 1680 x 1050; 1600 x 900; 1440 x 900; 1280 x 1024; 1280 x 800; 1280 x 720; 1024 x 768; 800 x 600; 640 x 480
Display Features	Anti-glare; Plug and Play; Language selection; On-screen controls; LED Backlights; User programmable
User Controls	Menu; Minus ("-"); Plus ("+"); OK; Power
Input Signal	1 VGA; 1 DVI-D (with HDCP support);
Input Power	Input voltage: 100 to 240 VAC
Power Consumption	25 W (maximum), 15 W (typical), 0.5 W (standby)
Dimensions with Stand (W x D x H)	20.04 x 8.15 x 15.35 in 50.92 x 20.7 x 38.98 cm
Dimensions without Stand (W x D x H)	20.05 x 1.79 x 12.52 in 50.92 x 4.54 x 31.81 cm
Weight	7.28 lb 3.3 kg With stand
Ergonomic Features	Tilt: -5 to +20°
Environmental	Mercury-free display backlights; Arsenic-free display glass; Low halogen ²
What's in the box	Monitor; VGA cable; AC power cable; Printed documentation

See important legal disclaimers on the last page

Accessories and services (not included)

mu LDwH3 gy1yaiy 2MaH3ys

23 GlueP Yamayca uc yr ayct so lcaD .LL 99 1'4lfe09-muyrsD pRj 9orusok 9olrsurx comlsuor snys ymmoVc tol so iluePmt yrw caelkamt yssyen y dmys -yram 9orusok so y Oykuast od csyrwD HkyePascD yk9c ok Vymm 9olrscb 23 GlueP Yamayca eyr ymco Ha lcaw dok 9olrsurx yrt eo9Huryuor od wa0ueac snys yka eo9-yusuHma Vusn sna .LL 99 1'4l "mys juc-myt Folrsurx 6rsakdyea 4syrwykwb Nna dyumcyda :4lkafpoeP: 9aenyru9 cry-c sna 9orusok °ok 9olrsaw wa0uea² caelkamt ur -myeaD yrw eyr Ha dlksnak caelkaw Vusn y snadswasakkars caelkust cekaVb uM5xDHs hDCryM7 V.06Xvv

mu 2Diwhyii ul 'yHDMwsA P5H3 °ws



3kosaes tolk 23 vlcuracc 3R dko9 sy9-akurx ok snads ur -lHmue moeysuorc Ht moePurxfwoVr -aku-nakymc clen yc PatHoykwcD 9ueaD 9orusokc ok (4v caelkust wa0ueac yrw -ka0arsurx sna ka9o0ym od sna 3R enyucc eo0akb uM5xDHs hDCryM7 ut"X"vv

mu 'whT1y .5hws5M vMC



Nna 23 4urxma Forusok lk9 uc sna -akdaes wacP yeeaccokt dok tolk VokP mudab 4maaP yrw cskay9murawD sna 23 4urxma Forusok lk9 uc wacuxraw so eo9-ma9ars sna Vyt tol VokPb uM5xDHs hDCryM7 2jo"-vv

mu vx|Disar1y EDa1 Ewi91aA 'sahx

Nna 23 lwaAlcsyHma jlym juc-myt 4syrw ymmoVc tol so lca sVo wuc-mytc so 9yTu9u8a tolk -kowlesu0ust yrw o-su9u8a adduearetb 'usnak ok Hosn wuc-mytc eyr Ha kosysaw so myrwcey-a ok -okskyus okuarsysuorD yrw sna csyrw uc wa-snfD nauxnsf D yrw yrxmafyywAlcsyHma co tol eyr OuaV Hosn cekaarc ys atafma0am yc Vamm yc cmuxnsmt dyeurx ayen osnaD massurx tol skyeP 9lmsu-ma y--mueysuorc yrw urdok9ysuor colkeac ys sna cy9a su9ab 6rsakysaw Hyca kommakc mas tol kosysa sna csyrw co tol eyr 9oka aycumt cnyka tolk VokPb uM5xDHs hDCryM7 v°m"/vv

mu NmE N'2 fMa9lwHi vxa9syM



voocs tolk -kowlesu0ust Ht aTsarwurx ok 9ukkokurx tolk wacPso- so y (2j wuc-myt Vusn sna 23 (2j (4v Eky-nuec lwy-sakb uM5xDHs hDCryM7 b;No-vv

ANs2s +B sl+ sU q + s)B s
0 (QB W+sz B)B)sG q s
z+ q(+



23s2ykwVykas4l--oks sTenyryxa s4ak0uea0uwayksa-myea9arss-kowlescsok-yksosHaswamu0akawo0dkauxnsenykæostolks moeysuorsVusur-aeuduava kuovdsu9abVa-myea9arss-kowlescsok-yksoskasraVoksaillu0ymarsssaVsurs-akdok9yreabs uM5xDHs hDCryM,slhTHh0

Messaging Footnotes

¹ All performance specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower.

² Sold separately. See product QuickSpecs for exact compatibility. HP Quick Release required and sold separately. Mounting hardware sold separately.

³ EPEAT® registered where applicable. EPEAT registration varies by country. See www.epeat.net for registration status in your country.

⁴ Sold separately. Service levels and response times for HP Care Packs may vary depending on your geographic location. Service starts on date of hardware purchase. Restrictions and limitations apply. For details, visit www.hp.com/go/cpc. HP Services are governed by the applicable HP terms and conditions of service provided or indicated to Customer at the time of purchase. Customer may have additional statutory rights according to applicable local laws, and such rights are not in any way affected by the HP terms and conditions of service or the HP Limited Warranty provided with your HP Product.

Technical Specifications Footnotes

¹ All specifications represent the typical specifications provided by HP's component manufacturers, actual performance may vary either higher or lower.

² External power supplies, power cords, cables and peripherals are not Low Halogen. Service parts obtained after purchase may not be Low Halogen.

Sign up for updates
hp.com/go/getupdated

Learn more at
hp.com

© Copyright 2016 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

ENERGY STAR® and the ENERGY STAR® mark are registered trademarks of the U.S. Environmental Protection Agency.

