




HP LD5511 55-inch Large Format Display

Collaborate and conference in eye-popping style with the HP LD5511 55-inch Large Format Display, which transforms your meeting room into a world-class conference center and delivers exceptional clarity and brilliant colors.



Fantastic front of screen

- View your content from virtually any corner with 178-degree viewing angles. The Full HD 1920 x 1080¹ resolution and high brightness and contrast ratio provide excellent picture quality and readability perfect for meeting rooms that seat up to 12.

Create a complete conferencing solution.

- Pair the display with the HP Collaboration PC with Intel® Unite™ software or an HP Chromebox² and interact seamlessly with co-workers or clients on an extra-large display that also has integrated speakers for crystal clear audio.

Designed for the long haul.

- Rest assured with a display that has commercial-grade display components and is ready to run in demanding environments. Best of all, it's supported by a three-year standard limited warranty and optional HP Care services.³

Featuring

- Quickly connect to your video source with HDMI, DVI or VGA. Wirelessly adjust the brightness or audio volume with the included remote control.
- Customize your view with flexible VESA-enabled mounting options. Position the display on a wall⁴ or use a stationary stand or mobile cart.⁵
- Use the included HP Network Sign Manager software to remotely control all of your networked meeting room displays.⁶ Issue commands, set On/Off times, control brightness and most other OSD commands, and lock the power button and OSD controls.

HP LD5511 55-inch Large Format Display Specifications Table



Display Type	VA w/LED backlight
Panel Active Area	120.96 x 68.04 cm
Display Size (diagonal)	138.78 cm (54.64")
Viewing Angle	178° horizontal, 178° vertical
Brightness	350 cd/m ² ¹
Contrast Ratio	1200:1 static ¹
Response Ratio	9 ms gray to gray ¹
Product colour	Black
Aspect Ratio	16:9
Native Resolution	1920 x 1080 @ 60 Hz
Resolutions Supported	1152 x 900; 1152 x 870; 1152 x 864; 1024 x 768; 848 x 480; 832 x 624; 800 x 600; 640 x 480; 720 x 400; 640 x 350
Display Features	Anti-glare; LED Backlights; On-screen controls; Plug and Play; User programmable
User Controls	Menu; Vol ("-" / "+"); Up; Down; Input; Mute; Power
Input Signal	1 VGA; 1 DVI-D (with HDCP support); 1 HDMI (with HDCP support)
Ports and Connectors	1 USB 2.0 in side; 1 audio out ¹ USB input for firmware update and play multimedia files
Input Power	Input voltage: 100 to 240 VAC
Power Consumption	179 W (maximum), 141 W (typical), 0.5 W (standby)
Dimensions with Stand (W x D x H)	123.86 x 32.96 x 75.17 cm
Dimensions without Stand (W x D x H)	123.86 x 5.99 - 6.17 x 71.11 cm
Weight	17.87 Kg / (16.00 Kg) With stand / (Without Stand)
Physical security features	Security lock-ready (lock is sold separately)
Camera	No
Multimedia	No
Environmental	Operating temperature: 5° to 40° C Operating humidity: 20% to 80% non-condensing
Certification and compliance	CB; CE; FCC; BSMI; CCC; C-Tick; EAC; TUV; Bauart; PSB; VCCI; UL; TUV-S; SmartWay Transport Partnership (NA); Microsoft WHQL Certification
Environmental Specifications	Arsenic-free display glass; Mercury-free display backlights
What's in the box	Monitor; AC power cord; VGA cable; HDMI cable; CD (includes User Guide, warranty, drivers); Remote control
Expandable Solutions	Collaboration PC, Chrombox for Meeting, MP9, CMIT Desktops, Z Workstations, Thin Clients

See important legal disclaimers on the last page

Recommended Accessories and Services


HP LD5511 Stand kit



The LD5511 Stand Kit consist of two feet and easily mounts to the LD5511 display to allow the display to be placed on a flat surface such as a table, desk, credenza, or counter.

Product number: W9A90AA

HP Digital Signage Wall Mount Solution with Quick Release and Security Plate



HP offers a variety of optional products (each sold separately) designed to complement our monitors and enhance the overall computing and viewing experience. The HP Digital Signage Wall Mount Solution with Quick Release and Security Plate is the newest option designed for use with HP-branded LCD digital signage displays. The wall mount has a 90-degree pivot for use in landscape or portrait position, and can be used in tandem with an HP 8000 Series USDT PC or compatible thin client to create a complete hardware solution for HP customers.

Product number: WB975AA

HP 5-year Next Business Day XLarge Monitor Only Hardware Support



Receive 5 years of next business day onsite repair from an HP-qualified technician for your computing device, if the issue cannot be solved remotely. For more information on Care Pack services, please visit www.hp.com/go/cpc.

Product number: UE370E

Messaging Footnotes

¹ All performance specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower.

² HP Collaboration PC and HP Chromebox sold separately.

³ HP Care Packs are sold separately. Service levels and response times for HP Care Packs may vary depending on your geographic location. Service starts from date of hardware purchase. Restrictions and limitations apply. See www.hp.com/go/cpc for details. HP Services are governed by the applicable HP terms and conditions of service provided or indicated to Customer at the time of purchase. Customer may have additional statutory rights according to applicable local laws, and such rights are not in any way affected by the HP terms and conditions of service or the HP Limited Warranty provided with your HP Product.

⁴ Wall mounting hardware sold separately.

⁵ Sold separately.

⁶ Requires a network connection, sold separately.

Technical Specifications Footnotes

¹ All specifications represent the typical specifications provided by HP's component manufacturers, actual performance may vary either higher or lower.

Sign up for updates
hp.com/go/getupdated

© Copyright 2016 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

