

HP EliteDesk 705 G3 Small Form Factor PC Specifications Table



Form Factor	Small Form Factor
Available Operating System	Windows 10 Pro 64 – HP recommends Windows 10 Pro. ¹ Windows 10 Home 64 ¹ FreeDOS 2.0 NeoKylin Linux® 64
Processor Family^{2,13,19}	7th Generation AMD A10 APU processor (A10-9700) 7th Generation AMD A12 APU processor (A12-9800) 7th Generation AMD A6 APU processor (A6-9500) AMD A12-Series APU processor AMD A6-Series APU processor AMD Ryzen™ 3 PRO processor AMD Ryzen™ 5 PRO processor AMD Ryzen™ 7 PRO processor 7th Generation AMD A8 APU processor (A8-9600)
Available Processors²	AMD PRO A10-9700 APU with Radeon™ R7 Graphics (3.5 GHz base frequency, up to 3.8 GHz burst frequency, 2 MB cache, 4 cores) AMD PRO A12-9800 APU with Radeon™ R7 Graphics (3.8 GHz base frequency, up to 4.2 GHz burst frequency, 2 MB cache, 4 cores) AMD PRO A6-9500 APU with Radeon™ R5 Graphics (3.5 GHz base frequency, up to 3.8 GHz burst frequency, 1 MB cache, 2 cores) AMD PRO A8-9600 APU with Radeon™ R7 Graphics (3.1 GHz base frequency, up to 3.4 GHz burst frequency, 2 MB cache, 4 cores) AMD Ryzen™ 3 PRO 1200 Quad-Core (3.1 GHz base frequency, up to 3.4 GHz burst frequency, 10 MB cache) AMD Ryzen™ 5 PRO 1500 Quad-Core (3.5 GHz base frequency, up to 3.7 GHz burst frequency, 18 MB cache) AMD PRO A10-8770 APU with Radeon™ R7 Graphics (3.5 GHz base frequency, up to 3.8 GHz burst frequency, 2 MB cache, 4 cores) AMD Ryzen™ 7 PRO 1700X Eight-Core (3.4 GHz base frequency, up to 3.8 GHz burst frequency, 20 MB cache) AMD Ryzen™ 3 PRO 1300 Quad-Core (3.5 GHz base frequency, up to 3.7 GHz burst frequency, 10 MB cache) AMD PRO A12-8870 APU with Radeon™ R7 Graphics (3.7 GHz base frequency, up to 4.2 GHz burst frequency, 2 MB cache, 4 cores) AMD Ryzen™ 5 PRO 1600 Six-Core (3.2 GHz base frequency, up to 3.6 GHz burst frequency, 19 MB cache) AMD PRO A6-8570 APU with Radeon™ R5 Graphics (3.5 GHz base frequency, up to 3.8 GHz burst frequency, 1 MB cache, 2 cores) AMD PRO A6-8580 APU with Radeon™ R5 Graphics (3.8 GHz base frequency, up to 4 GHz burst frequency, 1 MB cache, 2 cores)
Chipset	AMD B350 FCH
Maximum Memory	64 GB DDR4-2400 SDRAM (Transfer rates up to 2400 MT/s.)
Memory Slots	4 DIMM
Internal Storage	128 GB up to 512 GB HP Turbo Drive G2 SSD (PCIe) ⁴ 256 GB up to 512 GB HP Turbo Drive G2 TLC SSD (PCIe) ⁴ 128 GB up to 256 GB SATA SSD ⁴ 240 GB up to 512 GB SATA SED SSD ⁴ 1 TB SATA SSHD (7200 rpm) ⁴ 500 GB (8 GB cache) up to 1 TB (8 GB cache) SATA SSHD (5400 rpm) ⁴ 500 GB SATA SED (7200 rpm) ⁴ 500 GB SATA FIPS SED (5400 rpm) ⁴ 500 GB up to 2 TB SATA (7200 rpm) ⁴ 256 GB up to 512 GB SATA TLC SSD ⁴
Optical Drive	Slim SATA DVD-ROM; Slim SATA DVD-Writer ⁵
Available Graphics	Integrated: AMD Radeon™ HD Discrete: AMD Radeon™ R5 420 Graphics (1 GB GDDR5 dedicated); AMD Radeon™ R7 430 Graphics (2 GB DDR4 dedicated); AMD Radeon™ R7 450 Graphics (4 GB DDR3 dedicated); NVIDIA® GeForce® GT 730 (1 GB DDR3 dedicated); NVIDIA® GeForce® GT 730 (2 GB DDR3 dedicated); NVIDIA® Quadro® 310 (1 GB DDR3 dedicated); NVIDIA® GeForce® GT 730 (2 GB DDR5 dedicated) ^{14,21} (AMD Radeon™ HD graphics integrated on processor)
Audio	DTS Studio Sound™ with Realtek ALC221, microphone and headphone front ports (3.5 mm), line-out and line-in rear ports (3.5 mm), internal mono speaker.
Communications	LAN: Integrated Broadcom NetXtreme GbE Plus; Intel® I210-T1 PCIe GbE (optional) WLAN: Intel® 8260 Dual Band wireless 802.11ac (2x2) PCIe combo card; Intel® 7265 Dual Band wireless 802.11ac (2x2) PCIe combo card ⁶

Expansion Slots	2 PCIe x1; 1 PCIe x16 (x4); 1 PCIe x16 (x16)
Ports and Connectors	Front: 1 USB 2.0; 1 USB 2.0 (fast charging); 2 USB 3.1 Gen 1; 1 Headphone/microphone; 1 Headphone connector Back: 2 USB 2.0; 4 USB 3.1 Gen 1; 1 serial; 2 PS/2 (keyboard & mouse); 1 VGA; 2 DisplayPort; 1 audio line in; 1 audio line out; 1 RJ-45; 1 second serial (optional); 1 parallel (optional); 1 second USB 3.1 Gen 2 (optional) ^{20,22} Internal: 3 SATA storage connectors
Internal Drive Bays	Two 3.5" HDD; One 2.5" HDD
External Drive Bays	One slim ODD; 1 SD 4 card reader (optional)
Available Software	HP Hotkey Support; HP Jumpstart; HP Recovery Manager; HP Support Assistant ⁹
Security Management	DriveLock; Hood sensor; HP Client Security Suite Gen 3; HP Credential Manager; HP Device Access Manager; HP Password Manager; HP Power On Authentication; HP Security Manager; HP Spare Key; Power-on password (via BIOS); RAID configurations; Serial enable/disable (via BIOS); Setup password (via BIOS); Support for chassis padlocks and cable lock devices; Trusted Platform Module TPM 2.0 Embedded Security Chip (SLB9670 - Common Criteria EAL4+ Certified) ^{15,16,23}
Management Features	HP BIOS Config Utility (download); HP Client Catalog (download); HP Driver Packs (download); HP SoftPaq Download Manager; HP System Software Manager (download); LANDESK Management; HP Image Assistant; HP Management Integration Kit for Microsoft System Center Configuration Management ^{17,18}
Power	200 W standard efficiency; 200 W up to 93% efficient, active PFC
Dimensions	14.9 x 13.3 x 3.95 in 380 x 338 x 100 mm (Horizontal desktop orientation)
Weight	14.6 lb 6.6 kg (Configured with 1 HDD & 1 ODD. Weight will vary by configuration.)
Environmental	Low halogen ¹²
Energy Efficiency Compliance	ENERGY STAR [®] certified and EPEAT [®] registered configurations available ¹¹

HP EliteDesk 705 G3 Small Form Factor PC

Accessories and services (not included)

li 2d0 TRMM TTz; MEmau-

Maximize your business PC performance with HP Memory. Upgrading your memory is a cost-effective way to boost your system performance without having to upgrade your processor.
ia,cwe fcmxEuj i6™5311

li 9r0 duhoPswH 1,hoEeu



The super-compact HP USB Graphics Adapter enables connection of up to six simultaneous displays (one per adapter) to help you boost productivity and multi-task across several open applications.
ia,cwe fcmxEuj ™857611

li W8n 354 d0 r1W1 rrT



Expand the storage capabilities of your desktop with the HP TLC 256 GB SATA SSD¹, which includes TLC flash and the same reliability you already get from current SATA SSD drives.
ia,cwe fcmxEuj i6™4211

li rsfCDE Mafseau 1um

The HP Single Monitor Arm is the perfect desk accessory for your work life. Sleek and streamlined, the HP Single Monitor Arm is designed to complement the way you work.
ia,cwe fcmxEuj OW24611

li tDseETEhk 200 d3 rpp
OEVEDITcHe psDeEu

Maintain optimal PC performance and reduce the risk of overheating with the reusable HP EliteDesk 800 G2 SFF BezelXDust Filter, which is designed to help reduce dust ingress.
ia,cwe fcmxEuj i6™4B11

Messaging Footnotes

- ¹ Not all features are available in all editions or versions of Windows. Systems may require upgraded and/or separately purchased hardware, drivers, software or BIOS update to take full advantage of Windows functionality. Windows 10 is automatically updated, which is always enabled. ISP fees may apply and additional requirements may apply over time for updates. See <http://www.windows.com>
- ² Multi-Core is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload and your hardware and software configurations. AMD's numbering is not a measurement of clock speed.
- ³ Sold separately or as an optional feature on the HP EliteDesk 705 G3 MT expected availability Fall 2017.
- ⁴ Sold separately or as an optional feature.
- ⁵ Available on HP EliteBook and HP EliteDesk products equipped with AMD 7th generation APUs.
- ⁶ MIL-STD testing is pending and is not intended to demonstrate fitness for U.S. Department of Defense contract requirements or for military use. Test results are not a guarantee of future performance under these test conditions. Damage under the MIL STD test conditions or any accidental damage requires an optional HP Accidental Damage Protection Care Pack.
- ⁷ Requires Windows.
- ⁸ Third party management software is sold separately. Dash certified and enterprise manageability qualified to work with MS SCCM and LANDesk.
- ⁹ "Observed Productivity, Efficiency and User Satisfaction when Using Multiple or Large Displays," Koala LLC Ergonomics Consulting, November 6, 2012.
- ¹⁰ RAID configuration is optional and does require a second hard drive.

Technical Specifications Footnotes

- ¹ Not all features are available in all editions or versions of Windows. Systems may require upgraded and/or separately purchased hardware, drivers, software or BIOS update to take full advantage of Windows functionality. Windows 10 is automatically updated, which is always enabled. ISP fees may apply and additional requirements may apply over time for updates. See <http://www.windows.com>
- ² Multicore is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload and your hardware and software configurations. AMD's numbering is not a measurement of clock speed.
- ⁴ For hard drives and solid state drives, GB = 1 billion bytes. TB = 1 trillion bytes. Actual formatted capacity is less. Up to 36 GB (for Windows 10) is reserved for system recovery software.
- ⁵ Duplication of copyrighted material is strictly prohibited. Actual speeds may vary.
- ⁶ Wireless access point and Internet service required and not included. Availability of public wireless access points limited.
- ⁷ Sold separately or as an optional feature.
- ⁹ Please refer to this product's quick spec document for a full list of preinstalled software.
- ¹¹ EPEAT® registered where applicable. EPEAT registration varies by country. See www.epeat.net for registration status by country. See HP's 3rd party option store for solar energy accessory at www.hp.com/go/options.
- ¹² External power supplies, power cords, cables and peripherals are not low halogen. Service parts obtained after purchase may not be low halogen.
- ¹³ In accordance with Microsoft's support policy, HP does not support the Windows 8 or Windows 7 operating system on products configured with Intel® and AMD 7th generation and forward processors or provide any Windows 8 or Windows 7 drivers on <http://www.support.hp.com>
- ¹⁴ Supports HDMI 1.4b features.
- ¹⁵ Power On Authentication: HP commercial platforms support password with this feature and fingerprint where applicable.
- ¹⁶ HP Password Manager: Some websites and applications may not be supported. User may need to enable or allow the add-on / extension in the internet browser.
- ¹⁷ HP SoftPaq Download Manager; HP System Software Manager; HP BIOS Config Utility; HP Client Catalog; HP Management Integration Kit for Microsoft System Center Configuration Manager: Not preinstalled, however available for download at <http://www.hp.com/go/clientmanagement>
- ¹⁸ LANDesk Management: Subscription required.
- ¹⁹ AMD Ryzen™ PRO CPU requires discrete graphic card attached.
- ²⁰ Two (2) DisplayPort monitor connectors and one (1) VGA monitor connector will not be functional when AMD Ryzen™ PRO CPU is selected.
- ²¹ Optional and must be configured at purchase.
- ²² 2 USB 2.0 ports: allows for wake from S4 with keyboard/mouse when connected and enabled in BIOS.
- ²³ HP Drive Lock is not supported on NVMe drives.

Sign up for updates
hp.com/go/getupdated

Learn more at
hp.com

© Copyright 2018 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Intel and Core are trademarks of Intel Corporation in the U.S. and other countries. NVIDIA, the NVIDIA logo, Quadro, GeForce and NVS are trademarks and/or registered trademarks of NVIDIA Corporation in the US. and other countries. AMD, Radeon and the AMD logo are trademarks of Advanced Micro Devices, Inc. ENERGY STAR and the ENERGY STAR mark are registered trademarks owned by the U.S. Environmental Protection Agency. Bluetooth is a trademark of its proprietor used by HP Inc. under license. Linux® is the registered trademark of Linus Torvalds in the U.S. and other countries. DisplayPort™ and the DisplayPort™ logo are trademarks owned by the Video Electronics Standards Association (VESA®) in the United States and other countries. For DTS patents, see <http://patents.dts.com>. Manufactured under license from DTS Licensing Limited. DTS, the Symbol, & DTS and the Symbol together are registered trademarks, and DTS Studio Sound is a trademark of DTS, Inc. © DTS, Inc. All Rights Reserved. All other trademarks are the property of their respective owners

