

CMIT Quick Reference Guide

HP Business Notebooks



Designed to simplify, engineered to perform.

HP 200 series



	ProBook 11 EE	240 G5/ 250 G5
Form factor	Notebook PC	Notebook PC
Dimension (H x D x L) cm	2.54 x 30.18 x 22.74 (Non-touch/Touch)	240 G5: 2.39 x 24.15 x 34.54 250 G5: 2.43 x 25.46 x 38.43
System weight	1.7 kg	240 G5: 1.79 kg 250 G5: 1.96 kg
Chipset	Integrated SoC	Integrated SoC
Processor	Intel® 5th Gen	Intel® 5th/6th Gen
vPro support	-	-
Graphics	Intel® UMA Graphics	Intel® HD Graphics 520/5500/400; Intel® HD Graphics 405 (250 G5 only); AMD Radeon™ R5 M430 (250 G5 only)
Max memory	8 GB	Up to 16 GB
Display size	11.6"	240 G5: 14.0" 250 G5: 15.6"
Resolution	1366 x 768	1366 x 768; 1920 x 1080 (250 G5 only)
Touch display option	√	-
Storage		
Capacity / speed	Up to 500 GB / 5400 rpm	Up to 1 TB / 7200 rpm
SSD	Up to 180 GB M.2	Up to 256 GB (250 G5 only)
m SATA	-	-
Dual storage	-	-
ODD	External option only	DVD+/-RW SuperMulti DL
Connectivity		
iPass Wi-Fi access	-	-
LAN	10/100/1000 NIC	10/100/1000 NIC; 10/100 NIC (240 G5 only)
WLAN*	802.11b/g/n (1x1); 802.11a/c (1x1) + Bluetooth® 4.0 combo; 802.11a/b/g/n (2x2) + Bluetooth® 4.0 combo	802.11a/b/g/n/ac (1x1) WiFi + Bluetooth® 4.2 Combo with WiDi; 802.11b/g/n (1x1) WiFi + Bluetooth® 4.0 Combo; 802.11b/g/n (1x1) WiFi + Bluetooth® 4.0 Combo; 802.11b/g/n (1x1) Wi-Fi
WPAN	-	-
WWAN*	Optional Huawei MU736 (Wrangler) HSPA+	-
Input		
Spill-resistant keyboard	-	-
Numeric keypad	-	250 G5 only
Ports		
VGA	(1) VGA	(1) VGA
HDMI	(1) HDMI v1.4	(1) HDMI
DisplayPort	-	-
Serial	-	-
USB 2.0	-	(2) USB 2.0
USB 3.0	(3) USB 3.0	(1) USB 3.0
RJ-45	(1) RJ-45	(1) RJ-45
Headphone / Mic combo	(1) Headphone / Mic	(1) Headphone / Mic
Types of Docking	USB docking option	USB docking option
Secondary Battery support	-	-
Multimedia		
Integrated microphone	(1) Single digital microphone	(1) Single digital microphone
Webcam	Integrated HD webcam	Optional HD Webcam
Audio	DTS Sound™	DTS Studio Sound™
Camera	-	TrueVision HD camera; VGA camera
Power		
Primary battery	3-cell (36 WHr) Li-ion 6-cell (64 WHr) Li-ion	4-cell (41 WHr) Li-ion 3-cell (31 WHr) Li-ion
AC adapter	45W Smart AC Adapter	65W Smart AC adapter (discrete models); 45W Smart AC adapter; 65W EM Smart AC adapter (China and India only)
Security		
TPM	-	√
HP Fingerprint Sensor	-	-
Security lock slot	√	√
Warranty	Up to 1 year	Up to 3 years
Others		
Operating system	Windows 10 Pro DG; Windows 10 Home; FreeDOS	Windows 10 Pro DG; Windows 10 Home; Windows 7 Pro; FreeDOS
Services	Upon request	Upon request

HP 200 series



	245 G5	255 G5
Form factor	Notebook PC	Notebook PC
Dimension (H x D x L) cm	2.39 x 24.15 x 34.54	2.43 x 25.46 x 38.43
System weight	1.8 kg	1.96 kg
Chipset	Integrated SoC	Integrated SoC
Processor	AMD Quad-Core Carrizo-L A & E Series processors	AMD Quad-Core Carrizo-L A & E Series processors
vPro support	-	-
Graphics	AMD Radeon™ R2/R4 Graphics	AMD Radeon™ R2/R4/R5 Graphics
Max memory	16 GB	16 GB
Display size	14.0"	15.6"
Resolution	1366 x 768	1366 x 768
Touch display option	-	-
Storage		
Capacity / speed	Up to 1 TB / 5400 rpm; 500 GB / 7200 rpm	Up to 1 TB / 5400 rpm; 500 GB / 7200 rpm
SSD	-	Up to 128 GB
m SATA	-	-
Dual storage	-	-
ODD	DVD+/-RW SuperMulti DL	DVD+/-RW SuperMulti DL
Connectivity		
iPass Wi-Fi access	-	-
LAN	10/100/1000 NIC	10/100/1000 NIC
WLAN*	802.11a/b/g/n/ac (1x1) WiFi + Bluetooth® 4.2 Combo with WiDi; 802.11b/g/n (1x1) WiFi + Bluetooth® 4.0 Combo; 802.11b/g/n (1x1) WiFi + Bluetooth® 4.0 Combo; 802.11b/g/n (1x1) Wi-Fi	802.11a/b/g/n/ac (1x1) WiFi + Bluetooth® 4.2 Combo with WiDi; 802.11b/g/n (1x1) WiFi + Bluetooth® 4.0 Combo; 802.11b/g/n (1x1) WiFi + Bluetooth® 4.0 Combo; 802.11b/g/n (1x1) Wi-Fi
WPAN	-	-
WWAN*	-	-
Input		
Spill-resistant keyboard	-	-
Numeric keypad	-	√
Ports		
VGA	(1) VGA	(1) VGA
HDMI	(1) HDMI	(1) HDMI
DisplayPort	-	-
Serial	-	-
USB 2.0	(2) USB 2.0	(2) USB 2.0
USB 3.0	(1) USB 3.0	(1) USB 3.0
RJ-45	(1) RJ-45	(1) RJ-45
Headphone / Mic combo	(1) Headphone / Mic	(1) Headphone / Mic
Types of Docking	USB docking option	USB docking option
Secondary Battery support	-	-
Multimedia		
Integrated microphone	(1) Single digital microphone	(1) Single digital microphone
Webcam	Optional HD Webcam	Optional HD Webcam
Audio	DTS Sound™	DTS Studio Sound™
Camera	TrueVision HD camera; VGA camera	TrueVision HD camera
Power		
Primary battery	4-cell (41 WHr) Li-ion 3-cell (31 WHr) Li-ion	4-cell (41 WHr) Li-ion
AC adapter	65W Smart AC adapter (discrete models); 45W Smart AC adapter (integrated models); 65W EM Smart AC adapter (China and India only)	45W Smart AC Adapter
Security		
TPM	√	√
HP Fingerprint Sensor	-	-
Security lock slot	√	√
Warranty	Up to 3 years	Up to 1 year
Others		
Operating system	Windows 10 Pro DG; Windows 10 Home; Windows 7 Pro; FreeDOS	Windows 10 Pro DG; Windows 10 Home; Windows 7 Pro; FreeDOS
Services	Upon request	Upon request

HP ProBook 400 series



	430 G3	440 G3 / 450 G3
Form factor	Notebook PC	Notebook PC
Dimension (H x D x L) cm	1.99-2.09 x 23.35 x 32.6 (Non-touch); 2.14-2.24 x 23.37 x 32.6 (Touch)	440 G3: 1.99-2.09 x 24.4 x 33.92 (Non-touch); 2.15-2.25 x 24.4 x 33.92 (Touch) 450 G3: 2.38-2.48 x 26.43 x 37.8 (Non-touch); 2.55-2.65 x 26.46 x 37.8 (Touch)
System weight	1.5 kg	440 G3: 1.68 kg 450 G3: 2.18 kg
Chipset	Integrated SoC	Integrated SoC
Processor	Intel® 5th/6th Gen	Intel® 5th/6th Gen
vPro support	-	-
Graphics	Intel® UMA Graphics GT1 & GT2	Intel® UMA Graphics GT1 & GT2; AMD Radeon™ R7 M340 (1 GB/2 GB DDR3; switchable)
Max memory	Up to 16 GB	Up to 16 GB
Display size	13.3"	440 G3: 14.0" 450 G3: 15.6"
Resolution	1366 x 768	1366 x 768; 1920 x 1080
Touch display option	✓	✓
Storage		
Capacity / speed	Up to 1 TB / 5400 rpm	Up to 1 TB / 5400 rpm
SSD	Up to 256 GB	Up to 256 GB (440 G3 only)
m SATA	-	-
Dual storage	Capable	Capable
ODD	External option only	External option only (440 G3 only); Blu-ray ROM DVD+/-RW SuperMulti DL; DVD+/-RW SuperMulti DL; DVD-ROM (450 G3 only)
Connectivity		
iPass Wi-Fi access	✓	-
LAN	10/100/1000 NIC	10/100/1000 NIC
WLAN*	802.11b/g/n (1x1); 802.11b/g/n (1x1) + Bluetooth® 4.0 combo; 802.11a/b/g/n/AC (1x1) + Bluetooth® 4.0 combo; 802.11a/b/g/n (2x2) + Bluetooth® 4.0 combo w/o WiDi; 802.11a/b/g/n/AC (2x2) + Bluetooth® 4.0 combo	802.11b/g/n (1x1); 802.11b/g/n (1x1) + Bluetooth® 4.0 combo; 802.11a/b/g/n/ AC (1x1) + Bluetooth® 4.0 combo; 802.11a/b/g/n (2x2) + Bluetooth® 4.0 combo w/o WiDi; 802.11a/b/g/n/AC (2x2) + Bluetooth® 4.0 combo
WPAN	-	-
WWAN*	HP hs3110 HSPA+ Intel® /HP lt4110 LTE/HSPA+ Intel® Mobile Broadband Module	HP hs3110 HSPA+ Intel® /HP lt4110 LTE/HSPA+ Intel® Mobile Broadband Module (450 G3 only)
Input		
Spill-resistant keyboard	✓	✓
Numeric keypad	-	450 G3 only
Ports		
VGA	(1) VGA	(1) VGA
HDMI	(1) HDMI	(1) HDMI
DisplayPort	-	-
Serial	-	-
USB 2.0	(1) USB 2.0 + powered port	(1) USB 2.0 + powered port (440 G3 only); (2) USB 2.0
USB 3.0	(2) USB 3.0	(2) USB 3.0
RJ-45	(1) RJ-45	(1) RJ-45
Headphone / Mic combo	(1) Headphone / Mic	(1) Headphone / Mic
Types of Docking	USB docking option	USB docking option
Secondary Battery support	-	-
Multimedia		
Integrated microphone	Dual array microphones	Dual array microphones; (1) Integrated microphone
Webcam	720p HD webcam	720p HD webcam
Audio	DTS Studio Sound™	DTS Studio Sound™
Camera	-	-
Power		
Primary battery	4-cell (44 Whr) Li-ion 6-cell (55 Whr) Long Life Li-ion	4-cell (44 Whr) Li-ion 6-cell (55 Whr) Long Life Li-ion
AC adapter	65W EM Smart AC Adapter; 45W Smart AC Adapter; 45W Smart AC Adapter 2-prong (Japan only)	65W EM Smart AC Adapter; 45W Smart AC Adapter; 45W Smart AC Adapter 2-prong (Japan only)
Security		
TPM	✓	✓
HP Fingerprint Sensor	Optional	Optional
Security lock slot	✓	✓
Warranty	Up to 3 years	Up to 3 years
Others		
Operating system	Windows 10 Pro DG; Windows 10 Home; FreeDOS	Windows 10 Pro DG; Windows 10 Home; FreeDOS
Services	Customer Bios, Custom Image, Asset Tagging, Custom Label, DIB, Hardware Lock	Customer Bios, Custom Image, Asset Tagging, Custom Label, DIB, Hardware Lock

HP ProBook 400 series



	455 G3	470 G3
Form factor	Notebook PC	Notebook PC
Dimension (H x D x L) cm	2.38-2.48 x 26.48 x 37.8	2.5-2.6 x 29.05 x 41.68
System weight	2.15 kg	2.61 kg
Chipset	Integrated SoC	Integrated SoC
Processor	AMD Carrizo/Carrizo-L processors	Intel® 6th Gen
vPro support	-	-
Graphics	AMD Radeon™ R7 M340 - R8 M350DX (2 GB DDR3; switchable/dual)	AMD Radeon™ R7 M340 (1 GB/2 GB DDR3; switchable)
Max memory	Up to 16 GB	Up to 16 GB
Display size	15.6"	17.3"
Resolution	1366 x 768	1600 x 900; 1920 x 1080
Touch display option	-	-
Storage		
Capacity / speed	Up to 1 TB / 5400 rpm	Up to 1 TB / 5400 rpm
SSD	-	Up to 256 GB
m SATA	-	-
Dual storage	-	Capable
ODD	DVD+/-RW SuperMulti DL; DVD-ROM	DVD-ROM; DVD+/-RW SuperMulti DL Drive; Blu-ray ROM DVD+/-RW SuperMulti DL Drive
Connectivity		
iPass Wi-Fi access	-	-
LAN	10/100/1000 NIC	10/100/1000 NIC
WLAN*	802.11b/g/n (1x1); 802.11b/g/n (1x1) + Bluetooth® 4.0 combo; 802.11a/b/g/n (2x2) + Bluetooth® 4.0 combo w/o WiDi	802.11b/g/n (1x1); 802.11b/g/n (1x1) + Bluetooth® 4.0 combo; 802.11a/b/g/n/ AC (1x1) + Bluetooth® 4.0 combo; 802.11a/b/g/n (2x2) + Bluetooth® 4.0 combo w/o WiDi; 802.11a/b/g/n/AC (2x2) + Bluetooth® 4.0 combo
WPAN	-	-
WWAN*	-	-
Input		
Spill-resistant keyboard	√	√
Numeric keypad	√	√
Ports		
VGA	(1) VGA	(1) VGA
HDMI	(1) HDMI	(1) HDMI
DisplayPort	-	-
Serial	-	-
USB 2.0	(2) USB 2.0	(2) USB 2.0
USB 3.0	(2) USB 3.0	(2) USB 3.0
RJ-45	(1) RJ-45	(1) RJ-45
Headphone / Mic combo	(1) Headphone / Mic	(1) Headphone / Mic
Types of Docking	USB docking option	USB docking option
Secondary Battery support	-	-
Multimedia		
Integrated microphone	Dual array microphones; (1) Integrated microphone	Dual array microphones; (1) Integrated microphone
Webcam	720p HD webcam	720p HD webcam
Audio	DTS Studio Sound™	DTS Studio Sound™
Camera	-	-
Power		
Primary battery	4-cell (44 WHr) Li-ion 6-cell (55 WHr) Long Life Li-ion	4-cell (44 WHr) Li-ion 6-cell (55 WHr) Long Life Li-ion
AC adapter	65W EM Smart AC Adapter; 45W Smart AC Adapter; 45W Smart AC Adapter 2-prong (Japan only)	65W EM Smart AC Adapter; 45W Smart AC Adapter; 45W Smart AC Adapter 2-prong (Japan only)
Security		
TPM	√	√
HP Fingerprint Sensor	Optional	Optional
Security lock slot	√	√
Warranty	Up to 3 years	Up to 3 years
Others		
Operating system	Windows 10 Pro DG; Windows 10 Home; FreeDOS	Windows 10 Pro DG; Windows 10 Home; FreeDOS
Services	Customer Bios, Custom Image, Asset Tagging, Custom Label, DIB, Hardware Lock	Customer Bios, Custom Image, Asset Tagging, Custom Label, DIB, Hardware Lock

HP ProBook 600 series



	640 G2 / 650 G2	645 G2 / 655 G2
Form factor	Notebook PC	Notebook PC
Dimension (H x D x L) cm	640 G2: 2.7 x 23.7 x 34 650 G2: 2.74 x 25.7 x 37.8	645 G2: 2.7 x 23.7 x 34 655 G2: 2.74 x 25.7 x 37.8
System weight	640 G2: 1.95 kg 650 G2: 2.32 kg	645 G2: 1.95 kg 655 G2: 2.32 kg
Chipset	Integrated SoC	Integrated SoC
Processor	Intel® 6th Gen	AMD PRO A-Series APUs
vPro support	√	-
Graphics	Intel® HD Graphics 520; AMD Radeon™ R7 M365X (2 GB GDDR5 dedicated) (640 G2 only); Intel® HD Graphics 530 (650 G2 only)	AMD Radeon™ R5/R6 Graphics
Max memory	Up to 16 GB	Up to 16 GB
Display size	640 G2: 14.0" 650 G2: 15.6"	645 G2: 14.0" 655 G2: 15.6"
Resolution	1366 x 768; 1920 x 1080	1366 x 768; 1920 x 1080
Touch display option	√	√
Storage		
Capacity / speed	Up to 1 TB / 5400 rpm	Up to 1 TB / 5400 rpm
SSD	Up to 512 GB	Up to 512 GB
m SATA	SATA 6 GB/s 180 SSD	SATA 6 GB/s 180 SSD
Dual storage	-	-
ODD	DVD-ROM; DVD+/-RW SuperMulti DL; Blu-ray ROM DVD+/-RW SuperMulti DL	DVD-ROM; DVD+/-RW SuperMulti DL; Blu-ray ROM DVD+/-RW SuperMulti DL
Connectivity		
iPass Wi-Fi access	√	√
LAN	10/100/1000 NIC	10/100/1000 NIC
WLAN*	802.11a/b/g/n/ac (2x2) + Bluetooth® 4.2 combo; 802.11a/b/g/n (2x2) + Bluetooth® 4.2 combo; 802.11a/b/g/n (2x2) + Bluetooth® 4.0 combo; 802.11b/g/n (1x1) WiFi + Bluetooth® 4.0 combo; 802.11b/g/n (1x1) Wi-Fi	802.11a/b/g/n/ac (2x2) + Bluetooth® 4.1 combo; 802.11a/b/g/n (1x1) + Bluetooth® 4.1 combo; 802.11a/b/g/n (2x2) + Bluetooth® 4.0 combo; 802.11b/g/n (1x1) WiFi + Bluetooth® 4.0 combo; 802.11b/g/n (1x1) Wi-Fi
WPAN	-	-
WWAN*	HP lt4120 Qualcomm® Snapdragon™ X5 LTE Mobile Broadband Module; HP hs3110 HSPA+ Mobile Broadband	HP lt4120 Qualcomm® Snapdragon™ X5 LTE Mobile Broadband Module; HP hs3110 HSPA+ Mobile Broadband
Input		
Spill-resistant keyboard	√	√
Numeric keypad	650 G2 only	655 G2 only
Ports		
VGA	(1) VGA	(1) VGA
HDMI	-	-
DisplayPort	(1) DisplayPort	(1) DisplayPort
Serial	(1) Serial for 650 G2 only	(1) Serial for 655 G2 only
USB 2.0	-	-
USB 3.0	(2) USB 3.0 incl. 1 charging port; (1) USB Type-C	(2) USB 3.0 incl. 1 charging port; (1) USB Type-C
RJ-45	(1) RJ-45	(1) RJ-45
Headphone / Mic combo	(1) Headphone / Mic	(1) Headphone / Mic
Types of Docking	(1) Docking connector	(1) Docking connector
Secondary Battery support	-	-
Multimedia		
Integrated microphone	(1) Integrated microphone	(1) Integrated microphone
Webcam	Optional 720p HD webcam	Optional 720p HD webcam
Audio	DTS Sound+™	DTS Sound+™
Camera	-	-
Power		
Primary battery	3-cell (48 Whr) Long Life	3-cell (48 Whr) Long Life
AC adapter	45W Smart AC adapter; 45W Smart AC adapter 2-prong (Japan only); 65W Smart AC adapter; 65W EM Smart AC adapter (China and India only)	45W Smart AC adapter; 45W Smart AC adapter 2-prong (Japan only); 65W Smart AC adapter; 65W EM Smart AC adapter (China and India only)
Security		
TPM	√	√
HP Fingerprint Sensor	Optional	Optional
Security lock slot	√	√
Warranty	Up to 3 years	Up to 3 years
Others		
Operating system	Windows 10 Pro; Windows 10 Home; Windows 8.1 Pro; Windows 8.1; Windows 7 Pro; FreeDOS 2.0	Windows 10 Pro; Windows 10 Home; Windows 8.1 Pro; Windows 8.1; Windows 7 Pro; FreeDOS 2.0
Services	Customer Bios, Custom Image, Asset Tagging, Custom Label, DIB, Hardware Lock	Customer Bios, Custom Image, Asset Tagging, Custom Label, DIB, Hardware Lock

HP EliteBook 700 series



	725 G2	745 G2 / 755 G2
Form factor	Notebook PC	Notebook PC
Dimension (H x D x L) cm	2.1 x 21.53 x 31.1 (Non-touch); 2.48 x 21.53 x 31.3 (Touch)	745 G2: 0.21 x 23.7 x 33.9 (Non-touch); 0.22 x 23.7 x 33.9 (Touch) 755 G2: 2.15 x 25.36 x 37.55 (Non-touch); 2.58 x 25.36 x 37.55 (Touch)
System weight	1.36 kg (Non-touch); 1.63 kg (Touch)	745 G2: 1.58 kg 755 G2: 2 kg
Chipset	AMD A76M FCH	AMD A76M FCH
Processor	AMD Quad-Core and Dual-Core processors	AMD Quad-Core and Dual-Core processors
vPro support	-	-
Graphics	AMD Radeon™ HD	AMD Radeon™ HD
Max memory	Up to 16 GB	Up to 16 GB
Display size	12.5"	745 G2: 14.0" 755 G2: 15.6"
Resolution	1366 x 768; 1920 x 1080	1366 x 768; 1600 x 1900; 1920 x 1080
Touch display option	√	√
Storage		
Capacity / speed	Up to 500 GB / 7200 rpm	Up to 1 TB / 7200 rpm
SSD	Up to 256 GB, SED/OPAL options available	Up to 256 GB, SED/OPAL options available
m SATA	-	-
Dual storage	-	-
ODD	External option only	External option only
Connectivity		
iPass Wi-Fi access	√	√
LAN	10/100/1000 NIC	10/100/1000 NIC
WLAN*	802.11b/g/n (1x1); 802.11 a/b/g/n AC (2x2) + Bluetooth® 4.0 combo; 802.11a/b/g/n (2x2) + Bluetooth® 4.0 combo	802.11b/g/n (1x1); 802.11 a/b/g/n AC (2x2) + Bluetooth® 4.0 combo; 802.11a/b/g/n (2x2) + Bluetooth® 4.0 combo
WPAN	-	-
WWAN*	HP hs3110 HSPA+ Mobile Broadband; HP lt4112 LTE/HSPA+ Qualcomm® Gobi™ 4G; HP lt4211 LTE/EVDO/HSPA+ Qualcomm® Gobi™ 4G	HP hs3110 HSPA+ Mobile Broadband; HP lt4112 LTE/HSPA+ Qualcomm® Gobi™ 4G; HP lt4211 LTE/EVDO/HSPA+ Qualcomm® Gobi™ 4G
Input		
Spill-resistant keyboard	√	√
Numeric keypad	-	-
Ports		
VGA	(1) VGA	(1) VGA
HDMI	-	-
DisplayPort	(1) DisplayPort 1.2	(1) DisplayPort 1.2
Serial	-	-
USB 2.0	-	-
USB 3.0	(3) USB 3.0 incl. 1 charging port	(4) USB 3.0 incl. 1 charging port
RJ-45	(1) RJ-45 (Drop-jaw design)	(1) RJ-45 (Drop-jaw design)
Headphone / Mic combo	(1) Headphone / Mic	(1) Headphone / Mic
Types of Docking	(1) Side docking	(1) Side docking
Secondary Battery support	-	(1) Secondary battery connector (Optional slice battery for 745 G2 only)
Multimedia		
Integrated microphone	(1) Integrated microphone	(1) Integrated microphone
Webcam	Optional 720p HD webcam	Optional 720p HD webcam
Audio	HD Audio with DTS Studio Sound™	HD Audio with DTS Studio Sound™
Camera	-	-
Power		
Primary battery	3-cell (26 Whr) Long Life 3-cell (46 Whr) Long Life	3-cell (24 Whr) Long Life 3-cell (50 Whr) Long Life
AC adapter	45W Smart AC Adapter; 65W EM Smart AC Adapter (China, India only); 65W Slim Smart AC Adapter (Japan, Australia only)	45W Smart AC Adapter; 45W 2-prong AC Adapter (Japan only); 65W EM Smart AC Adapter (China, India only); 65W Slim Smart AC Adapter (Japan, Australia only)
Security		
TPM	√	√
HP Fingerprint Sensor	Optional	Optional
Security lock slot	√	√
Warranty	Up to 3 years	Up to 3 years
Others		
Operating system	Windows 8.1 Pro DG; Linux; FreeDOS	Windows 8.1 Pro DG; Linux; FreeDOS
Services	Customer Bios, Custom Image, Asset Tagging, Custom Label, DIB, Hardware Lock	Customer Bios, Custom Image, Asset Tagging, Custom Label, DIB, Hardware Lock

HP EliteBook 700 series



	725 G3	745 G3 / 755 G3
Form factor	Notebook PC	Notebook PC
Dimension (H x D x L) cm	1.89 x 21.89 x 31.0 (Non-touch); 2.02 x 21.89 x 31.0 (Touch)	745 G3: 1.89 x 23.7 x 33.8 (Non-touch); 2.02 x 23.7 x 33.8 (Touch); 755 G3: 1.94 x 25.77 x 38.33 (Non-touch); 2.08 x 25.77 x 38.33 (Touch)
System weight	1.26 kg (Non-touch); 1.39 kg (Touch)	745 G3: 1.54 kg (Non-touch); 1.70 kg (Touch) 755 G3: 1.86 kg (Non-touch); 2.04 kg (Touch)
Chipset	Integrated SoC	Integrated SoC
Processor	AMD Carrizo ULV	AMD Carrizo ULV
vPro support	-	-
Graphics	AMD Radeon™ R6/R7 Graphics	AMD Radeon™ R6/R7 Graphics
Max memory	Up to 16 GB	Up to 16 GB
Display size	12.5"	745 G3: 14" 755 G3: 15.6"
Resolution	1366 x 768; 1920 x 1080	1366 x 768; 1920 x 1080; 2560 x 1440 (745 G3 only)
Touch display option	√	√
Storage		
Capacity / speed	HDD: Up to 1 TB Hybrid HDD: 500 GB + 8 GB cache	HDD: Up to 1 TB Hybrid HDD: 500 GB + 8 GB cache
SSD	Up to 256 GB MLC; Up to 256 GB TLC; Up to 512 GB NVMe PCIe	Up to 256 GB MLC; Up to 256 GB TLC; Up to 512 GB NVMe PCIe
m SATA	-	-
Dual storage	-	-
ODD	External option only	External option only
Connectivity		
iPass Wi-Fi access	√	√
LAN	10/100/1000 NIC	10/100/1000 NIC
WLAN*	802.11a/b/g/n (2x2) + Bluetooth® 4.0 combo; 802.11a/b/g/n/ac (2x2) + Bluetooth® 4.1 combo	802.11b/g/n (1x1); 802.11a/b/g/n (2x2) + Bluetooth® 4.0 combo; 802.11a/b/g/n/ac (2x2) + Bluetooth® 4.1 combo
WPAN	-	-
WWAN*	HP lt4120 Qualcomm® Snapdragon™ X5 LTE Mobile Broadband Module; HP hs3110 HSPA+ Mobile Broadband	HP lt4120 LTE/EVDO/HSPA+ Qualcomm® Snapdragon X5™ LTE Mobile Broadband Module; HP hs3110 HSPA+ Mobile Broadband
Input		
Spill-resistant keyboard	√	√
Numeric keypad	-	-
Ports		
VGA	(1) VGA	(1) VGA
HDMI	-	-
DisplayPort	(1) DisplayPort	(1) DisplayPort
Serial	-	-
USB 2.0	-	-
USB 3.0	(2) USB 3.0 incl. 1 charging port; (1) USB Type-C (Basic)	(2) USB 3.0 incl. 1 charging port; (1) USB Type-C (Basic)
RJ-45	(1) RJ-45 (Drop-jaw design)	(1) RJ-45 (Drop-jaw design)
Headphone / Mic combo	(1) Headphone / Mic	(1) Headphone / Mic
Types of Docking	(1) Side docking	(1) Side docking
Secondary Battery support	-	-
Multimedia		
Integrated microphone	(1) Integrated microphone	(1) Integrated microphone
Webcam	Optional 720p HD webcam	Optional 720p HD webcam
Audio	Audio by Bang & Olufsen	Audio by Bang & Olufsen
Camera	-	-
Power		
Primary battery	3-cell (44 Whr) Long Life	3-cell (46 Whr) Long Life
AC adapter	45W Smart AC adapter; 45W Smart AC adapter 2-prong (Japan only); 65W EM Smart AC adapter (China and India only)	45W Smart 4.5 mm AC Adapter (Not available for Asia, PRC, India, Japan); 45W 2-prong 4.5 mm DC jack AC Adapter (Japan only); 65W EM Smart 4.5 mm AC Adapter (Asia, PRC, India only)
Security		
TPM	√	√
HP Fingerprint Sensor	Optional	Optional
Security lock slot	√	√
Warranty	Up to 3 years	Up to 3 years
Others		
Operating system	Windows 10 Pro; Windows 10 Home; Windows 8.1 Pro; Windows 7 Pro; FreeDOS 2.0	Windows 10 Pro; Windows 10 Home; Windows 8.1 Pro; Windows 7 Pro; FreeDOS 2.0
Services	Customer Bios, Custom Image, Asset Tagging, Custom Label, DIB, Hardware Lock	Customer Bios, Custom Image, Asset Tagging, Custom Label, DIB, Hardware Lock

HP EliteBook 800 series



	820 G3	840 G3 / 850 G3
Form factor	Notebook PC	Notebook PC
Dimension (H x D x L) cm	1.89 x 21.89 x 31.1 (Non-touch); 2.02 x 21.89 x 31.1 (Touch)	840 G3: 1.89 x 23.7 x 33.89 (Non-touch); 2.02 x 23.7 x 33.89 (Touch) 850 G3: 1.94 x 25.77 x 38.33 (Non-touch); 2.2 x 25.77 x 38.33 (Touch)
System weight	1.26 kg (Non-touch); 1.39 kg (Touch)	840 G3: 1.54 kg (Non-touch); 1.70 kg (Touch) 850 G3: 1.86 kg (Non-Touch); 2.04 kg (Touch)
Chipset	Integrated SoC	Integrated SoC
Processor	Intel® 6th Gen	Intel® 6th Gen
vPro support	Selected processors only	Selected processors only
Graphics	Intel® HD Graphics 520	Intel® HD Graphics 520; AMD Radeon™ R7 M365X (850 G3 only)
Max memory	Up to 16 GB	Up to 16 GB
Display size	12.5"	840 G3: 14.0" 850 G3: 15.6"
Resolution	1366 x 768; 1920 x 1080	1366 x 768; 1920 x 1080; 2560 x 1440 (840 G3 Only); 3840 x 2160 (850 G3 Only)
Touch display option	√	√
Storage		
Capacity / speed	Up to 1 TB / 7200 rpm	Up to 1 TB / 7200 rpm
SSD	Up to 512 GB, SED/OPAL options available	Up to 512 GB, SED/OPAL options available
m SATA	-	-
Dual storage	-	√
ODD	External option only	External option only
Connectivity		
iPass Wi-Fi access	√	√
LAN	10/100/1000 NIC	10/100/1000 NIC
WLAN*	802.11a/b/g/n/ac (2x2) + Bluetooth® 4.2 combo; 802.11a/b/g/n/ac (1x1) + Bluetooth® 4.0 combo	802.11a/b/g/n/ac (2x2) + Bluetooth® 4.2 combo; 802.11a/b/g/n/ac (1x1) + Bluetooth® 4.0 combo
WPAN	Bluetooth® 4.0/4.2	Bluetooth® 4.0/4.2
WWAN*	HP lt4120 Qualcomm® Snapdragon™ X5 LTE Mobile Broadband Module; HP hs3110 HSPA+ Mobile Broadband	HP lt4120 Qualcomm® Snapdragon™ X5 LTE Mobile Broadband Module; HP hs3110 HSPA+ Mobile Broadband
Input		
Spill-resistant keyboard	√	√
Numeric keypad	-	850 G3 only
Ports		
VGA	(1) VGA	(1) VGA
HDMI	-	-
DisplayPort	(1) DisplayPort 1.2	(1) DisplayPort 1.2
Serial	-	-
USB 2.0	-	-
USB 3.0	(2) USB 3.0 incl. 1 charging port; (1) USB Type-C	(2) USB 3.0 incl. 1 charging port; (1) USB Type-C
RJ-45	(1) RJ-45 (Drop-jaw design)	(1) RJ-45 (Drop-jaw design)
Headphone / Mic combo	(1) Headphone / Mic	(1) Headphone / Mic
Types of Docking	(1) Docking connector	(1) Docking connector
Secondary Battery support	-	-
Multimedia		
Integrated microphone	(1) Integrated microphone	(1) Integrated microphone
Webcam	Optional 720p HD webcam	Optional 720p HD webcam
Audio	Audio by Bang & Olufsen	Audio by Bang & Olufsen
Camera	-	-
Power		
Primary battery	3-cell (44 WHr) Long Life Li-ion	3-cell (46 WHr) Long Life Li-ion
AC adapter	45W Smart AC adapter; 45W Smart AC adapter 2-prong (Japan only); 65W EM Smart AC adapter (China and India only)	45W Smart AC adapter; 45W Smart AC adapter 2-prong (Japan only); 65W Smart AC adapter; 65W EM Smart AC adapter (China and India only)
Security		
TPM	√	√
HP Fingerprint Sensor	Optional	Optional
Security lock slot	√	√
Warranty	Up to 3 years	Up to 3 years
Others		
Operating system	Windows 10 Pro; Windows 10 Home; Windows 8.1 Pro; Windows 8.1; Windows 7 Pro; FreeDOS 2.0	Windows 10 Pro; Windows 10 Home; Windows 8.1 Pro; Windows 8.1; Windows 7 Pro; FreeDOS 2.0
Services	Customer Bios, Custom Image, Asset Tagging, Custom Label, DIB, Hardware Lock	Customer Bios, Custom Image, Asset Tagging, Custom Label, DIB, Hardware Lock

HP EliteBook series



	Folio G1	1030 G1	1040 G3
Form factor	Notebook PC	Notebook PC	Notebook PC
Dimension (H x D x L) cm	1.19 x 20.9 x 29.2 (Non-Touch); 1.24 x 20.9 x 29.2 (Touch)	1.57 x 21 x 31 (Non-touch/Touch)	1.58 x 23.45 x 33.7 cm (Non-touch); 1.65 x 23.45 x 33.7 cm (Touch)
System weight	< 1 kg (Non-touch)	1.15 kg (Non-touch); 1.16 kg (Touch)	1.43 kg
Chipset	Integrated SoC	Integrated SoC	Integrated SoC
Processor	Intel® 6th Gen Core M	Intel® 6th Gen Core M	Intel® 6th Gen
vPro support	Selected processors only	Selected processors only	Selected processors only
Graphics	Intel® HD Graphics 515	Intel® HD Graphics 515	Intel® HD Graphics 520
Max memory	Up to 8 GB	16 GB	Up to 16 GB
Display size	12.5"	13.3"	14.0"
Resolution	1920 x 1080; 3840 x 2160	1920 x 1080; 3200 x 1800	1920 x 1080; 2560 x 1440
Touch display option	√	√	√
Storage			
Capacity / speed	-	-	-
SSD	Up to 512 GB	Up to 512 GB	Up to 512 GB
m SATA	-	-	-
Dual storage	-	-	-
ODD	-	-	External option only
Connectivity			
iPass Wi-Fi access	√	√	√
LAN	Available via optional external adapter	Available via optional external adapter	Available via optional external adapter
WLAN*	802.11a/b/g/n/ac (2x2) + Bluetooth® 4.2 combo	802.11a/b/g/n/ac (2x2) + Bluetooth® 4.2 Combo	802.11a/b/g/n/ac (2x2) + Bluetooth® 4.2 combo
WPAN	Bluetooth® 4.2	Bluetooth® 4.2	Bluetooth® 4.2
WWAN*	-	-	HP lt4120 Qualcomm® Snapdragon™ X5 LTE Mobile Broadband Module; HP hs3110 HSPA+ Mobile Broadband
Input			
Spill-resistant keyboard	-	√	√
Numeric keypad	-	-	-
Ports			
VGA	-	Available via optional external adapter	Available via optional external adapter
HDMI	-	(1) HDMI	(1) HDMI
DisplayPort	-	-	-
Serial	-	-	-
USB 2.0	-	-	-
USB 3.0	(2) USB Type-C	(2) USB 3.0 charging ports; (1) USB Type-C charging port	(2) USB 3.0 charging ports; (1) USB Type-C charging port
RJ-45	Available via optional external adapter	Available via optional external adapter	Available via optional external adapter
Headphone / Mic combo	(1) Headphone / Mic	(1) Headphone / Mic	(1) Headphone / Mic
Types of Docking	-	(1) Docking connector	(1) Docking connector
Secondary Battery support	-	-	-
Multimedia			
Integrated microphone	(1) Integrated microphone	(1) Integrated microphone	(1) Integrated microphone
Webcam	720p HD webcam	720p HD webcam	Optional 720p HD webcam
Audio	Audio by Bang & Olufsen	Audio by Bang & Olufsen	Audio by Bang & Olufsen
Camera	-	-	-
Power			
Primary battery	4-cell (38 Whr) Long Life Polymer	4-cell (40 Whr) Long Life Li-ion	6-cell (45.6 Whr) Long Life Polymer
AC adapter	45W Smart USB Type-C™ AC adapter	45W Smart AC adapter; 45W Smart AC adapter 2-prong (Japan only); 65W Smart EM AC adapter (PRC and India only); 65W Slim AC adapter (Australia and Japan only)	45W Smart AC adapter; 45W Smart AC adapter 2-prong (Japan only); 65W Smart EM AC adapter (PRC and India only); 65W Slim AC adapter (Australia and Japan only)
Security			
TPM	√	√	√
HP Fingerprint Sensor	-	√	√
Security lock slot	-	-	-
Warranty	1 year	Up to 3 years	1 year
Others			
Operating system	Windows 10 Pro; Windows 10 Home	Windows 10 Pro; Windows 10 Home; Windows 7 Pro; FreeDOS 2.0	Windows 10 Pro; Windows 10 Home; Windows 7 Pro; FreeDOS 2.0
Services	Customer Bios, Custom Image, Asset Tagging, Custom Label, DIB, Hardware Lock	Customer Bios, Custom Image, Asset Tagging, Custom Label, DIB, Hardware Lock	Customer Bios, Custom Image, Asset Tagging, Custom Label, DIB, Hardware Lock

HP Convertibles



	EliteBook Revolve 810 G3	Spectre Pro x360 G2
Form factor	Convertible	Convertible
Dimension (H x D x L) cm	2.2 x 21.2 x 28.5	1.54 x 21.8 x 32.5
System weight	1.4 kg	1.48 kg
Chipset	Integrated SoC	Integrated SoC
Processor	Intel® 5th Gen	Intel® 6th Gen
vPro support	Selected processors only	-
Graphics	Intel® HD Graphics 4400	Intel® HD Graphics 520
Max memory	Up to 12 GB	Up to 8 GB
Display size	11.6"	13.3"
Resolution	1366 x 768	1920 x 1080; 2460 x 1440
Touch display option	√	√
Storage		
Capacity / speed	-	-
SSD	Up to 512 GB	Up to 512 GB
m SATA	-	-
Dual storage	-	-
ODD	External option only	External option only
Connectivity		
iPass Wi-Fi access	√	√
LAN	10/100/1000 NIC	-
WLAN*	802.11a/b/g/n (2x2) + Bluetooth® 4.0 combo with WiDi; 802.11a/b/g/b/ac (2x2) + Bluetooth® 4.0 combo	802.11a/b/g/n/ac (2x2) + Bluetooth® 4.0 combo; 802.11a/b/g/n (2x2) + Bluetooth® 4.0 combo
WPAN	Bluetooth® 4.0	Bluetooth® 4.0
WWAN*	HP hs3110 HSPA+ Mobile Broadband; HP lt4112 LTE/HSPA+ Qualcomm® Gobi™ 4G Mobile Broadband; HP lt4211 LTE/EV-DO/HSPA+ Qualcomm® Gobi™ 4G Mobile Broadband	-
Input		
Spill-resistant keyboard	√	√
Numeric keypad	-	-
Ports		
VGA	Available via optional external adapter	-
HDMI	-	(1) HDMI
DisplayPort	(1) DisplayPort 1.2	(1) Mini DisplayPort 1.2
Serial	-	-
USB 2.0	-	-
USB 3.0	(2) USB 3.0 incl. 1 charging port	(3) USB 3.0
RJ-45	(1) RJ-45	-
Headphone / Mic combo	(1) Headphone / Mic	(1) Headphone / Mic (Keyboard)
Types of Docking	(1) Side docking	-
Secondary Battery support	-	-
Multimedia		
Integrated microphone	(1) Integrated microphone	(1) Integrated microphone
Webcam	-	HP TrueVision Full HD; WVA Webcam
Audio	DTS Studio Sound™	HD Audio by Bang & Olufsen
Camera	-	-
Power		
Primary battery	6-cell (44 WHr) Long Life	3 cell (56 WHr) Li-ion
AC adapter	45W Smart AC Adapter; 65W EM Smart AC Adapter (China, India only); 65W Slim Smart AC Adapter (Australia, Japan only)	45W Smart AC adapter; 45W Smart AC adapter 2-prong (Japan only); 65W EM Smart AC adapter (PRC only)
Security		
TPM	√	√
HP Fingerprint Sensor	-	-
Security lock slot	√	-
Warranty	Up to 3 years	1 year
Others		
Operating system	Windows 8.1 Pro DG; FreeDOS	Windows 10 Pro
Services	Customer Bios, Custom Image, Asset Tagging, Custom Label, DIB, Hardware Lock	Custom Image, Asset Tagging, Custom Label

HP Detachables



	HP x2 210 G2	Pro x2 612 G1	Elite x2 1012 G1
Form factor	Detachable	Detachable	Detachable
Dimension (H x D x L) cm	Tablet only: 0.92 x 17.3 x 26.5 With keyboard: 1.83 x 18.3 x 26.5	Tablet only: 1.28 x 20.95 x 30.7 With keyboard: 2.33 x 23.95 x 31.7	Tablet only: 0.81 x 21.35 x 30.0 With travel keyboard: 1.35 x 21.35 x 30.0 With Advanced keyboard: 1.65 x 21.35 x 30.0
System weight	Tablet: 583 g Travel Keyboard: 507 g	Tablet: 925 g Travel Keyboard: 715 g Power Keyboard: 980 g	Tablet: 820 g Travel Keyboard: 385 g Advanced Keyboard: 450 g
Chipset	Integrated SoC	Integrated SoC	Integrated SoC
Processor	Intel® Atom™	Intel® 4th Gen	Intel® Core™ M
vPro support	-	Selected processors only	Selected processors only
Graphics	Intel® HD Graphics	Intel® HD Graphics 4200	Intel® HD Graphics 515
Max memory	Up to 4 GB	Up to 8 GB	Up to 8 GB
Display size	10.1"	12.5"	12"
Resolution	1280 x 800	1366 x 768; 1920 x 1080	1920 x 1280
Touch display option	✓	✓	✓
Storage			
Capacity / speed	-	-	-
SSD	Up to 128 GB	Up to 256 GB	Up to 512 GB
m SATA	-	-	-
Dual storage	-	-	-
ODD	-	-	-
Connectivity			
iPass Wi-Fi access	✓	✓	✓
LAN	-	10/100/1000 NIC (optional)	-
WLAN*	802.11a/b/g/n/ac (2x2) + Bluetooth® 4.0 Combo	802.11a/b/g/n/ac (1x1) + Bluetooth® 4.0 combo; 802.11a/b/g/n/ac (2x2) + Bluetooth® 4.0 combo; 802.11b/g/n (1x1) + Bluetooth® 4.0 combo; 802.11a/b/g/n (2x2) + Bluetooth® 4.0 combo	802.11a/b/g/n/ac (2x2) WiFi + Bluetooth® 4.2 combo; 802.11a/b/g/n/ac (2x2) + Bluetooth® 4.2 + WiGig combo (optional)
WPAN	Bluetooth® 4.0	Bluetooth® 4.0	Bluetooth® 4.2
WWAN*	-	HP It4211 LTE/EV-DO/HSPA+ Qualcomm® Gobi™ 4G Mobile Broadband; HP It4112 LTE/HSPA+ Qualcomm® Gobi™ 4G Mobile Broadband; HP hs3110 HSPA+ Mobile Broadband	HP hs3110 HSPA+ Mobile Broadband; HP It4120 Qualcomm® Snapdragon™ X5 LTE Mobile Broadband Module (optional)
Input			
Spill-resistant keyboard	-	✓	-
Numeric keypad	-	-	-
Ports			
VGA	Available via optional external adapter	(1) VGA (Keyboard)	-
HDMI	(1) Micro HDMI	-	-
DisplayPort	Available via optional external adapter	(1) DisplayPort 1.2 (Keyboard)	-
Serial	-	-	-
USB 2.0	-	-	-
USB 3.0	(1) USB 3.0; (1) USB Type-C	(1) USB 3.0 (Tablet); (2) USB 3.0 incl. 1 charging port (Keyboard)	(1) USB Type-C™ with Thunderbolt™ support (docking, charging and USB 3.1); (1) USB Type-A (USB 3.0)
RJ-45	-	(1) RJ-45 (Keyboard)	-
Headphone / Mic combo	(1) Headphone / Mic	(1) Headphone / Mic (Keyboard)	(1) Headphone / Mic (Keyboard)
Types of Docking	-	(1) Side docking (Keyboard)	(1) Wireless dock; (2) Wired dock via USB Type-C™ with Thunderbolt™
Secondary Battery support	-	(1) Secondary battery connector (Keyboard)	-
Multimedia			
Integrated microphone	(1) Integrated microphone	(1) Integrated microphone	(1) Integrated microphone
Webcam	720p HD front-facing webcam	2 MP FHD 1080p front-facing webcam	2 MP FHD 1080p front-facing webcam
Audio	DTS Audio	HD Audio with DTS Sound+™	Audio by Bang & Olufsen
Camera	5 MP rear-facing	5 MP FHD 1080p rear-facing	5 MP FHD 1080p rear-facing
Power			
Primary battery	2-cell (32.5 WHr) Li-ion polymer	Tablet only: 4-cell (29.3 WHr) Long Life Keyboard: 2-cell (25 WHr) Long Life	4-cell (40 WHr) Long Life Li-ion
AC adapter	15W AC charging adapter with USB Type-C connector	65W EM Smart AC Adapter (China, India only); 65W Slim Smart AC Adapter (Australia, Japan only); 45W Smart RC AC Adapter (Not available for China, India, and Japan); 45W Smart AC Adapter 2-prong (Japan only)	45W Smart USB Type-C™ AC Adapter
Security			
TPM	✓	✓	✓
HP Fingerprint Sensor	-	Optional	Optional
Security lock slot	-	-	✓
Warranty	1 year	Up to 3 years	Up to 3 years
Others			
Operating system	Windows 10 Pro; Windows 10 Home	Windows 10 Pro DG; Windows 8.1; Linux; FreeDOS	Windows 10; Windows 8.1 Web Support
Services	Custom Image, Asset Tagging, Custom Label, DIB	Customer Bios, Custom Image, Asset Tagging, Custom Label, DIB, Hardware Lock	Customer Bios, Custom Image, Asset Tagging, Custom Label, DIB, Hardware Lock

HP Tablets



	Elite x3	Pro Slate 8 / Pro Slate 12	Pro Tablet 408 G1
Form factor	Next Gen Computer	Tablet	Tablet
Dimension (H x D x L) cm	8.35 x 0.78 x 16.18	Slate 8: 13.7 x 0.79 x 20.7 Slate 12: 22.2 x 0.79 x 30.0	14 x 0.9 x 21.5
System weight	195 g	Slate 8: 350 g Slate 12: 850 g	375 g
Chipset	Integrated SoC	Integrated SoC	Integrated SoC
Processor	Qualcomm® Snapdragon 820	Qualcomm® Snapdragon® 800	Intel® Atom™
vPro support	-	-	-
Graphics	Qualcomm® Adreno 530	Integrated	Intel® UMA Graphics
Max memory	4 GB	2 GB	2 GB
Display size	5.96"	Slate 8: 7.9" Slate 12: 12.3"	8"
Resolution	2560 x 1440 AMOLED	2048 x 1536 (Slate 8 only); 1600 x 1200 (Slate 12 only)	1280 x 800
Touch display option	√	√	√
Storage			
Capacity / speed	-	-	-
SSD	64 GB eMMC	Up to 32 GB eMMC	Up to 64 GB eMMC
m SATA	-	-	-
Dual storage	-	-	-
ODD	-	-	-
Connectivity			
iPass Wi-Fi access	√	√	√
LAN	10/100/1000 via desk dock	-	-
WLAN*	802.11a/b/g/n/ac (2x2) WiFi + Bluetooth® 4.0 LE combo	802.11a/b/g/n/ac + Bluetooth® 4.0 LE combo	802.11a/b/g/n (2x2) WiFi + Bluetooth® 4.0 LE combo
WPAN	Bluetooth® 4.0	Bluetooth® 4.0	Bluetooth® 4.0
WWAN*	2G/3G/4G, LTE-A with carrier aggregation	HP lt4112 LTE HSPA+ Gobi 4G w/GPS	Optional HSPA+
Input			
Spill-resistant keyboard	-	-	-
Numeric keypad	-	-	-
Ports			
VGA	Available via optional external adapter	-	-
HDMI	Available via optional external adapter	Available via optional external adapter	(1) Micro HDMI
DisplayPort	Available via optional external adapter	-	-
Serial	-	-	-
USB 2.0	-	(1) Micro USB 2.0	(1) Micro USB 2.0
USB 3.0	(1) USB Type-C™ connector	-	-
RJ-45	Available via optional external adapter	-	-
Headphone / Mic combo	(1) Headphone / Mic	(1) Headphone / Mic	(1) Headphone / Mic
Types of Docking	(1) Desk Dock (2) Lap Dock	(1) Portable tablet dock	-
Secondary Battery support	-	-	-
Multimedia			
Integrated microphone	(3) Integrated microphones	(2) Integrated microphones	(1) Integrated microphone
Webcam	-	2 MP FHD front-facing webcam	2 MP webcam front-facing webcam
Audio	Audio by B&O	DTS Sound+™	Stereo speakers
Camera	16 MP FHD rear-facing; 8 MP FHD front facing camera; 2.4 MP Iris camera	8 MP FHD rear-facing	8 MP FHD rear-facing
Power			
Primary battery	Non-removable 3.85V battery pack; 4150 mAh Li-ion polymer	Slate 8: (21 WHr) Li-ion Slate 12: (37 WHr) Li-ion	1-cell (18.24 WHr) Li-ion
AC adapter	10W 5V/2A adapter	10W AC Charging Adapter with micro USB 2.0 type cable	10W nPFC AC Adapter with USB
Security			
TPM	√	-	-
HP Fingerprint Sensor	√	-	-
Security lock slot	-	-	-
Warranty	Up to 2 years	Up to 3 years	Up to 3 years
Others			
Operating system	Windows 10 Mobile	Android 5 Lollipop	Windows 10 Pro; Windows 8.1
Services	Asset Tagging, Custom Label, DIB Accessories	Asset Tagging, Custom Label, DIB Accessories	Asset Tagging, Custom Label, DIB Accessories

HP Tablets



	Pro Tablet 608 G1	Pro Tablet 10 EE G1 / Pro Slate 10 EE G1
Form factor	Tablet	Tablet
Dimension (H x D x L) cm	13.7 x 0.83 x 20.7	18.2 x 0.14 x 28
System weight	360 g	850 g
Chipset	Integrated SoC	Integrated SoC
Processor	Intel® Atom™	Intel® Atom™
vPro support	-	-
Graphics	Intel® UMA	Intel® HD Graphics
Max memory	4 GB	Up to 2 GB
Display size	8"	10.1"
Resolution	2048 x 1536	1280 x 800
Touch display option	√	√
Storage		
Capacity / speed	-	-
SSD	Up to 128 GB eMMC	Up to 64 GB eMMC
m SATA	-	-
Dual storage	-	-
ODD	-	-
Connectivity		
iPass Wi-Fi access	√	√
LAN	-	-
WLAN*	802.11a/b/g/b/ac (2x2) WiFi + Bluetooth® 4.0 combo with WiDi	802.11a/b/g/n (2x2) WiFi + Bluetooth® 4.0 LE combo
WPAN	Bluetooth® 4.0	Bluetooth® 4.0
WWAN*	Optional HSPA+; Optional LTE	Optional HP hs3110 HSPA+ w/GPS M.2 Module
Input		
Spill-resistant keyboard	-	-
Numeric keypad	-	-
Ports		
VGA	-	-
HDMI	-	(1) Micro HDMI
DisplayPort	-	-
Serial	-	-
USB 2.0	-	(1) Micro USB 2.0
USB 3.0	(1) USB Type-C	-
RJ-45	-	-
Headphone / Mic combo	(1) Headphone / Mic	(1) Headphone / Mic
Types of Docking	(1) Portable tablet dock	-
Secondary Battery support	-	-
Multimedia		
Integrated microphone	(1) Integrated microphone	(1) Integrated microphone
Webcam	2 MP FHD front-facing webcam	Up to 2 MP front-facing webcam
Audio	DTS Sound+™	DTS Sound+™
Camera	8 MP FHD rear-facing	5 MP rear-facing
Power		
Primary battery	21 WHr Li-ion polymer	Tablet 10: 2-cell (29.6 WHr) Li-ion Slate 10: 2-cell (28.5 WHr) Li-ion
AC adapter	15W AC Charging Adapter with USB Type-C connector	18W nPFC AC Adapter
Security		
TPM	√	-
HP Fingerprint Sensor	-	-
Security lock slot	-	-
Warranty	Up to 3 years	Up to 3 years
Others		
Operating system	Windows 10 Pro	Tablet 10: Windows 10; Windows 8.1
Services	Asset Tagging, Custom Label, DIB Accessories	Asset Tagging, Custom Label, DIB Accessories

HP Chromebooks



	Chromebook 11 G4	Chromebook 14 G4
Form factor	Chromebook	Chromebook
Dimension (H x D x L) cm	2.04 x 20.57 x 30	1.78 x 24 x 34.4
System weight	1.28 kg	1.72 kg
Chipset	Integrated SoC	Integrated SoC
Processor	Intel® Celeron	Intel® Celeron
vPro support	-	-
Graphics	Intel® HD Graphics	Intel® HD Graphics
Max memory	Up to 4 GB	4 GB
Display size	11.6"	14.0"
Resolution	1366 x 768	1366 x 768; 1920 x 1080
Touch display option	-	-
Storage		
Capacity / speed	-	-
SSD	16 GB eMMC; 32 GB eMMC	16 GB eMMC or 32 GB M.2
m SATA	-	-
Dual storage	-	-
ODD	-	-
Connectivity		
iPass Wi-Fi access	-	-
LAN	-	-
WLAN*	802.11a/b/g/n/ac (2x2) WiFi + Bluetooth® 4.0 combo; 802.11a/b/g/n (2x2) WiFi + Bluetooth® 4.0 combo	802.11ac (2x2) WiFi + Bluetooth® 4.0 combo Adapter; 802.11a/b/g/n (2x2) WiFi + Bluetooth® 4.0 combo
WPAN	Bluetooth® 4.0	Bluetooth® 4.0
WWAN*	HP t4110 LTE/HSPA+ 4G Mobile Broadband	-
Input		
Spill-resistant keyboard	-	-
Numeric keypad	-	-
Ports		
VGA	-	-
HDMI	(1) HDMI	(1) HDMI
DisplayPort	-	-
Serial	-	-
USB 2.0	(1) USB 2.0	(2) USB 2.0
USB 3.0	(1) USB 3.0	(1) USB 3.0
RJ-45	-	-
Headphone / Mic combo	(1) Headphone / Mic	(1) Headphone / Mic
Types of Docking	-	-
Secondary Battery support	-	-
Multimedia		
Integrated microphone	(1) Integrated digital microphone	(1) Integrated digital microphone
Webcam	HD webcam	HD webcam
Audio	Stereo speakers	Stereo speakers
Camera	-	-
Power		
Primary battery	3-cell (36 WHr) Li-ion	3-cell (37 WHr) Li-ion
AC adapter	45W Smart AC Adapter; 65W EM Smart AC Adapter (India only)	45W Smart AC adapter; 65W EM Smart AC adapter (China and India only)
Security		
TPM	√	√
HP Fingerprint Sensor	-	-
Security lock slot	√	-
Warranty	Up to 1 year	Up to 1 year
Others		
Operating system	Chrome OS™	Chrome OS™
Services	Asset Tagging, Custom Label	Asset Tagging, Custom Label

* Wireless access point and internet access required. Availability of public wireless access points limited. The specifications for the 802.11ac WLAN are draft specifications and are not final. If the final specifications differ from the draft specifications, it may affect the ability of the notebook to communicate with other 802.11ac WLAN devices.

+ WWAN is an optional feature sold separately or as an add on feature. WWAN connection requires wireless data service contract, network support, and is not available in all areas. Contact service provider to determine the coverage area and availability. Connection speeds will vary due to location, environment, network conditions, and other factors. 4G LTE not available on all products, in all regions and only available on products featuring Intel® processors.

