




HP ProDisplay P232 23-inch Monitor Head Only

Project your HP Pro PC content to a 23-inch diagonal display with the HP ProDisplay P232 Monitor, which has a sleek design, essential presentation features, and advanced connectivity for your everyday business productivity, all at a highly affordable price point.



High-speed connection for FHD imagery.

- Experience stunning FHD picture quality, ultra-fast graphics refresh, and vivid colors from the DisplayPort connection, which also supports multiple monitor connections from a single PC. Get legacy device compatibility from the VGA connector.

Create an efficient, easy-to-use workspace.

- Attach your HP Desktop Mini, HP Chromebox, or select HP Thin Client directly behind the display.¹ Keep things tidy with an integrated power supply and cable management features.

Designed with the environment in mind.

- Reduce power consumption and help lower your costs with an intelligent, energy-efficient, low halogen² design that is ENERGY STAR[®] and TCO certified and EPEAT[®] Gold registered.³

HP ProDisplay P232 23-inch Monitor Head Only Specifications Table

Display Type	TN w/LED backlight
Panel Active Area	20.04 x 11.27 in 509.2 x 286.4 mm
Display Size (diagonal)	23"
Viewing Angle	170° horizontal; 160° vertical
Brightness	250 cd/m ² ¹
Contrast Ratio	1000:1 static; 5000000:1 dynamic ¹
Response Ratio	5 ms on/off ¹
Product colour	Black
Aspect Ratio	16:9
Native Resolution	1920 x 1080
Resolutions Supported	1920 X 1080; 1680 X 1050; 1600 X 900; 1440 X 900; 1280 X 1024; 1280 x 800; 1280 X 720; 1024 X 768; 800 X 600; 640 X 480
Display Features	Anti-glare; Language selection; LED Backlights; On-screen controls; Plug and Play; User programmable
User Controls	Menu; Minus ("−"); Plus ("+") /Source; OK/Auto; Power
Input Signal	1 VGA; 1 DisplayPort 1.2 (with HDCP support)
Input Power	Input voltage: 100 to 240 VAC
Power Consumption	30 W (maximum), 24 W (typical), 0.5 W (standby)
Dimensions without Stand (W x D x H)	54.86 x 5.5 x 34.63 cm
Weight	3.4 kg
Physical security features	Security lock-ready (lock is sold separately)
Environmental	Operating temperature: 5 to 35°C Operating humidity: 20 to 80% RH
Energy Efficiency Compliance	ENERGY STAR® certified
Certification and compliance	CE; CB; KC/KCC; NOM; ICES; TUV; TUV-GS; ISO 9241-307; EAC; UL; CSA; PSB; ISC; CCC; CEL; CECP; SEPA; TCO Certified; VCCI; FCC; RCM; BSMI; Vietnam MEPS; Australian-New Zealand MEPS; WEEE
Environmental Specifications	Arsenic-free display glass; Mercury-free display backlights; Low halogen ²
What's in the box	AC power cord; VGA cable; DisplayPort cable; HP Display Assistant software; CD (includes user guide, warranty, drivers)
Warranty	Protected by HP, including a 3 year standard limited warranty. Select HP Care Pack Services to extend service contracts beyond the standard warranties.

See important legal disclaimers on the last page

Recommended Accessories and Services

HP Quick Release Bracket



A secure and easy-to-use mounting solution for your VESA-compliant HP thin clients, compatible HP flat panel monitors and other HP desktop products. Attach to any a compatible stand, bracket or wall mount and make the most of your workspace.

Product number: EM870AA

HP USB Graphics Adapter



HP offers a variety of optional products (each sold separately) designed to complement our monitors and enhance the overall computing experience. The super-compact HP USB Graphics Adapter enables connection of up to six simultaneous displays to help you boost productivity and multi-task across several open applications. Use one Adapter to bridge between a notebook or desktop PC and second monitor or use multiple Adapters to connect several displays to each other. Supports resolutions up to 1920 x 1080 (widescreen) or 1600 x 1200 (traditional).

Product number: NL571AA

HP 5-year Next Business Day Onsite Large Monitor Hardware Support



Receive 5 years of next business day onsite repair from an HP-qualified technician for your computing device, if the issue cannot be solved remotely. For more information on Care Pack services, please visit www.hp.com/go/cpc.

Product number: U7937E

Messaging Footnotes

- ¹ Requires HP Quick Release, sold separately. See product QuickSpecs for exact PC and thin client compatibility.
- ² External power supplies, power cords, cables and peripherals are not Low Halogen. Service parts obtained after purchase may not be Low Halogen.
- ³ EPEAT® registered where applicable. EPEAT registration varies by country. See www.epeat.net for registration status by country.

Technical Specifications Footnotes

- ¹ All specifications represent the typical specifications provided by HP's component manufacturers, actual performance may vary either higher or lower.
- ² External power supplies, power cords, cables and peripherals are not Low Halogen. Service parts obtained after purchase may not be Low Halogen.

Sign up for updates
hp.com/go/getupdated

© Copyright 2016 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

