



HP ScanJet Pro 2000 s1 Sheet-feed Scanner

Fast, affordable, and designed to handle everything from simple color jobs to complex workflows. Quickly and reliably digitize larger projects with scan speeds up to 24 ppm/48 ipm and a 50-page ADF.¹ Recommended for 2,000 pages per day.



Small size. Fast scans. Same reliable results.

- Produce scans at up to 24 ppm/48 ipm¹ with two-sided scanning that captures both sides at once.
- Free up space for work. This HP ScanJet Pro is small and slim—a modern design perfect for the desktop.
- Don't wait for warm-up—HP Instant-on Scanning lets you begin scanning quickly.
- Load up to 50 pages into the automatic document feeder for fast, unattended scanning.

Optimize workflows with one-touch scanning

- Streamline routine work with one-touch scanning—create one-button, custom settings for recurring scan jobs.
- Scan images directly into applications with included and full-featured TWAIN and ISIS®.
- Easily transfer scans into editable text, secure PDF files, and more file types, using built-in OCR.
- Quickly share or archive scans directly to popular cloud destinations with HP Scan software.

Capture business documents like a pro

- Define scan profiles for common document types, and scan to multiple destinations with HP Scan software.
- Capture and organize documents, business cards, and other file types with feature-rich software.
- Produce clear, legible scans—up to 600-dpi resolution.



¹ Scan speed measured at 300 dpi (black-and-white, grayscale, and color). Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

HP ScanJet Pro 2000 s1 Sheet-feed Scanner Specifications Table

Color Scanning	Yes	Product Dimensions	W x D x H: 300 x 172.9 x 152.1 mm; 11.8 x 6.8 x 6 in; Maximum: 300 x 488 x 303 mm; 11.8 x 19.2 x 11.94 in
Scan Technology	CMOS CIS	Product Weight	2.6 kg; 5.7 lb
Scan Type	Sheetfed	Warranty Features	One-year bench limited warranty whole unit replacement, phone and Web support included. Warranty may vary by country as required by law. Go to hp.com/support to learn about HP world-class service and support options in your region.
Scan Resolution	Hardware: Up to 600 dpi (color and mono, Sheet-feed); Optical: Up to 600 dpi (color and mono, Sheet-feed)	Control Panel	Scan button, Power button with a LED and a LED for Error indication
Scan File Format	For text & images: PDF, JPEG, PNG, BMP, TIFF, Text (.txt), Rich Text (rtf) and Searchable PDF	Software Included	Win: HP WIA scan driver, HP TWAIN scan driver, HP Scan, HP Scanner Tools Utility, Nuance PaperPort (Win only), L.R.I.S. Readiris, L.R.I.S. Cardiris (Win only), EMC ISIS (Win only)
Scan Input Modes	One default scan mode on front-panel for HP scan in Win OS, HP Easy Scan/ICA in Mac OS and third parties applications via TWAIN, ISIS and WIA	Compatible Operating Systems	OS X Mavericks 10.9, OS X Yosemite 10.10, OS X El Capitan 10.11, Microsoft® Windows® 10, 8.1, 8, 7: 32-bit or 64-bit
Scan Speed	Up to 24 ppm/48 ipm	Minimum System Requirements	Apple® OS X Yosemite, OS X Mavericks, OS X Mountain Lion; 1 GB HD; Internet required; USB; Microsoft® Windows® 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Microsoft® Internet Explorer
Scan Size Maximum	ADF: 216 x 3100 mm; 8.5 x 122 in	Power	Power Supply Type: External Power Adapter; Power Requirements: Input Voltage range: 90 - 264 VAC , Rated Frequency: 50 - 60HZ, Worldwide use; Power Consumption: 3.6 Watts (ready), 1.0 Watts (sleep), 0.1 Watts (auto-off), 0.1 Watts (off)
Scanner Advanced Features	Auto-color detect, auto-crop, auto-exposure, auto orient, OCR, edge removal, background cleanup, remove hole, color drop out, straighten the page, scan to cloud, scan to email, PDF security	Operating Environment	Operating Temperature Range: 10 to 35°C; Recommended Operating Temperature: 10 to 35°C; Storage Temperature Range: -40 to 60°C; Non-Operating Humidity Range: 0 to 90% RH (non-condensing); Operating Humidity Range: 15 to 80% RH (non-condensing); Recommended Humidity Operating Range: 15 to 80% RH (non-condensing)
Auto Document Feeder Capacity	50 sheets of Xerox 4024 75 g/m² paper.	Accessories	HP ScanJet Pro 2000 s1 roller replacement kit (L2760A)
Output Resolution Dpi Settings	75; 150; 200; 240; 300; 400; 500; 600; 1200 ppi	HP Service and Support Options	HP 2y Nbd Onsite Exch SJ Pro 2000 SVC; HP 3y Nbd Onsite Exch SJ Pro 2000 SVC; HP 3y Nbd Exch SJ Pro 2000 Service; HP 3y Std Exch SJ Pro 2000 Service; HP 3y Return SJ Pro 2000 Service
Twain Version	Windows: TWAIN version 2.1; Mac: n/a	Learn more at	hp.com
Bit Depth / Grayscale levels	24-bits external 48-bits internal; 256		
Connectivity	Standard: USB 2.0 (Hi-Speed)		
External I/O Ports	1 X USB 2.0		
Memory	Standard: 64 MB		
Processor Speed	120 MHz		
Duty Cycle (daily)	Recommended for 2,000 pages per day		
Media Types	Cut Sheet Paper, Printed Paper (Laser and ink), Pre-Punched Paper, Bank Checks, Business Cards, Freight Bills, Carbonless forms, Previously stapled media with staple removed		
Media Weights	50 to 180 g/m²		
Media Sizes	U.S.-Letter: 215.9 x 279.4 mm (8.5 x 11 in); U.S.-Legal: 215.9 x 355.6 mm (8.5 x 14 in); U.S.-Executive: 184.2 x 266.7 mm (7.25 x 10.5 in); ISO A4: 210 x 297 mm (8.3 x 11.7 in); JIS B5: 182 x 257 mm (7.2 x 10.1 in); ISO B5: 176 x 250 mm (7.0 x 9.9 in); ISO A5: 148 x 210 mm (5.8 x 8.3 in); ISO A6: 105 x 148 mm (5.8 x 4.1 in); ISO A7: 74 x 104 mm (2.9 x 4.1 in); ISO A8: 52 x 74 mm (2.0 x 2.9 in)		
What's in the box	L2759A HP ScanJet Pro 2000 s1 Sheet-feed Scanner; Install guide; Support flyers; Warranty cards; 2 CDs; Power cords; Power adaptor; USB cables (All regions)		

