

Brochure

# HP Commercial Displays



# HP Commercial Displays Feature Chart

| HP EliteDisplay S-Series | HP EliteDisplay E-Series | HP ProDisplay | HP Value | HP Product Name | Diagonal Size | Part Number        | Resolution  | Aspect Ratio | Dynamic Contrast Ratio <sup>2</sup> | Response Time | Speakers | Ergonomic Adjustments       | Connectivity                    | Unique Features       |
|--------------------------|--------------------------|---------------|----------|-----------------|---------------|--------------------|-------------|--------------|-------------------------------------|---------------|----------|-----------------------------|---------------------------------|-----------------------|
|                          |                          |               |          | S140u           | 14"           | G8R65AA            | 1600 X 900  | 16:9         |                                     |               |          | Tilt                        | USB                             | USB Portable Monitor  |
|                          |                          |               |          | P17A            | 17"           | F4M97AA            | 1280 X 1024 | 5:4          |                                     | 5 ms          |          | Tilt                        | VGA                             |                       |
|                          |                          |               |          | V194            | 18.5"         | V5E94AA            | 1366 X 768  | 16:9         | 5M:1                                | 5 ms          |          | Tilt                        | VGA                             |                       |
|                          |                          |               |          | E190i           | 18.9"         | E4U30AA            | 1280 X 1024 | 5:4          | 3M:1                                | 8 ms          |          | Tilt, Height, Swivel, Pivot | VGA, DisplayPort™, DVI          |                       |
|                          |                          |               |          | P19A            | 19"           | D2W67AA            | 1280 X 1024 | 5:4          | 1M:1                                | 5 ms          |          | Tilt                        | VGA                             |                       |
|                          |                          |               |          | P203            | 20"           | X7R53A             | 1600 X 900  | 16:9         | 5M:1                                | 5 ms          |          | Tilt                        | VGA, DisplayPort™               |                       |
|                          |                          |               |          | E202            | 20"           | M1F41AA            | 1600 X 900  | 16:9         | 5M:1                                | 7 ms          |          | Tilt, Height, Swivel, Pivot | VGA, DisplayPort™, HDMI         |                       |
|                          |                          |               |          | P202m           | 20"           | K7X28AA            | 1600 X 900  | 16:9         | 5M:1                                | 5 ms          | Speakers | Tilt                        | VGA, DisplayPort™               |                       |
|                          |                          |               |          | P202            | 20"           | K7X27AA            | 1600 X 900  | 16:9         | 5M:1                                | 5 ms          |          | Tilt                        | VGA, DisplayPort™               |                       |
|                          |                          |               |          | E220t           | 21.5"         | L4Q76AA            | 1920 X 1080 | 16:9         | 5M:1                                | 8 ms          | Speakers | Tilt, Height, Swivel, Pivot | VGA, DisplayPort™               | Touch                 |
|                          |                          |               |          | E222            | 21.5"         | M1N96AA            | 1920 X 1080 | 16:9         | 5M:1                                | 7 ms          |          | Tilt                        | VGA, DisplayPort™, HDMI         |                       |
|                          |                          |               |          | P222c           | 21.5"         | L4J08AA            | 1920 X 1080 | 16:9         | 5M:1                                | 9 ms          | Speakers | Tilt                        | VGA, DisplayPort™               | Video Conferencing    |
|                          |                          |               |          | P222va          | 21.5"         | K7X30AA            | 1920 X 1080 | 16:9         | 5M:1                                | 8 ms          |          | Tilt                        | VGA, DisplayPort™               |                       |
|                          |                          |               |          | V223            | 21.5"         | V5G70AA            | 1920 X 1080 | 16:9         | 5M:1                                | 5 ms          |          | Tilt                        | VGA, DVI                        |                       |
|                          |                          |               |          | P223            | 21.5"         | X7R61A             | 1920 X 1080 | 16:9         | 5M:1                                | 5 ms          |          | Tilt                        | VGA, DisplayPort™               |                       |
|                          |                          |               |          | P223a           | 21.5"         | X7R62A             | 1920 X 1080 | 16:9         | 5M:1                                | 5 ms          | Speakers | Tilt                        | VGA, DisplayPort™               |                       |
|                          |                          |               |          | S231d           | 23"           | F3J72AA            | 1920 X 1080 | 16:9         | 5M:1                                | 5 ms          |          | Tilt, Height, Swivel, Pivot | VGA, DisplayPort™               | Notebook Docking      |
|                          |                          |               |          | E230t           | 23"           | W2Z50AA            | 1920 X 1080 | 16:9         | 5M:1                                | 5 ms w/OD     |          | Tilt, Height, Swivel, Pivot | VGA, DisplayPort™, HDMI         | Touch                 |
|                          |                          |               |          | E232            | 23"           | M1N98AA            | 1920 X 1080 | 16:9         | 5M:1                                | 7 ms          |          | Tilt, Height, Swivel, Pivot | VGA, DisplayPort™, HDMI         |                       |
|                          |                          |               |          | P232            | 23"           | K7X31AA            | 1920 X 1080 | 16:9         | 5M:1                                | 5 ms          |          | Tilt                        | VGA, DVI                        |                       |
|                          |                          |               |          | S240uj          | 23.8"         | T7B66AA            | 2560 X 1440 | 16:9         | 5M:1                                | 5 ms          | Speakers | Tilt                        | DisplayPort™, HDMI, MHL, USB-C™ | Wireless Charging/QHD |
|                          |                          |               |          | E240c           | 23.8"         | M1P00AA            | 1920 X 1080 | 16:9         | 5M:1                                | 7 ms          | Speakers | Tilt, Height, Swivel        | VGA, DisplayPort™, HDMI         | Video Conferencing    |
|                          |                          |               |          | E240q           | 23.8"         | M1P01AA            | 2560 X 1440 | 16:9         | 5M:1                                | 7 ms          |          | Tilt, Height, Swivel, Pivot | VGA, DisplayPort™, HDMI         | QHD Resolution        |
|                          |                          |               |          | E240            | 23.8"         | M1N99AA            | 1920 X 1080 | 16:9         | 5M:1                                | 7 ms          |          | Tilt, Height, Swivel, Pivot | VGA, DisplayPort™, HDMI         |                       |
|                          |                          |               |          | P240va          | 23.8"         | N3H14AA            | 1920 X 1080 | 16:9         | 5M:1                                | 8 ms          |          | Tilt                        | VGA, DisplayPort™, HDMI         |                       |
|                          |                          |               |          | V244h           | 23.8"         | W1Y58AA            | 1920 X 1080 | 16:9         | 6M:1                                | 7 ms          |          | Tilt                        | VGA, DVI, HDMI                  |                       |
|                          |                          |               |          | V244a           | 23.8"         | Z8W49A6            | 1920 X 1080 | 16:9         | 5M:1                                | 7 ms          | Speakers | Tilt                        | VGA, DVI, HDMI                  |                       |
|                          |                          |               |          | VH24            | 23.8"         | M1T03A             | 1920 X 1080 | 16:9         | 5M:1                                | 5 ms          |          | Tilt, Height, Swivel, Pivot | VGA, DisplayPort™               |                       |
|                          |                          |               |          | S240n           | 23.8"         | W9A88A*/U9/W9J61A* | 1920 X 1080 | 16:9         | 10M:1                               | 7 ms          |          | Tilt                        | DisplayPort™, HDMI, USB-C™      |                       |
|                          |                          |               |          | E242            | 24"           | M1P02AA            | 1920 X 1200 | 16:10        | 5M:1                                | 7 ms          |          | Tilt, Height, Swivel, Pivot | VGA, DisplayPort™, HDMI         |                       |
|                          |                          |               |          | N270c           | 27"           | Y6J31AA            | 1920:1080   | 16:9         | 10M:1                               | 5 ms          |          | Tilt                        | VGA, DisplayPort™, HDMI         | Curved Display 1800R  |
|                          |                          |               |          | E272q           | 27"           | M1P04AA            | 2560 X 1440 | 16:9         | 5M:1                                | 7 ms          |          | Tilt, Height, Swivel, Pivot | VGA, DisplayPort™, HDMI         | QHD Resolution        |
|                          |                          |               |          | V272            | 27"           | M4B78AA            | 1920 X 1080 | 16:9         | 10M:1                               | 7 ms          |          | Tilt                        | VGA, DVI, HDMI                  |                       |
|                          |                          |               |          | E271i           | 27"           | D7Z72AA            | 1920 X 1080 | 16:9         | 5M:1                                | 7 ms w/OD     |          | Tilt, Height, Swivel, Pivot | VGA, DisplayPort™, DVI          |                       |
|                          |                          |               |          | V320            | 31.5"         | W2Z78AA            | 1920 X 1080 | 16:9         | 6M:1                                | 5 ms          |          | Tilt                        | VGA, DVI                        |                       |
|                          |                          |               |          | S340c           | 34"           | V4G46A             | 3440 X 1440 | 21:9         | 5M:1                                | 6.1 ms        |          | Tilt                        | DisplayPort™, HDMI, USB-C™      |                       |
|                          |                          |               |          | LD5511          | 55"           | T5X84AA            | 1920 X 1080 | 16:9         |                                     | 9 ms          | Speakers |                             | VGA, DVI, HDMI                  | Large Format Display  |



# A visual experience that inspires

As work life blends with personal life, HP designs business displays to fit your workstyle with high resolution, unique features, leading ergonomics or a portable monitor to help you stay productive, comfortable, and connected.


## Design

HP commercial displays are built to amaze at any angle. Our designs are driven by a strong focus on the modern workforce. With workplaces shifting and work styles changing, we create visual solutions for our customers' current needs and develop meaningful innovations for the future.




## Collaboration

Share your screen from a team room or your desk, across the world or across the office with HP's Certified Skype for Business Video Conferencing Monitors or the HP 55-inch Large Format Display. Accomplish more together.



## Quality

HP has a longstanding tradition of quality and a long history of designing displays. Every HP display is put through rigorous, extensive testing. Plus, HP has a Pixel Policy and uses high grade components to ensure you have an outstanding experience for years to come.



# HP Commercial Displays Line-up

## HP EliteDisplay S-Series



Style & Business Power

- Premium design
- Industry leading technologies
- Products for the modern workspaces

## HP EliteDisplay E-Series



Comfort & productivity

- Leading ergonomics
- High resolutions
- Video Conferencing & touch capabilities

## HP ProDisplay



Contemporary design, essential presentation

- Affordable visual solution
- HP legendary quality

## HP Value Display



HP's best priced displays

- Budget-friendly with HP quality
- Stylish design at affordable price point
- Excellent fit for SMBs

## HP Efficient Workspace Eco-systems

Create a compact, efficient PC and monitor workspace by attaching your HP Desktop Mini, HP Chromebox or select HP Thin Client directly behind the display with the HP Quick Release or HP PC Mounting Bracket.



HP Desktop Mini



HP Thin Client



HP Chromebox



HP PC Mounting Bracket



HP EliteDisplay



HP Elite Eco-System



HP Quick Release



HP ProDisplay



HP Pro Eco-System


## Ergonomic Adjustments

Improved comfort can mean improved employee health and wellness, resulting in fewer losses from reduced productivity and absences. HP EliteDisplays provide height, tilt, pivot and swivel comfort adjustments.



## Multi-Monitor Set-ups

Create an expanded multi-screen workspace by easily connecting your HP notebook to monitors. Employees are 6% to 35% faster while completing computer based tasks on a multi-monitor set up<sup>1</sup>.



<sup>1</sup> Whitepaper: Observed Productivity, Efficiency and User Satisfaction when Using Multiple or Large Displays. Koala LLC Ergonomics Consulting, November 6, 2012.

<sup>2</sup> All specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower.

Learn more at  
[hp.com/go/monitors](http://hp.com/go/monitors)

Share with colleagues

Rate this document

© Copyright 2017 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

DisplayPort™ and the DisplayPort™ logo are trademarks owned by the Video Electronics Standards Association (VESA®) in the United States and other countries.

4AA6-8921ENW, April 2017

Brochure | Commercial Displays

This is an HP Indigo digital print.

