

Print, copy, scan

HP Color LaserJet Managed Flow MFP E67560z



This HP Color LaserJet with JetIntelligence merges performance, energy efficiency, and security.¹

HP Managed MFPs are optimized for managed environments. Offering increased monthly page volumes and fewer interventions, this product can help reduce printing and copying costs. See your HP Authorized Reseller for details.



The world's most secure printing:

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.
- Run-time intrusion detection continually monitors to detect and stop attacks, then automatically reboots.
- Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency.³
- Give workgroups what they need to succeed. Easily choose and deploy over 180 HP and third-party solutions.



High speed performance meets energy efficiency

- Scanning is now faster than ever; duplex scan speeds up to 180 ipm. Scan to SharePoint and more.⁸
- This MFP wakes up fast and prints your first page faster—in as quickly as 12.5 seconds.⁹
- This MFP uses exceptionally low amounts of energy thanks to its innovative design and toner technology.⁶
- Paper handling options include a wheeled stand and 550-sheet input feeder for paper sizes 4 x 6" to legal.



More. Pages, Performance, and Protection.⁵

- ColorSphere3 toner formulation, combined with an automatic media sensor, help provide leading print quality
- Original HP Toner cartridges with JetIntelligence supply 69% more pages per color cartridge vs predecessor.⁵
- Help retain the Original HP quality you paid for with anti-fraud and cartridge authentication technology.
- Spend less time replacing toner, and more on business. Choose high-yield toner cartridges.⁷




Give workgroups the speed they need

- Help workgroups capture every page easily and detect potential errors or missed pages—every time.
- Enter data more quickly and accurately using the pull-out keyboard.
- Help ensure every scanned document is properly oriented, cropped to size, and grayscale-optimized.
- Load up to 150 pages into the automatic document feeder for fast, unattended scanning.

Technical specifications

Functions	Print, copy, scan
Print	
Duplex print options	Automatic (standard)
Print speed ¹⁰	Black (A4, normal) Up to 56 ppm; Black (letter, normal) Up to 60 ppm; Black (A5, landscape) Up to 74 ppm; Black (A4, duplex) Up to 56 ppm; Black (letter, duplex) Up to 60 ppm Color (A4, normal) Up to 56 ppm; Color (letter, normal) Up to 60 ppm; Black (A5, landscape) Up to 74 ppm; Color (A4, Duplex) Up to 56 ppm; Color (letter, Duplex) Up to 60 ppm
First page out ¹²	Black (A4, ready) As fast as 5.8 sec; Black (A4, sleep) As fast as 12.6 sec Colour (A4, ready) As fast as 5.8 sec; Colour (A4, sleep) As fast as 12.6 sec
Print resolution	Black (best) Up to 1200 x 1200 dpi; Black (normal) Up to 600 x 600 dpi Color (best) Up to 1200 x 1200 dpi; Color (normal) Up to 600 x 600 dpi; Color (fine lines) Up to 1200 x 1200 dpi
Print technology	Laser
Print resolution technology	HP ImageRet 3600; 600 x 600 dpi; HP ProRes 1200 (1200 x 1200 dpi); Pantone® Calibrated
Print cartridges number	4 (1 each black, cyan, magenta, yellow)
Standard print languages	HP PCL 6; HP PCL 5c; HP postscript level 3 emulation, native PDF printing (v. 1.7), URF (AirPrint)
Printer management	HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP Web JetAdmin Software; HP WS Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver
Scan	
Scan technology	Type Flatbed, ADF; Technology Charge Coupled Device (CCD)
Scan speed ¹⁷	Normal (A4) Up to 83 ppm/167 ipm (b&w), up to 83 ppm/167 ipm (color)
Scan resolution	Enhanced Up to 600 dpi; Hardware Up to 600 x 600 dpi; Optical Up to 600 dpi
Scan size	ADF 215.9 x 863.6 mm; Flatbed 220 x 365 mm
Scan input modes	Front panel applications: Copy; E-mail; Save to Network Folder; Save to USB; Save to Device Memory; Save to SharePoint; Open Extensibility Platform (OXP) applications, HP Scan or user application via TWIN
Scan file format	PDF, JPG, TIF, MTIF ¹⁸
Copy	
Copy speed ¹⁴	Black (A4, normal) Up to 56 ppm; Black (letter, normal) Up to 60 ppm; Color (A4, normal) Up to 56 ppm; Color (letter, normal) Up to 60 ppm; Black Duplex (A4) Up to 56 ppm; Black (letter, duplex) Up to 60 ppm; Color (A4, Duplex) Up to 56 ppm; Color (letter, duplex) Up to 60 ppm
First copy out	Black (A4) As fast as 6.0 sec; Colour (A4) As fast as 6.5 sec Black (A4, sleep) As fast as 16.9 sec; Colour (A4, sleep) As fast as 16.9 sec
Copy resolution	Black (text and graphics) Up to 600 x 600 dpi; Color (text and graphics) Up to 600 x 600 dpi
Max. number of copies	Up to 9999
Copier settings	Two-sided copying, scalability, image adjustments (darkness, contrast, background cleanup, sharpness), N-up, N or Z-ordering, content orientation, collation, booklet, job build, edge-to-edge, job storage, ID Copy, Book Copy, A-to-B Copy (different media sizes)
Connectivity	
Standard connectivity	1 Hi-Speed Device USB 2.0; 2 Host USB (1 walk-up and 1 external accessible); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket
Mobile printing capability	HP ePrint; Apple AirPrint™; Mopria™-certified; Google Cloud Print 2.0
Network ready	Standard (built-in Gigabit Ethernet)
Wireless capability	Optional, enabled with purchase of HP Jetdirect 2900nw Print Server J8031A or HP Jetdirect 3000w NFC/Wireless Accessory J8030A
Network Capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (optional).
HP ePrint capability	Yes
Memory	Standard 1.5 GB (printer); 1 GB (scanner); Maximum 3 GB
Hard Disk	Standard, minimum 320 GB HP High-Performance Secure Hard Disk (AES 256 hardware encryption or greater)
Processor speed	1.2 GHz
Duty cycle (monthly)	Up to 180,000 pages; Recommended monthly page volume: 4000 to 30,000
Paper handling	
Input	100-sheet multi-purpose tray, 550-sheet input tray 2, 150-sheet automatic document feeder; Optional 1x550-sheet paper feeder; optional 1x550 paper feeder and stand with cabinet, optional 3x550-sheet paper feeder and stand, optional high-capacity paper feeder and stand with 1x550 sheet feeder and 1x2,000-sheet feeder
Output	500-sheet output tray, 500-sheet output stapler stacker, two-sided printing
Media type	Paper (plain, light, bond, recycled, mid-weight, heavy, mid-weight glossy, heavy glossy, extra heavy, extra heavy glossy, cardstock, card glossy), color transparency, labels, letterhead, envelope, preprinted, prepunched, colored, rough, opaque film, user-defined
Media weight	Tray 1: 60-220 g/m ² (plain), 120 to 220 g/m ² (glossy); Tray 2: 60 to 163 g/m ² (plain), 120 to 220 g/m ² (glossy)
Media sizes custom	Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 101.6 x 148 to 216 x 356 mm; Optional 550-sheet trays: 101.6 x 148 to 216 x 356 mm; Optional 2,000-sheet high-capacity tray: custom sizes not supported in this tray
Dimensions (W x D x H)	510 x 555 x 820 mm
Weight³	52 kg
What's in the box²	HP Color LaserJet Multifunction Printer; HP Black Original LaserJet Toner Cartridge (~12,500 yield), HP Cyan, Magenta and Yellow Original LaserJet Toner Cartridges (~10,500 yield each) (toner cartridges installed); CD with software drivers and documentation; Documentation (Hardware Install Guide); Power cord
Warranty features	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to http://hp.com/support to learn about HP award winning service and support options in your region.
Systems	
Compatible operating systems	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Yosemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)
Minimum system requirements	PC 2 GB available hard disk space; OS hardware requirements see microsoft.com Mac 1.3 GB available hard drive space; Internet; OS hardware requirements see apple.com for more info
Fonts and Typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts
Control panel	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); Extended Keyboard
Display	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu)
Power	Power supply type Built in 115V or 220 V Power Supply (not dual voltage, power supply varies by part number with option code identifier). Power supply required Input voltage: 100V to 127V nominal (+/-10%), 50 - 60Hz nominal (+/-3Hz), 12 A; Input voltage: 220 V to 240V nominal, (+/-10%) 50 - 60Hz nominal (+/-3Hz), 6 A; Power consumption⁵: 900 watts (printing/copying), 47 watts (ready), 0.9 watts (sleep), 0.9 watts (Auto Off/Manual On), 0.1 (Manual Off); Typical electricity consumption (TEC) number: ES: 2.72 kWh/Week; BA: 2.68 kWh/Week
Software included	HP Connected, HP Device Experience (DXP), HP PCL 6 (XPS) Printer Driver, HP Software Installer/Uninstaller, Mac OS Welcome Screen (Directs users to 123.HP.com or OS App Source for printer software), Online user manuals
Acoustics	Acoustic power emissions: 6.8 B(A); Acoustic power emissions (ready) 4.6 B(A); Acoustic pressure emissions bystander (active, printing) 53 dB(A); Acoustic pressure emissions bystander (ready) 32 dB(A)
Environmental ranges	Operating temperature range 15 to 30°C; Recommended operating temperature 17.5 to 25°C; Non-operating humidity range 10 to 90% RH; Operating humidity range 10 to 80% RH; Recommended operating humidity range 30 to 70% RH
Security management	Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/Firewall with Certificate; Pre-Shared Key, and Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email Uses FIPS 140 validated cryptographic libraries from Microsoft; Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; hardware integration pocket for security solutions; Intrusion Detection with Red Balloon Security Technology - Constant in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs, ...); Security management: Compatible with HP JetAdvantage Security Manager; Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs
Safety approvals and requirements	EC 60950-1:2005 +A1:2009 +A2:2013 (International); EN60950-1:2006 +A11:2009 +A1:2010 +A12:2011 +A2:2013 (EU); EN 60825-1:2014 / IEC 60825-1:2014 (Class 1 Laser Product); EN 62479:2010 / IEC 62479:2010; Low Voltage Directive 2014/35/EU with CE Mark (Europe); GS Certificates (Germany, Europe); UL/ULC Listed and UL CoC (US/Canada); CAN/CSA C22.2 No. 60950-1-07 Amendment 2:2014; Other safety approvals as required by individual countries
Supported network protocols	Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IPP 2.0, Apple AirPrint™, HP ePrint, FTP Print, Google Cloud Print; Discovery: SLR Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router; Stateful via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPS, Telnet, TFTP Config, FTP FW Download, Syslog; Security: SNMPv3, SSL, Cert Management, Firewall, ACL, 802.1x



Ordering Information

Number	Description
L3U70A	HP Color LaserJet Managed Flow MFP E67560z

Supplies and Long Life Consumables

Number	Description
P1B91A	HP LaserJet 110V Maintenance Kit (Up to 150,000 pages)
P1B92A	HP LaserJet 220V Maintenance Kit (Up to 150,000 pages)
P1B93A	HP LaserJet Image Transfer Belt Kit (Up to 150,000 pages)
P1B94A	HP LaserJet Toner Collection Unit (Up to 100,000 pages)
J8J95A	HP 300 ADF Roller Replacement Kit (Up to 150,000 pages)
W9030MC	HP Black Managed LaserJet Toner Cartridge (Up to 32,200 pages)
W9031MC	HP Cyan Managed LaserJet Toner Cartridge (Up to 28,000 pages)
W9032MC	HP Yellow Managed LaserJet Toner Cartridge (Up to 28,000 pages)
W9033MC	HP Magenta Managed LaserJet Toner Cartridge (Up to 28,000 pages)

Accessories

Number	Description
B5L28A	HP Internal USB Ports
B5L31A	HP Foreign Interface Harness
CC487A	HP LaserJet MFP Analog Fax Accessory 500
E5K48A	HP 1 GB x32 144-pin (800 MHz)DDR3 SODIMM
F5562A	HP Trusted Platform Module Accessory
J8030A	HP Jetdirect 3000w NFC/Wireless Accessory
J8031A	HP Jetdirect 2900nw Print Server
J8J95A	HP 300 ADF Roller Replacement Kit
J8J96A	HP Staple Cartridge Refill
P1B09A	HP Color LaserJet 550-sheet Media Tray
P1B10A	HP Color LaserJet 550-sheet Paper Tray with Stand
P1B11A	HP Color LaserJet 3x550-sheet Feeder and Stand
P1B12A	HP Color LaserJet 1x550/2000-sheet HCl Feeder and Stand

HP Care Packs

Number	Description
U9NY1E	HP 3 year NBD Service w/Defective Media Retention for Color LaserJet Enterprise MFP E675xx Managed
U9NY2E	HP 4 year NBD Service w/Defective Media Retention for Color LaserJet Enterprise MFP E675xx Managed
U9NY3E	HP 5 year NBD Service w/Defective Media Retention for Color LaserJet Enterprise MFP E675xx Managed
U9NY4E	HP 3 year 4 hour 9x5 Service w/DMR for Color LaserJet Enterprise MFP E675xx Managed
U9NY5E	HP 4 year 4 hour 9x5 Service w/DMR for Color LaserJet Enterprise MFP E675xx Managed
U9NY6E	HP 5 year 4 hour 9x5 Service w/DMR for Color LaserJet Enterprise MFP E675xx Managed
U9NZ0PE	HP 1 year Post Warranty NBD Service w/DMR for Color LaserJet Enterprise MFP E675xx Managed
U9NZ1PE	HP 2 year Post Warranty NBD Service w/DMR for Color LaserJet Enterprise MFP E675xx Managed
U9NZ2PE	HP 1 year Post Warranty 4 hour 9x5 Service w/DMR for Color LaserJet Enterprise MFP E675xx Managed
U9NZ3PE	HP 2 year Post Warranty 4 hour 9x5 Service w/DMR for Color LaserJet Enterprise MFP E675xx Managed

Protect your investment with HP Care Pack. Let HP certified engineers resolve your technical issues. For more details on HP Care Pack, go to hp.com/go/cpc

HP Inc. offices

Australia	(613) 8833 5000	hp.com.au
China	(010) 6564 3888	hp.com.cn
Hong Kong	(852) 3077 2688	hp.com.hk
India	(80) 2612 9000	hp.com/in
Indonesia	(62-21) 5799 1088	hp.com/id
Korea	(02) 2199 0114	hp.co.kr
Malaysia	(603) 2332 3333	hp.com.my
New Zealand	(09) 918 9555	hp.com.nz
Philippines	(632) 888 5900	hp.com/ph
Singapore	(65) 6275 3888	hp.com.sg
Taiwan	(02) 3789 9900	hp.com.tw
Thailand	(662) 353 9500	hp.com/th
Vietnam	(848) 3823 4151	hp.com/vn

For the following countries, please fax your queries to (65) 6275 6707 Bangladesh, Bhutan, Brunei, Cambodia, Maldives, Nepal, Pakistan, Sri Lanka

Supported paper

Contact HP via phone: Asia: 65 6253 8500

Solutions

For more solutions information, please visit hp.com/go/gsc



550-sheet Paper Feeder (P1B09A)



550-sheet Paper Feeder with Stand and Cabinet (P1B10A)



3x550-sheet Paper Feeder and Stand (P1B11A)



1x550-sheet/2,000-sheet HCI Feeder and Stand (P1B12A)

Footnotes

¹ Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit <http://www.hp.com/go/PrintersThatProtect>. For more information: <http://www.hp.com/go/printersecurityclaims>

² Some features require additional purchase. A FutureSmart service pack update may be required to activate security features. Learn more at <http://www.hp.com/go/printsecurity>

³ HP Web Jetadmin is available for download at no additional charge at <http://www.hp.com/go/webjetadmin>

⁴ Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

⁵ More pages versus predecessor cartridges claim based on page-yield comparison of HP 653X High Yield Color Original LaserJet Toner Cartridges with HP Color Managed LaserJet Toner Cartridges. For more information, see <http://www.hp.com/go/learnaboutsupplies>

⁶ Energy claim based on TEC data reported on energystar.gov as of January 2017. Data normalized to determine energy efficiency of in-class laser printers with published speed of 50 to 60 ppm. Subject to device settings. Actual results may vary.

⁷ HP Managed LaserJet Toner Cartridges not included; please purchase separately.

⁸ Scan speed measured from ADF at default 300 dpi (black-and-white, grayscale, and color). Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

⁹ Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver, document complexity and time in sleep.

Technical specifications disclaimers

¹ EPEAT® registered where applicable. EPEAT registration varies by country. See <http://www.epeat.net> for registration status by country.

² Cartridges included; yields 10,500 color (C/M/Y) and 12,500 black pages. Pages based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/learnaboutsupplies>. Pages may vary based on customer printing conditions and usage.

³ With print cartridges

⁴ With print cartridges

⁵ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115V device.

⁶ Based on the BA TEC method with the following possible exceptions: 1 minute or less sleep delay setting, Wi-Fi disabled.

⁷ Average color composite (C/M/Y) and black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/learnaboutsupplies>

⁸ Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit <http://www.hp.com/go/learnaboutsupplies>

⁹ High-Performance Secure Hard Disk (AES 256 hardware encryption or greater); Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk)

¹⁰ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

¹¹ Measured using ISO 24734 Feature Test, A5 Landscape Feed. Speed may vary based on content, PC, media orientation, and media type.

¹² Measured using ISO/IEC 17629. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

¹³ Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver, document complexity and time in sleep.

¹⁴ First Copy Out from Ready and Simplex Copy Speed measured using ISO/IEC 29183, Duplex Copy Speed measured using ISO/IEC 24735, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application and document complexity.

¹⁵ First Copy Out from Ready measured using ISO/IEC 29183, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

¹⁶ Measured after 15 min in sleep from Device Wake to Page In Bin. Exact speed varies depending on the system configuration, software application, document complexity and time in sleep.

¹⁷ Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

¹⁸ Scan software not included in box. HP Scan and TWAIN driver available for download at <http://hp.com/support>

¹⁹ Original HP LaserJet "A" and "X" toner cartridges are also compatible with this product.

To learn more, visit hp.com

© Copyright 2017 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Microsoft and Windows are registered trademarks of Microsoft Corporation. AirPrint and the AirPrint logo are trademarks of Apple Inc., registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linus Torvalds. UNIX is a registered trademark of The Open Group.

