



HP EliteDisplay E233 23-inch Monitor

Style meets substance in a strikingly modern business display crafted for optimal viewing, productivity, and ergonomics. The HP EliteDisplay E233 23-inch Monitor has a 3-sided micro-edge bezel for seamless multi-display¹ tiling and 4-way adjustability so you can comfortably power through your day.



Break the boundaries

- Expand your productivity with uninterrupted views of one screen or many with a 3-sided micro-edge bezel that supports virtually seamless arrays.¹ Get crisp visuals from any angle on the 1920 x 1080 Full HD resolution², 23" diagonal IPS screen.

Work comfortably

- Find your most comfortable, productive position with adjustable tilt, height, swivel, and up to 150 mm height adjustment settings. Use pivot rotation to customize portrait or landscape views when using multiple displays.¹

Experience simple, convenient connectivity

- Work with your most frequently-used devices with VGA, HDMI, and DisplayPort™. Connect your USB accessories right at the display with two USB 3.0 ports.

Featuring

- Create an efficient, compact solution when you mount your compatible HP Desktop Mini PC, Thin Client or Chromebox directly on the column stand using the optional HP B300 PC Mounting Bracket.
- Reduce power consumption and help lower costs with a low halogen, ENERGY STAR® certified, EPEAT® Gold registered display that meets TCO Certified Edge with 85% Post-Consumer Recycled plastics.
- Design the screen for how you work with HP Display Assistant software, which enables screen partitioning and helps deter theft by dimming a display that's disconnected without approval.
- Build a complete solution with optional HP accessories like an HP Single Arm to take the display off the desk, an HP USB Graphics Adapter for multi-display setups or an HP S100 Speaker Bar for space-saving audio.
- Rest assured that your IT investment is supported by a three-year standard limited warranty. To extend your protection, select an optional HP Care service.

HP EliteDisplay E233 23-inch Monitor Specifications Table



| | |
|---|--|
| Display Type | IPS w/LED backlight |
| Panel Active Area | 50.92 x 28.64 cm |
| Display Size (diagonal) | 58.42 cm (23") |
| Viewing Angle | 178° horizontal; 178° vertical |
| Brightness | 250 cd/m ² ¹ |
| Contrast Ratio | 1000:1 static; 5000000:1 dynamic ¹ |
| Response Ratio | 5 ms on/off ¹ |
| Product colour | Black and Silver |
| Aspect Ratio | 16:9 |
| Native Resolution | FHD (1920 x 1080 @ 60 Hz) |
| Resolutions Supported | 1920 x 1080; 1680 x 1050; 1600 x 900; 1440 x 900; 1280 x 1024; 1280 x 800; 1280 x 720; 1024 x 768; 800 x 600; 720 x 400; 640 x 480 |
| Display Features | Anti-glare; In plane switching; Language selection; LED Backlights; On-screen controls; Pivot rotation; Plug and Play; User programmable |
| User Controls | Brightness; Color Control; Contrast; Exit; Image Control; Information; Input Control; Language; Management; Menu; Minus ("-"); OK; Plus ("+"); Power Control |
| Input Signal | 1 VGA; 1 HDMI 1.4 (with HDCP support); 1 DisplayPort™ 1.2 (with HDCP support) |
| Ports and Connectors | 3 USB 3.0 (one upstream, two downstream) ¹ |
| Input Power | Input voltage: 100 to 240 VAC |
| Power Consumption | 36 W (maximum), 19 W (typical), 0.5 W (standby) |
| Dimensions with Stand (W x D x H) | 52.1 x 21.8 x 45.79 cm |
| Dimensions without Stand (W x D x H) | 52.1 x 4.47 x 31.17 cm |
| Weight | 5.8 kg With stand |
| Ergonomic Features | Tilt: -5 to +23°; Swivel: ±45°; Pivot rotation: 90°; Height: 150 mm |
| Physical security features | Security lock-ready (lock is sold separately) |
| Environmental | Operating temperature: 5 to 35°C Operating humidity: 25 to 85% RH |
| Energy Efficiency Compliance | ENERGY STAR® certified; EPEAT® Gold |
| Certification and compliance | BSMI; CB; CCC; CE; CEL; cTUVus; ErP; FCC; ICES; ISC; ISO 9241-307; Mexico CoC; MSIP; RCM; S-mark; SmartWay Transport Partnership - NA only; TUV-GS; VCCI; WEEE; KC; KCC; PSB; EAC; Vietnam MEPS; Australian-New Zealand MEPS |
| Environmental Specifications | Arsenic-free display glass; Mercury-free display backlights; Low halogen |
| What's in the box | Monitor; AC power cord; VGA cable; USB cable (Type A male to Type B male); DisplayPort™ 1.2 cable; CD (includes user guide, warranty, drivers); HP Display Assistant |
| Warranty | Protected by HP, including a 3-year standard limited warranty. Optional Care Pack Services are extended service contracts which go beyond your standard warranties. |

See important legal disclaimers on the last page

Recommended Accessories and Services

HP Single Monitor Arm



The HP Single Monitor Arm is the perfect desk accessory for your work life. Sleek and streamlined, the HP Single Monitor Arm is designed to complement the way you work.

Product number: BT861AA

HP Quick Release Bracket



A secure and easy-to-use mounting solution for your VESA-compliant HP thin clients, compatible HP flat panel monitors and other HP desktop products. Attach to any a compatible stand, bracket or wall mount and make the most of your workspace.

Product number: EM870AA

HP Integrated Work Center for Desktop Mini and Thin Client



Make the most of small work spaces with an HP IWC Desktop Mini/Thin Client that lets you create a compact desktop solution by combining a display with an HP Desktop Mini, HP Thin Client or HP Chromebox and giving you convenient front access to all of its inputs.

Product number: G1V61AA

HP HDMI Standard Cable



Use the cable to connect your desktop to your standard HDMI devices and displays.

Product number: T6F94AA

HP 5-year Next Business Day Onsite Large Monitor Hardware Support



Receive 5 years of next business day onsite repair from an HP-qualified technician for your computing device, if the issue cannot be solved remotely. For more information on Care Pack services, please visit www.hp.com/go/cpc.

Product number: U7937E

Messaging Footnotes

¹ Each display sold separately.

² All performance specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower.

³ HP Desktop Mini PC, Thin Client, and Chromebox sold separately and require the HP B300 PC Mounting Bracket, also sold separately. See display QuickSpecs for product compatibility.

⁴ External power supplies, power cords, cables and peripherals are not Low Halogen. Service parts obtained after purchase may not be Low Halogen.

⁵ EPEAT® registered where applicable. EPEAT registration varies by country. See www.epeat.net for registration status by country. Search keyword generator on HP's 3rd party option store for solar generator accessories at www.hp.com/go/options

⁶ Each sold separately.

⁷ HP Care Packs sold separately. Service levels and response times for HP Care Packs may vary depending on your geographic location. Service starts on date of hardware purchase. Restrictions and limitations apply. For details, visit www.hp.com/go/cpc. HP Services are governed by the applicable HP terms and conditions of service provided or indicated to Customer at the time of purchase. Customer may have additional statutory rights according to applicable local laws, and such rights are not in any way affected by the HP terms and conditions of service or the HP Limited Warranty provided with your HP Product.

Technical Specifications Footnotes

¹ All specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower.

² External power supplies, power cords, cables and peripherals are not Low Halogen. Service parts obtained after purchase may not be Low Halogen.

Sign up for updates
hp.com/go/getupdated

© Copyright 2017 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

ENERGY STAR® and the ENERGY STAR® mark are registered trademarks of the U.S. Environmental Protection Agency. DisplayPort™ and the DisplayPort™ logo are trademarks owned by the Video Electronics Standards Association (VESA®) in the United States and other countries.

