

Print only

HP LaserJet Ultra M206dn



Get the consistent, professional quality you expect—enough toner to print up to 15,000 pages.¹

Produce the consistent, professional two-sided documents you expect from HP with enough toner to print up to 15,000 pages.¹ Easily print from your mobile device,² and keep your office connected.



Cost savings

HP quality, competitive costs—why risk it?

- Get high-volume printing at low costs—without risk. Receive enough toner for up to 15,000 pages included.¹
- This HP LaserJet Ultra prints for up to 60% lower cost-per-page than its predecessor.³
- Lock in Original HP quality you can depend on at print costs that are completely irresistible.
- Start printing right out of the box, using a pre-installed Original HP toner cartridge.
- Wait less with an HP LaserJet Ultra that prints faster than its predecessor—up to 23 pages per minute.



Help save time and energy

- Help save energy with HP Auto-On/Auto-Off Technology.⁴
- Speed through multipage documents with automatic two-sided printing. Grab the documents you need and go.
- Wait less with an HP LaserJet Ultra that prints faster than its predecessor—up to 23 pages per minute.⁵
- Print first pages in as fast as 7.3 seconds.⁶



Easy mobile printing and printer management

- Easily access, print, and share resources with Ethernet networking.
- Print from iPhone® and iPad® with AirPrint® through a USB connection to your wireless network router.⁷
- Send jobs from your smartphone, tablet, or PC to any company printer through a USB connection to your wireless network router, using Google Cloud Print™ 2.0.⁸
- Easily control, manage, and monitor your printing environment with HP Web Jetadmin.



HP quality—print after print

- Produce sharp text, bold blacks, and crisp graphics with precision black toner.
- Don't be fooled by cartridges that mimic Original HP. Help ensure you're getting the quality you paid for.
- Track remaining pages with print gauge technology that helps ensure you get the prints you paid for.
- Get more from your investment—page maximizer technology delivers more pages than ever before.

Technical specifications

Functions	Print
Print	
Duplex print options	Automatic (standard)
Print speed ⁹	Black (A4, normal): Up to 28 ppm; Black (letter, normal): Up to 30 ppm; Black (A5, landscape): Up to 49 ppm; Black (A4, duplex): Up to 18 ipm; Black (letter, duplex): Up to 18 ipm
First page out ¹⁰	Black (A4, ready): As fast as 6.7 sec; Black (A4, sleep): As fast as 7.7 sec
Print resolution	Black (best): Up to 1200 x 1200 dpi; Black (normal): Up to 600 x 600 dpi, HP FastRes 1200 (1200 dpi quality); Black (fine lines): Up to 1200 x 1200 dpi
Print technology	Laser
Print resolution technology	HP FastRes 1200; HP ProRes 1200
Print cartridges number	3 Black
Standard print languages	PCL5c; PCL6; PS; PCLmS; PDF; URF; PWG
Printer management	HP Printer Assistant (UDC); HP Utility (Mac); HP Device Toolbox; HP JetAdvantage Security Manager
Connectivity	
Standard connectivity	1 Hi-Speed USB 2.0; 1 Ethernet 10/100network
Mobile printing capability ⁷	HP ePrint; AirPrint [®] , Google Cloud Print™ 2.0
Wireless capability	No
Network Capabilities	10/100 Ethernet
Memory	Standard: 256 MB; Maximum: 256 MB
Processor speed	800 MHz
Duty cycle (monthly)	Up to 40,000 pages; Recommended monthly page volume: 350 to 3000
Paper handling	
Input	250-sheet input tray, 10-sheet priority tray;
Output	150-sheet output tray
Media type	Paper (laser, plain, photo, rough, vellum), envelopes, labels, cardstock, postcards
Media weight	60 to 163 g/m ²
Media sizes custom	76 x 127 to 216 x 356 mm
Dimensions (W x D x H)	370.5 x 407.4 x 223.9 mm
Weight	7 kg
What's in the box¹	HP LaserJet Ultra M206dn Printer; HP Black LaserJet Toner Cartridge ~15,000(5,000x3) pages; HP LaserJet Imaging Drum ~23,000 pages; HIG, Setup Poster, Support flyer; Warranty Guide, flyerr, errata in some countries; Printer documentation and software on CD-ROM; Software drivers and documentation on CD-ROMs; CDs containing software and electronic documentation; Power cord; USB cable (AP only)
Warranty features	1 Year Limited Warranty (Return to HP/Dealer - Unit Exchange)
Systems	
Compatible operating systems	Windows [®] 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer. Windows Vista [®] : (32-bit only), 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows [®] XP SP3 or higher (32-bit only): any Intel [®] Pentium [®] II, Celeron [®] or 233 MHz compatible processor, 850 MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8 Apple [®] OS X Sierra(v10.12), OS X El Capitan (v10.11), OS X Yosemite (v10.10) ; 1 GB HD; Internet required; USB Linux (For more information, see http://hplipopensource.com/hplip-web/index.html) Unix (For more information, see http://www.hp.com/go/unixmodelscripts)
Minimum system requirements	PC: Windows [®] 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer. Windows Vista [®] : (32-bit only), 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows [®] XP SP3 or higher (32-bit only): any Intel [®] Pentium [®] II, Celeron [®] or 233 MHz compatible processor, 850 MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8 Mac: Apple [®] OS X Sierra(v10.12), OS X El Capitan (v10.11), OS X Yosemite (v10.10); 1 GB HD; Internet required; USB
Fonts and Typefaces	84 scalable TrueType fonts
Control panel	Button LED:3 light-emitting diode (LED) indicator lights (Ready, Attention, toner); 2 button (Resume, Cancel)
Display	LED
Power	Power supply type: Internal; Power supply required: 110-volt input voltage: 110 to 127 VAC (+/- 10%), 60 Hz/50 Hz, 5.4 A; 220-volt input voltage: 220 to 240 VAC (+/- 10%), 60 Hz/50 Hz, 3.1 A; Power consumption²: 480 watts (active printing), 1.9 watts (ready), 0.5 watts (sleep), 0.8 watts (Auto Off/Wake on USB, enabled at shipment), 0.05 watts (Auto-off/Manual-on), 0.05 watts (Manual Off); Typical electricity consumption (TEC) number³: BA: 0.826 kWh/Week; ES: 0.810 kWh/Week
Software included	For Windows OS: HP Software Installer; HP Software Uninstaller (exclude Win8+); HP PCL6 Printer Driver; HP Device Experience (DXP); HP Connected; Device Setup & Software; HP Printer Assistant; HP Product Improvement Study; Online user manuals For Mac OS: Welcome Screen, (Directs users to HP.com or OS App Source for LaserJet Software)
Acoustics	Acoustic power emissions: 6.6 B(A); Acoustic Power Emissions (ready): 2.6 B(A); Acoustic Pressure Emissions Bystander (active, printing): 53 dB(A); Acoustic Pressure Emissions Bystander (ready): 16 dB(A)
Environmental ranges	Operating Temperature Range: 15 to 32.5°C; Recommended Operating Temperature: 17.5 to 25°C; Non-operating Humidity Range: 10 to 90% RH; Operating Humidity Range: 10 to 80% RH; Recommended Operating Humidity Range: 30 to 70% RH
Security management	Password-protected network embedded Web server; enable/disable Network ports; SNMPv1 community password change; 802.1x authentication
Safety approvals and requirements	IEC 60950-1:2005 +A1:2009+A2:2013/EN60950-1:2006 +A11:2009 +A1:2010+A12:2011+A2:2013; IEC 60825-1:2007 / EN 60825-1:2007 (Class 1 Laser/LED Product); IEC 62479:2010 / EN 62479:2010; GB4943-2011
Supported network protocols	TCP/IP: IPv4; IPv6; IP Direct Mode; LPD; SLP; Bonjour; WS-Discovery; BOOTP/ DHCP/ AutoIP; WINS; SNMP v 1/2/3; and HTTP/HTTPS

Ordering Information

Number	Description
G3Q48A	HP LaserJet Ultra M206dn

Supplies and Maintenance Kits

Number	Description
CF231A	HP 31A Black Original LaserJet Toner Cartridge (5,000 pages)
CF232A	HP 32A Original LaserJet Imaging Drum (23,000 pages)

HP Care Packs

Number	Description
UGN05E	HP Installation with Networking Service for Consumer Printer
UG086E	HP 3 year Care Pack w/Next Day Exchange for LaserJet Printers
UG481E	HP 3 year Care Pack w/Onsite Exchange for LaserJet Printers
UG361E	HP 3 year Care Pack w/Pickup and Return Support for LaserJet Printers
UG289E	HP 3 year Care Pack w/Return to Depot Support for LaserJet Printers

Protect your investment with HP Care Pack. Let HP certified engineers resolve your technical issues. For more details on HP Care Pack, go to hp.com/go/cpc

HP Inc. offices

Australia	(613) 8833 5000	hp.com.au
China	(010) 6564 3888	hp.com.cn
Hong Kong	(852) 3077 2688	hp.com.hk
India	(80) 2612 9000	hp.com/in
Indonesia	(62-21) 5799 1088	hp.com/id
Korea	(02) 2199 0114	hp.co.kr
Malaysia	(603) 2332 3333	hp.com.my
New Zealand	(09) 918 9555	hp.co.nz
Philippines	(632) 888 5900	hp.com/ph
Singapore	(65) 6275 3888	hp.com.sg
Taiwan	(02) 3789 9900	hp.com.tw
Thailand	(662) 353 9500	hp.com/th
Vietnam	(848) 3823 4151	hp.com/vn

For the following countries, please fax your queries to(65) 6275 6707 Bangladesh, Bhutan, Brunei, Cambodia, Maldives, Nepal, Pakistan, Sri Lanka

Supported paper

Contact HP via phone: Asia: 65 6253 8500

Solutions

For more solutions information, please visit hp.com/go/gsc



Windows 10



Footnotes

¹ Declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. Learn more at <http://www.hp.com/go/learnaboutsupplies>

² For details on local printing requirements see <http://www.hp.com/go/mobileprinting>

³ Cost-per-page (CPP) comparison between HP LaserJet Ultra and predecessor HP printers and MFPs based on published specifications of the manufacturers' highest capacity cartridges and long-life consumables. CPP based on page yield and manufacturer's suggested retail price (MSRP) for the cartridge consumables. Actual prices may vary. ISO yield based on continuous printing in default mode. For more information, see <http://www.hp.com/go/learnaboutsupplies>

⁴ HP Auto-On/Auto-Off Technology capabilities subject to printer and settings; may require a firmware upgrade.

⁵ Printing speed measured using ISO/IEC 24734 and excludes first set of test documents. Exact speed varies depending on the system configuration, software application, driver, and document complexity. Learn more at <http://www.hp.com/go/printerclaims>

⁶ Measured using ISO/IEC 17629. Exact speed varies depending on the system configuration, software application, driver, and document complexity. Learn more at <http://www.hp.com/go/printerclaims>

⁷ Mobile device must have iOS v7.0 or higher. Learn more at <http://www.hp.com/go/mobileprinting>

⁸ Requires Google Cloud Print™ registration and Google account. Learn more at <http://www.hp.com/go/mobileprinting>

Technical specifications disclaimers

¹ Qty: 3, HP 31A Original Black LaserJet Toner Cartridges (~15,000 (5,000x3) yield total), HP 32A Original LaserJet Imaging Drum (~23,000 yield total). Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/learnaboutsupplies>

² Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115V device.

³ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device.

⁴ Based on the BA TEC method with the following possible exceptions: 1 minute or less sleep delay setting, Wi-Fi disabled.

⁵ Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/learnaboutsupplies>

⁶ Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/learnaboutsupplies>

⁷ HP ePrint - App or software and HP ePrint account registration may also be required. Some features require purchase of an optional accessory. Learn more at <http://www.hp.com/go/mobileprinting>. Apple AirPrint

-Mobile device must have iOS v7.0 or higher. Learn more at <http://www.hp.com/go/mobileprinting>. Google Cloud Print™ 2.0- Requires Google Cloud Print™ registration and Google account. Learn more at <http://www.hp.com/go/mobileprinting>

⁸ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

⁹ Measured using ISO 24734 Feature Test, A5 Landscape Feed. Speed may vary based on content, PC, media orientation, and media type.

¹⁰ Measured using ISO/IEC 17629. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

To learn more, visit hp.com

© Copyright 2017 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Microsoft and Windows are registered trademarks of Microsoft Corporation. AirPrint and the AirPrint logo are trademarks of Apple Inc., registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linus Torvalds. UNIX is a registered trademark of The Open Group.

