

Product walkaround

HP PageWide Managed Color Flow MFP E77660zs - Bundle Product 60 ppm

- El 8.0 inch (20.3 cm) pivoting color touchscreen
- 7l Hardware Integration Pocket¹
- 6l Easy-access USB printing port
- 5l Retractable keyboard²
- 5. Front door access to cartridges
- l 100-sheet multipurpose tray 1 supports media up to 12 x 18 inches (305 x 457 mm)
- vl Automatic two-sided printing
- bl 550-sheet tray 2 supports media up to 11.7 x 17 inches (297 x 432 mm)³
- kl 200-sheet ADF with single-pass, two-sided scanning with HP EveryPage⁴ supports media up to 11.7 x 17 inches (297 x 432 mm)
- Efl Flatbed scanner handles sheets up to 11.7 x 17 inches (297 x 432 mm)
- Eel 350-sheet inner finisher with stapler⁵
- 12. 500-sheet output bin
- 13. Ethernet port, 2 Hi-Speed USB 2.0 Host ports, Hi-Speed USB 2.0 Device port

Front view

Series at a glance

Model	HP PageWide Managed Color Flow MFP E77650zs	HP PageWide Managed Color Flow MFP E77660zs
Product number	J7Z14A	J7Z07A
Functions	Print, scan, copy	Print, scan, copy
Print speeds, black and color, letter and A4 ⁶	Uptto 50/70 tppm, Professional/GQ&Q[]\0 \v]Q mode	Up to 60/80 ppm, Professional/General Office mode
300-sheet inner finisher with stapler ⁵	√	√
Retractable keyboard ²	√	√
HP EveryPage with ultrasonic detection, embedded OCR ⁴	√	√
Automatic page orientation, cropping, and tone adjustment	√	√
Control panel display	8.0 inch (20.3 cm) pivoting color touchscreen	8.0 inch (20.3 cm) pivoting color touchscreen
Paper input trays (standard)	100-sheet multipurpose tray 1, 550-sheet tray 2	100-sheet multipurpose tray 1, 550-sheet tray 2
Optional paper handling accessories ³	100-sheet multipurpose tray 1, 550-sheet tray 2, Cabinet, 3 x 550-sheet Paper Tray and Stand, 4,000-sheet HCl Paper Tray and Stand	550-sheet Paper Tray, 550 sheet Paper Tray and Cabinet, 3 x 550-sheet Paper Tray and Stand, 4,000-sheet HCl Paper Tray and Stand
Input capacity (standard/maximum ⁷)	Up to 650/4,650 sheets	Up to 650/4,650 sheets
Output capacity	®#t+"tOFFo]ZQQ+t"°+ #°+t-√&Ct®#t+"t60Fo]ZQQ+t]+) #VQ[t®#t+"tOFFo]ZQQ+t"°+ #°+t-√&Ct®#t+"t60Fo]ZQQ+t]+) #VQ[t] +)j]kQ[wt8+) #VQt°#t+"tOfT]ZQQ+]]	VQ[t®#t+"tOFFo]ZQQ+t"°+ #°+t-√&Ct®#t+"t60Fo]ZQQ+t]+) #VQ[t] +)j]kQ[wt8+) #VQt°#t+"tOfT]ZQQ+]]

¹ Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. ²The retractable keyboard is available with HP PageWide Managed Color Flow MFP E77650zs and Color Flow MFP E77660zs models. ³ The HP PageWide Managed Color MFP E77660 series comes standard with a 100-sheet multipurpose tray that supports up to 12 x 18 inches (305 x 457 mm) and one 550 sheet tray that supports up to 11.7 x 17 inches (297 x 432 mm). All models can add up to one of the following optional accessories: 550-sheet paper tray, 550 sheet paper tray and cabinet, 3x550-sheet paper tray and stand, or 4,000 sheet HCl paper tray and stand. The 550-sheet trays support up to 11.7 x 17 inches (297 x 432 mm). The optional HCl tray supports up to letter (A4). ⁴ HP EveryPage, ultrasonic detection, and embedded OCR are available with HP PageWide Managed Color Flow MFP E77650zs and Color Flow MFP E77660zs models. ⁵ The 300-sheet inner finisher with stapler is available with the HP PageWide Managed Color Flow MFP E77660zs model only. ⁶ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ⁷ Purchase of optional paper trays required to reach maximum input capacity.

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

Next Business Day Onsite with Defective Media Retention:

Customers can retain their hard disk drive and keep control of sensitive data.

For carepack availability visit: hp.com/go/cpc



Top features

Color printing is within every business' budget with HP PageWide Technology. Print professional-quality color for a breakthrough low cost—results you expect from HP for an exceptional value you can rely on.

Annoying interruptions and complex maintenance can slow down printing, and ultimately, the pace of business. Avoid pauses in productivity with an HP PageWide device designed for maximum uptime—so you can count on reliable results day in and day out.

Only HP Enterprise printers repair themselves from attacks in real time, with built-in security to help keep your network safe. Automatically monitor threats, detect intrusions, and validate operating software with security offered only by HP.¹

Accelerate workflow, improve accuracy, and easily connect people throughout your organization. Complete high-volume scan jobs super-fast—up to 240 ipm²—and avoid extra steps with a Flow MFP designed for maximum productivity.

Accessories

B5L28A	HP Internal USB Ports
B5L29A	HP High-Performance Secure Hard Disk
B5L31A	HP Foreign Interface Harness
CC487A	HP LaserJet MFP Analog Fax Accessory 500
E5K48A	HP 1 GB x32 144-pin (800 MHz)DDR3 SODIMM
J8030A	HP Jetdirect 3000w NFC/Wireless Accessory
J8031A	HP Jetdirect 2900nw Print Server
P1V16A	HP PageWide Managed 550-sheet Paper Tray
P1V17A	HP PageWide Managed 550-sheet Paper Tray and Cabinet
P1V18A	HP PageWide Managed 3x550 sheet Paper Tray and Stand
P1V19A	HP PageWide Managed 4000 sheet High-capacity Paper Tray and Stand

Supplies

M0K28XC	HP 990XC Black Contract PageWide Cartridges (~22,000 pages)
M0K05XC	HP 990XC Cyan Contract PageWide Cartridges (~16,000 pages)
M0K09XC	HP 990XC Magenta Contract PageWide Cartridges (~16,000 pages)
M0K24XC	HP 990XC Yellow Contract PageWide Cartridges (~16,000 pages)

Services

U9RL2E	HP 3 year Next Business Day w/Disk Media Retention PgWd Color 776xx Managed Service
U9RL3E	HP 4 year Next Business Day w/Disk Media Retention PgWd Color 776xx Managed Service
U9RL4E	HP 5 year Next Business Day w/Disk Media Retention PgWd Color 776xx Managed Service

¹ Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit <http://www.hp.com/go/PrintersThatProtect>. For more information: <http://www.hp.com/go/printersecurityclaims>. ² Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

HP PageWide Managed Color MFP E77650zs-E77660zs Printer series

Technical Specifications	HP PageWide Managed Color Flow MFP E77660zs - Bundle Product 60 ppm (J7Z07A)	HP PageWide Managed Color Flow MFP E77650zs - Bundle Product 50 ppm (J7Z14A)
AIO functions	Print, copy, scan, fax (optional); AIO multitasking supported: Yes	
Print speed	A4: Up to 60 ppm; Letter: Up to 60 ppm black; Up to 60 ppm; Letter: Up to 60 ppm color ⁵ ; First Page Out Black: As fast as 7.1 sec; First Page Out Color: As fast as 7.1 sec ⁶	A4: Up to 50 ppm; Letter: Up to 50 ppm black; Up to 50 ppm; Letter: Up to 50 ppm color ⁵ ; First Page Out Black: As fast as 7.1 sec; First Page Out Color: As fast as 7.1 sec ⁶
Print resolution	Black (best): Up to 1200 x 1200 optimized dpi from 600 x 600 input dpi (on Unspecified, Plain, HP Premium Presentation Matte, and HP Brochure Matte); Colour (best): Up to 2400 x 1200 optimized dpi from 600 x 600 input dpi (on HP Advanced Photo Papers)	
Print Technology	HP PageWide Technology; Print Resolution Technologies: HP PageWide Technology up to 1200 x 1200 optimized dpi from 600 x 600 input dpi	
Print Cartridges Number	4 (1 each black, cyan, magenta, yellow)	
Standard Print Languages	HP PCL 6; HP PCL 5c; HP postscript level 3 emulation; PDF 1.7	
Printer Smart Software Features	HP SureStart; Run-time Intrusion detection; Whitelisting; HP Trusted Platform Module; HP JetAdvantage Security Manager; HP Web Jetadmin; Open Extensibility Platform, FutureSmart Firmware, HP ePrint, Apple AirPrint™, HP Auto-On/Auto-Off technology, HP Color Access Control, HP EasyColor, Front-facing USB printing, store print jobs, HP EasyColor, print preview, automatic two-sided printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, booklet printing, cover pages, tray selection, scaling, Portrait/Landscape orientation, High Quality Grayscale and Black Ink Only, General Office/Professional/Presentation dpi print modes, Optional: HP and third party extensibility solutions; wireless	
Printer Management	HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP Web JetAdmin Software; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver	
Scan Type / Technology	Type: Flatbed, ADF; Technology: Charge Coupled Device (CCD) & Contact Image Sensor (CIS)	
Scan Resolution	Hardware: Up to 600 ppi; Optical: Up to 600 ppi	
Scan File Format	Digital Send: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht)	
Scan Size	ADF: 297 x 432 mm; Up to 297 x 864 mm when "long scan size" selected; 11.7 x 17 in; Up to 11.7 x 34 in when "long scan size" selected Maximum; 68 x 148 mm; 2.7 x 5.8 in Minimum; Flatbed: 11.7 x 17 in; Up to 120 ipm simplex and up to 240 ipm duplex	
Scan Speed	Up to 120 ipm simplex and up to 240 ipm duplex; Duplex: Up to 120 ipm simplex and up to 240 ipm duplex	
Scanner Advanced Features	Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge Erase; Job notification; Blank page suppression; HP Quick Sets; HP EveryPage; Auto orientation; Embedded Optical Character Recognition (OCR), Auto crop to page; Auto-tone	
Bit depth / Grayscale levels	24-bit/ 256	
Digital Sending Standard Features	Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to FTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF	
Copy Speed	Copy Speed Black (best A4): Up to 60 cpm; Copy Speed Black (best, letter): Up to 60 cpm; Copy Speed Color (best A4): Up to 60 cpm; Copy Speed Color (best, letter): Up to 60 cpm	Copy Speed Black (best A4): Up to 50 cpm; Copy Speed Black (best, letter): Up to 50 cpm; Copy Speed Color (best A4): Up to 50 cpm; Copy Speed Color (best, letter): Up to 50 cpm
Copy Resolution	Black (text and Graphics): Up to 600 x 600 dpi; Color (text and Graphics): Up to 600 x 600 dpi	
Maximum Number of Copies	Up to 9999 copies	
Copier Resize	25 to 400%	
Copier Settings	Two-sided copying, scalability, image adjustments (darkness, contrast, background cleanup, sharpness), N-up, N or Z-ordering, content orientation, collation, booklet, ID Scan, job build, edge-to-edge, job storage	
Fax Speed	Up to: 33.6 kbps ⁴	
Fax Resolution	Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Color (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard): 204 x 98 dpi	
Fax Smart Software Features	Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number confirmation; Holiday fax schedule	
Fax Features	Auto Fax Reduction Supported: Yes; Auto-Redialing: Yes; Fax Delayed Sending: No; Distinctive Ring Detection Supported: No; Fax Forwarding Supported: Yes; Fax Phone TAM Interface Supported: No; Fax Polling Supported: Yes (poll to receive only); Fax Telephone Mode Supported: No; Junk Barrier Supported: Yes; Maximum Speed Dialing Numbers: Up to 1000 numbers (each with 210 destinations); PC Interface Supported: Yes; Remote Retrieval Capability Supported: No; Telephone Handset Supported: No	
Standard Connectivity	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket	
Network Capabilities	Via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gigabit Ethernet; IPsec (standard)	
Wireless Capability	Optional, enabled with purchase of a hardware accessory	
Mobile Printing Capability	HP ePrint, Apple AirPrint™, Google Cloud Print	
Memory	Standard: 5632 MB; Maximum: 5632 MB	
Processor Speed	1.2 GHz / Hard disk: 320 GB High-Performance Secure Hard Disk (AES 256 hardware encryption or greater; Secure erase capabilities: Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk)	
Duty Cycle	Monthly, A4: Up to 250,000 pages; Recommended Monthly Page Volume: 2500 to 50,000 pages	
Paper Handling	Input Capacities: 100-sheet multipurpose tray, 550-sheet input tray; Up to 650 sheets (MP: up to 100 sheets, Tray 2: up to 550 sheets) standard; Up to 10 envelopes Up to 240 cards; Up to 1,840 sheets labels; Up to 650 sheets legal; Output Capacities: 500-sheet output bin; 350-sheet stapler stacker; staples up to 50 sheets; Up to 850 sheets standard; Up to 50 envelopes Up to 325 cards; Up to 200 labels labels legal; Duplex Options: Automatic (standard) Manual (driver support provided); Auto Document Feeder Capacity: Standard, 200 sheets; Envelope Feeder: No; Standard Paper Trays: 2; Media Types Supported: Paper (Plain, Inkjet, Inkjet Brochure/Glossy), Photo Paper, Envelopes, Labels, Cards; Media Weight Supported: Tray 1: 16 to 58 lb, 80 lb Photo Paper Only; Trays 2 to 5: 16 to 58 lb; HCl Trays 3 & 4: 16 to 58 lb; Media Sizes Supported: Letter, Letter-R, Legal, Executive, Statement, Oficio (8.5x13), 11x17, 12x18, 4x6, 5x7, 5x8, Envelope #10, Envelope B5, Envelope C5, Envelope C6, Envelope DL, Envelop Chou #3; Media Sizes Custom: Tray 1: 3.9 x 5 to 12 x18; Tray 2-5: 8.27 x 5.83 to 11.70 x 17 in HCl Trays 3 & 4: A4 & Letter Only;	

HP PageWide Managed Color MFP E77650zs-E77660zs Printer series

Technical Specifications	HP PageWide Managed Color Flow MFP E77660zs - Bundle Product 60 ppm (J7Z07A)	HP PageWide Managed Color Flow MFP E77650zs - Bundle Product 50 ppm (J7Z14A)
Product Dimensions	W x D x H: 32 x 24.25 x 31.125 in; 813 x 616 x 791 mm; Maximum: 35.25 x 28.25 x 31.125 in; 896 x 718 x 791 mm	
Product Weight	181 lb 82 kg	
Warranty Features	90 days parts only warranty. Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in your region.	
Energy Efficiency Compliance	ENERGY STAR [®] qualified; EPEAT [®] Gold	
Control Panel	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket	
Display Description	8.0 in (20.3 cm) touchscreen, XVA Color Graphic Display (CGD)	
Software Included	HP Connected, HP Device Experience (DXP), HP PCL 6 Printer Driver, HP Software Installer/Uninstaller, Mac OS Welcome Screen (Directs users to 123.HP.com or OS App Source for printer software), Online user manuals	
Fonts and Typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts	
Compatible Operating Systems	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Yosemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)	
Compatible Network Operating Systems	Citrix MetaFrame Presentation Server 3.0, Citrix MetaFrame XP Presentation Server (Feature Release 1, 2, and 3), Citrix on Windows Server 2003/2003R2, Citrix on Windows Server 2008/2008R2/2008 R2 SP1, Citrix on Windows Server 2012/2012R2, Citrix Presentation Server 4.0/4.5, Citrix XenApp 5.0 (Plus Feature Pack 2 & 3) for Windows Server 2008 Terminal Services 32- and 64-bit, Citrix XenApp 6.0/6.5 [for Windows Server 2008 R2 Terminal Services, 32- and 64-bit], Citrix XenApp 6.0/6.5/7.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Citrix XenApp 7.5 [for Windows Server 2012 and 2012 R2 Terminal Services, 64-bit], Citrix XenDesktop 5.6 [for Windows Server 2008 R2 Terminal Services, 32- and 64-bit], Citrix XenDesktop 5.6/7.0/7.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Citrix XenDesktop 7.0/7.5 [for Windows Server 2012 and 2012 R2 Terminal Services, 64-bit], Novell NetWare 6.5/SP8 Novell Clients www.novell.com/iprint , Novell iPrint Appliance v1.0, Novell Open Enterprise Server 11/SP1, Novell Open Enterprise Server 2 for Linux, Novell Servers www.novell.com/iprint , Windows Server 2003/2003 R2 32-/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2003/2003 R2 32-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 32-/64-bit (SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 R2 64-bit (SP1) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32-/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2012/2012 R2 64-bit Standard/Foundation/Essentials/Datacenter (+ Cluster & Terminal Services), Windows Server 2016/ 64-bit Standard/ Essential/Datacenter (+ Cluster & Terminal Services)	
Minimum System Requirements	PC: 2GB available hard disk space, OS hardware requirements see microsoft.com ; MAC: 1.3 GB available hard drive space; Internet; OS hardware requirements see apple.com for more info	
Power	Power Supply Type: Internal (Built-in) power supply; Power Requirements: Input voltage: 100 to 240 VAC, 50/60 Hz; Power Consumption: 660 watts (print/copy), 42 watts (ready), 1.6 watts (sleep), 0.2 watts (auto-off), 0.2 watts (off) ¹ ; Typical Electricity Consumption (TEC) number: BA: 1.97 kWh/Week; ES: 2.03 kWh/Week ² ; Blue Angel (Sleep mode): 1.6 watts	
Acoustics	Acoustic Power Emissions: 6.6 B(A)	Acoustic Power Emissions: 6.6 B(A)
Operating Environment	Operating Temperature Range: 15 to 30°C; Recommended Operating Temperature: 17 to 25°C; Storage Temperature Range: Before initial setup (Non-Purged): -40 to 60°C; After initial setup (Purged): 0 to 60°C. If stored below the lowest specified operating temperature, unit must slowly warm up to an approved operating temperature (HP recommends waiting 24 hours at approved operating temperature prior to using the printer); Non-Operating Humidity Range: 10 to 80% RH; Operating Humidity Range: 10 to 80% RH; Recommended Humidity Operating Range: 30 to 70% RH	
Security Management	Identity Management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, optional HP and third-party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate, Pre-Shared Key, and Kerberos authentication, Supports WJA-10 IPsec configuration Plug in, 802.1X authentication (EAP-PEAP, EAP-TLS), SNMPv3, HTTPS, Certificates, Access Control List, HP Trusted Platform Module (TPM) comes standard; Data: Storage Encryption, Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft), Secure Erase, SSL/TLS (HTTPS), Encrypted Credentials; Device: Security lock slot, USB port disablement, Hardware Integration Pocket for security solutions, 18 Intrusion Detection with Red Balloon Security Technology (Constant in-device monitoring for attacks), HP Sure Start Secure Boot (BIOS integrity checking with self-healing capability), Whitelisting (loads only known good code (DLLs, EXEs, etc.); Security Management: Compatible with HP JetAdvantage Security Manager, 21 Device Security Syslog Messages processed and accessible in ArcSight and Splunk SIEMs; For more security settings go to http://h10032.www1.hp.com/ctg/Manual/c03602120	

¹ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power Consumption and Energy Star TEC values typically based on measurement of 115V device. ² Based on the BA TEC method with the following possible exceptions: 1 minute or less sleep delay setting, Wi-Fi disabled. ³ Average color composite (C/M/Y) and black declared yields based on ISO/IEC 24711 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/learnaboutsupplies>. ⁴ Based on standard ITU-T test image #1 at standard resolution and MMR encoding, the HP fax device can transmit at 3 sec/page for V.34 and 6 sec/page for V.17 ⁵ ISO speeds measured using ISO/IEC 24734. Excludes first page or first set of ISO test pages. For details see <http://www.hp.com/go/printerclaims> ⁶ Exact speed varies depending on the system configuration, software application, driver and document complexity.

Learn more at hp.com

© Copyright 2017-2018 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Windows is a registered trademark of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries.

