



# HP LD5512 4K UHD Conferencing Display

Inspire collaboration and productivity among small and medium groups with the extra-large HP LD5512 4K UHD Display. Show and share every detail in 3840 x 2160 resolution on a 55" diagonal screen with integrated dual stereo speakers.



## See it all

- Experience excellent content readability and brilliant imagery from more than 8 million pixels and 3840 x 2160 resolution. Get great views from across the room with 178-degree wide viewing angles.

## Partner with a collaboration-enhanced PC


- Pair the display with an HP Elite Slice for Meeting Rooms, HP Collaboration PC with Intel® Unite™ software or HP Chromebox to turn your everyday conference room into a world-class collaboration center.

## Set up in moments


- Quickly connect to your video source with DisplayPort™, HDMI or VGA, and drive your wireless devices from a wireless adapter through the USB port. Enjoy stereo audio from two integrated 6W speakers and control settings with the included remote.

## Featuring

- Use the display on the stand in conference rooms and workspaces where you need large-scale views of data and content, or take it off the stand and mount on a wall in small spaces with the integrated VESA mount.
- Rest assured that your IT investment is supported by a three-year standard limited warranty.



## HP LD5512 4K UHD Conferencing Display Specifications Table



<b>Product Number</b>	2YD85AA
<b>Display Size (diagonal)</b>	139.7 cm (55")
<b>Display Type</b>	ADS w/LED backlight
<b>Panel Active Area</b>	47.62 x 26.78 in; 120.96 x 68.04 cm
<b>Viewing Angle</b>	178° horizontal; 178° vertical
<b>Brightness</b>	350 cd/m <sup>2</sup> <sup>1</sup>
<b>Contrast Ratio</b>	1200:1 static <sup>1</sup>
<b>Response Time</b>	8 ms gray to gray <sup>1</sup>
<b>Aspect Ratio</b>	16:09
<b>Native Resolution</b>	4K UHD (3840 x 2160 @ 60 Hz)
<b>Resolutions Supported</b>	3840 x 2160; 2560 x 1600; 2560 x 1440; 1920 x 1080; 1600 x 1200; 1680 x 1050; 1440 x 900; 1280 x 1024; 1280 x 768; 1280 x 720; 1024 x 768; 800 x 600; 720 x 400; 640 x 480
<b>Display Features</b>	Anti-glare; Language selection; LED Backlights; On-screen controls; Plug and Play; User programmable; Asset Control; Anti-static
<b>User Controls</b>	Auto; Input Control; Menu; Minus ("-"); OK; Plus ("+"); Power
<b>Input Signal</b>	1 VGA; 1 HDMI 2.0; 2 HDMI 1.4; 1 DisplayPort™ 1.2; (with HDCP support on DisplayPort™ and HDMI)
<b>Ports and Connectors</b>	1 USB 2.0
<b>Input Power</b>	Input voltage: 100 to 240 VAC
<b>Power Consumption</b>	130 W (maximum), 90 W (typical), 0.5 W (standby)
<b>Dimensions with Stand (W x D x H)</b>	48.88 x 8.55 x 29.86 in 124.16 x 21.73 x 75.86 cm
<b>Dimensions without Stand (W x D x H)</b>	48.88 x 8.55 x 28.39 in 124.16 x 21.73 x 72.12 cm
<b>Weight</b>	31.74 lb 14.4 kg With stand
<b>Multimedia</b>	Two 6 W integrated speakers
<b>Environmental</b>	Mercury-free display backlights
<b>What's in the box</b>	Monitor with stand; Remote control; AC power cable; HDMI cable; DisplayPort™ 1.2 cable; CD (includes User Guide, warranty, drivers)
<b>Warranty</b>	Protected by HP, including a 3-year standard limited warranty. Optional HP Care Pack Services are extended service contracts that extend your protection beyond the standard warranties. Service levels and response times for HP Care Packs may vary depending on your geographic location. Service starts on date of hardware purchase. Restrictions and limitations apply. For details, visit <a href="http://www.hp.com/go/cpc">www.hp.com/go/cpc</a> .

See important legal disclaimers on the last page

## Messaging Footnotes

<sup>1</sup> Wall mounting hardware sold separately.

## Technical Specifications Footnotes

<sup>1</sup> All specifications represent the typical specifications provided by HP's component manufacturers, actual performance may vary either higher or lower.

**Sign up for updates**  
[hp.com/go/getupdated](https://hp.com/go/getupdated)

**Learn more at**  
[hp.com](https://hp.com)

---

© Copyright 2017 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

DisplayPort™ and the DisplayPort™ logo are trademarks owned by the Video Electronics Standards Association (VESA®) in the United States and other countries. USB Type-C™ is a trademark of USB Implementers Forum.

