

HP OfficeJet and OfficeJet Pro Printers

March 2018 Edition



Technical Specifications

	HP OfficeJet Pro 8730 All-in-One Printer	HP OfficeJet Pro 8732 All-in-One Printer Mono	HP OfficeJet Pro 8740 All-in-One Printer	HP OfficeJet Pro 8745 All-in-One Printer
Product Description	Maximize your print environment with space-saving Innovative Design and professional-quality, low-cost colour.* Help reduce costs with fleet management solutions. Stay productive with an all-in-one designed for high-volume enterprises.	Maximize your print environment with space-saving HP Print Forward Design. Help reduce costs with fleet management solutions. Stay productive with an all-in-one designed for high-volume enterprises.	Maximize your print environment with space-saving Innovative Design and professional-quality, low-cost colour.* Help reduce costs with fleet management solutions. Stay productive with an all-in-one designed for high-volume enterprises.	Maximize your print environment with space-saving Innovative Design and professional-quality low-cost colour.* Help reduce costs with fleet management solutions. Stay productive with an all-in-one designed for high-volume enterprises.
Number of users	1-5 Users	1-5 Users	1-5 Users	1-5 Users
Function	Wireless, Print, Scan, Fax and Copy	Wireless, Print, Scan, Fax and Copy	Wireless, Print, Scan, Fax and Copy	Wireless, Print, Scan, Fax and Copy
Print				
Technology	HP Thermal Inkjet	HP Thermal Inkjet	HP Thermal Inkjet	HP Thermal Inkjet
Duplex print options	Automatic (standard)	Automatic (standard)	Automatic (standard)	Automatic (standard)
Speed ¹²	Black: Up to 36 ppm (draft, A4); Up to 24 ppm (ISO); Colour: Up to 36 ppm (draft, A4); Up to 20 ppm (ISO)	Black: Up to 36 ppm (draft, A4); Up to 24 ppm (ISO)	Black: Up to 36 ppm (draft, A4); Up to 24 ppm (ISO); Colour: Up to 36 ppm (draft, A4); Up to 20 ppm (ISO)	Black: Up to 36 ppm (draft, A4); Up to 24 ppm (ISO); Colour: Up to 36 ppm (draft, A4); Up to 20 ppm (ISO)
First page out (A4, ready) ¹³	Black: As fast as 10 seconds; Colour: As fast as 11 seconds	Black: As fast as 10 seconds	Black: As fast as 10 seconds; Colour: As fast as 11 seconds	Black: As fast as 10 seconds; Colour: As fast as 11 seconds
Resolution	Black (best): 1200 x 1200 rendered dpi; Colour (best): Up to 2400 x 1200 optimised dpi on HP Advance Photo Paper 600 x 600 dpi input	Black (best): Up to 1200 x 1200 optimised dpi on plain paper from 600 x 600 input dpi	Black (best): 1200 x 1200 rendered dpi; Colour (best): Up to 2400 x 1200 optimised dpi on HP Advance Photo Paper 600 x 600 dpi input	Black (best): 1200 x 1200 rendered dpi; Colour (best): Up to 2400 x 1200 optimised dpi on HP Advance Photo Paper 600 x 600 dpi input
Languages	HP PCLXL (PCL6), PCL5, native PDF, HP Postscript Level 3 emulation	HP PCLXL (PCL6), PCL5, native PDF, HP Postscript Level 3 emulation	HP PCLXL (PCL6), PCL5, native PDF, HP Postscript Level 3 emulation	HP PCLXL (PCL6), PCL5, native PDF, HP Postscript Level 3 emulation
Borderless printing	Yes, (Up to 210 x 297 mm)	Yes (Up to 210 x 297 mm)	Yes (Up to 210 x 297 mm)	Yes (Up to 210 x 297 mm)
Wireless capability	Yes, built-in Wi-Fi 802.11b/g/n	Yes, built-in Wi-Fi 802.11b/g/n	Yes, built-in Wi-Fi 802.11b/g/n	Yes, built-in Wi-Fi 802.11b/g/n
Mobile printing capability ¹⁴	HP ePrint; Apple AirPrint™; Mopria™-certified; Wireless Direct Printing	HP ePrint; Apple AirPrint™; Mopria™-certified; Wireless Direct Printing	HP ePrint; Apple AirPrint™; Mopria™-certified; Wireless Direct Printing	HP ePrint; Apple AirPrint™; Mopria™-certified; Wireless Direct Printing
Ink types	Pigment based Black & Colour	Pigment based Black	Pigment based Black & Colour	Pigment based Black & Colour
Scan				
Type	Flatbed, ADF	Flatbed, ADF	Flatbed, ADF	Flatbed, ADF
Technology	Contact Image Sensor (CIS)	Contact Image Sensor (CIS)	Contact Image Sensor (CIS)	Contact Image Sensor (CIS)
Resolution	Hardware: Up to 1200 x 1200 dpi; Optical: Up to 1200 dpi; Enhanced: Up to 1200 dpi	Hardware: Up to 1200 x 1200 dpi; Optical: Up to 1200 dpi; Enhanced: Up to 1200 dpi	Hardware: Up to 1200 x 1200 dpi; Optical: Up to 1200 dpi; Enhanced: Up to 1200 dpi	Hardware: Up to 1200 x 1200 dpi; Optical: Up to 1200 dpi; Enhanced: Up to 1200 dpi
Max scanning size	Flatbed: 216 x 356 mm; ADF: 215 x 355 mm	Flatbed: 216 x 356 mm; ADF: 215 x 355 mm	Flatbed: 216 x 356 mm; ADF: 215 x 355 mm	Flatbed: 216 x 356 mm; ADF: 215 x 355 mm
Input modes	Front-panel scan, copy, fax, or from software	Front-panel scan, copy, fax, or from software	Front-panel scan, copy, fax, or from software	Front-panel scan, copy, fax, or from software
Grayscale levels	256	256	256	256
Bit depth	24-bit	24-bit	24-bit	24-bit
File format	Scan File Type supported by Software: Bitmap (bmp), JPEG (.jpg), PDF (.pdf), PNG (.png), Rich Text (.rtf), Searchable PDF (.pdf), Text (.txt), TIFF (.tif)	Scan File Type supported by Software: Bitmap (bmp), JPEG (.jpg), PDF (.pdf), PNG (.png), Rich Text (.rtf), Searchable PDF (.pdf), Text (.txt), TIFF (.tif)	Scan File Type supported by Software: Bitmap (bmp), JPEG (.jpg), PDF (.pdf), PNG (.png), Rich Text (.rtf), Searchable PDF (.pdf), Text (.txt), TIFF (.tif)	Scan File Type supported by Software: Bitmap (bmp), JPEG (.jpg), PDF (.pdf), PNG (.png), Rich Text (.rtf), Searchable PDF (.pdf), Text (.txt), TIFF (.tif)
Copy				
Speed	Black: Up to 22 cpm (ISO); Colour: Up to 16 cpm (ISO)	Black: Up to 22 cpm (ISO)	Black: Up to 22 cpm (ISO); Colour: Up to 16 cpm (ISO)	Black: Up to 22 cpm (ISO); Colour: Up to 16 cpm (ISO)
Resolution	Black (text and Graphics): Up to 600 dpi; Colour (text and graphics): Up to 600 dpi	Black (text and Graphics): Up to 600 dpi; Colour (text and graphics): Up to 600 dpi	Black (text and Graphics): Up to 600 dpi; Colour (text and graphics): Up to 600 dpi	Black (text and Graphics): Up to 600 dpi; Colour (text and graphics): Up to 600 dpi
Max copies	Up to 99 copies	Up to 99 copies	Up to 99 copies	Up to 99 copies
Fax				
Resolution	Black (standard): 203 x 98 dpi; Colour (standard): 200 x 200 dpi	Black (standard): 203 x 98 dpi	Black (standard): 203 x 98 dpi; Colour (standard): 200 x 200 dpi	Black (standard): 203 x 98 dpi; Colour (standard): 200 x 200 dpi
Transmission speed	4 secs per page	4 secs per page	4 secs per page	4 secs per page
Memory	100 pages	100 pages	100 pages	100 pages
Display	10.92 cm (4.3") CGD touchscreen	10.92 cm (4.3") CGD touchscreen	10.92 cm (4.3") CGD touchscreen	10.92 cm (4.3") CGD touchscreen
Media				
Automatic document feeder	Standard, 50 sheets	Standard, 50 sheets	Standard, 50 sheets	Standard, 50 sheets
Duty cycle (monthly, A4) ¹⁵	Up to 30,000 pages	Up to 30,000 pages	Up to 30,000 pages	Up to 30,000 pages
Recommended monthly volume	250 to 2,000 pages	250 to 2,000 pages	250 to 2,000 pages	250 to 2,000 pages
Paper handling	250-sheet input tray, 150-sheet output tray; Optional 250-sheet input tray	250-sheet input tray, 150-sheet output tray; Optional 250-sheet input tray	250-sheet input tray, 150-sheet output tray; Optional 250-sheet input tray	250-sheet input tray, 150-sheet output tray; Optional 250-sheet input tray
Supported sizes	A4; A5; A6; B5 (US); Envelope (DL, C5, C6, Chou #3, Chou #4); Card (Hagaki, Ofuku Hagaki)	A4; A5; A6; B5 (US); Envelope (DL, C5, C6, Chou #3, Chou #4); Card (Hagaki, Ofuku Hagaki)	A4; A5; A6; B5 (US); Envelope (DL, C5, C6, Chou #3, Chou #4); Card (Hagaki, Ofuku Hagaki)	A4; A5; A6; B5 (US); Envelope (DL, C5, C6, Chou #3, Chou #4); Card (Hagaki, Ofuku Hagaki)
Supported weights	Not available	Not available	Not available	Not available
Recommended weights	60 to 105 g/m ² (plain); 220 to 280 g/m ² (photo); 75 to 90 g/m ² (envelope); 163 to 200 g/m ² (card)	60 to 105 g/m ² (plain); 220 to 280 g/m ² (photo); 75 to 90 g/m ² (envelope); 163 to 200 g/m ² (card)	60 to 105 g/m ² (plain); 220 to 280 g/m ² (photo); 75 to 90 g/m ² (envelope); 163 to 200 g/m ² (card)	60 to 105 g/m ² (plain); 220 to 280 g/m ² (photo); 75 to 90 g/m ² (envelope); 163 to 200 g/m ² (card)
Types	Plain; HP EcoFFICIENT; HP Premium Presentation Matte 120g; HP Tri-fold Brochure Glossy 180g; HP Brochure Matte 180g; HP Brochure Glossy 180g; HP Advanced Photo Papers; Light 60-74g Intermediate 85-95g; Cardstock; Thick Plain Paper; Letterhead	Plain; HP EcoFFICIENT; HP Premium Presentation Matte 120g; HP Tri-fold Brochure Glossy 180g; HP Brochure Matte 180g; HP Brochure Glossy 180g; HP Advanced Photo Papers; Light 60-74g Intermediate 85-95g; Cardstock; Thick Plain Paper; Letterhead	Plain; HP EcoFFICIENT; HP Premium Presentation Matte 120g; HP Tri-fold Brochure Glossy 180g; HP Brochure Matte 180g; HP Brochure Glossy 180g; HP Advanced Photo Papers; Light 60-74g Intermediate 85-95g; Cardstock; Thick Plain Paper; Letterhead	Plain; HP EcoFFICIENT; HP Premium Presentation Matte 120g; HP Tri-fold Brochure Glossy 180g; HP Brochure Matte 180g; HP Brochure Glossy 180g; HP Advanced Photo Papers; Light 60-74g Intermediate 85-95g; Cardstock; Thick Plain Paper; Letterhead
Processor	1.2 Ghz	1.2 Ghz	1.2 Ghz	1.2 Ghz
Memory (Std)	512MB	512MB	512MB	512MB
Operating system compatibility	Windows 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer. Windows Vista (32-bit only), 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XP SP3 or higher (32-bit only); any Intel Pentium II, Celeron or 233 MHz compatible processor; 850 MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Apple OS X v10.11 El Capitan, OS X v10.10 Yosemite, OS X v10.9 Mavericks; 1 GB HD; Internet required; USB Linux (For more information, see hplipopenoffice.org/hplip-web/index.html)	Windows 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer. Windows Vista (32-bit only), 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XP SP3 or higher (32-bit only); any Intel Pentium II, Celeron or 233 MHz compatible processor; 850 MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Apple OS X v10.11 El Capitan, OS X v10.10 Yosemite, OS X v10.9 Mavericks; 1 GB HD; Internet required; USB Linux (For more information, see hplipopenoffice.org/hplip-web/index.html)	Windows 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer. Windows Vista (32-bit only), 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XP SP3 or higher (32-bit only); any Intel Pentium II, Celeron or 233 MHz compatible processor; 850 MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Apple OS X v10.11 El Capitan, OS X v10.10 Yosemite, OS X v10.9 Mavericks; 1 GB HD; Internet required; USB Linux (For more information, see hplipopenoffice.org/hplip-web/index.html)	Windows 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer. Windows Vista (32-bit only), 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XP SP3 or higher (32-bit only); any Intel Pentium II, Celeron or 233 MHz compatible processor; 850 MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Apple OS X v10.11 El Capitan, OS X v10.10 Yosemite, OS X v10.9 Mavericks; 1 GB HD; Internet required; USB Linux (For more information, see hplipopenoffice.org/hplip-web/index.html)
Environmental				
Operating environment	Operating temperature range: 5 to 40° C; Recommended operating temperature range: 15 to 32° C; Operating humidity range: 20 to 80% RH; Recommended operating humidity range: 25 to 75% RH; Storage temperature range: -40 to 60° C; Energy Savings Feature Technology: Schedule On and Schedule Off	Operating temperature range: 5 to 40° C; Recommended operating temperature range: 15 to 32° C; Operating humidity range: 20 to 80% RH; Recommended operating humidity range: 25 to 75% RH; Storage temperature range: -40 to 60° C; Energy Savings Feature Technology: Schedule On and Schedule Off	Operating temperature range: 5 to 40° C; Recommended operating temperature range: 15 to 32° C; Operating humidity range: 20 to 80% RH; Recommended operating humidity range: 25 to 75% RH; Storage temperature range: -40 to 60° C; Energy Savings Feature Technology: Schedule On and Schedule Off	Operating temperature range: 5 to 40° C; Recommended operating temperature range: 15 to 32° C; Operating humidity range: 20 to 80% RH; Recommended operating humidity range: 25 to 75% RH; Storage temperature range: -40 to 60° C; Energy Savings Feature Technology: Schedule On and Schedule Off
Acoustics	Acoustic Power Emissions: 6.8 B(A) (printing at 20 ppm); Acoustic pressure emissions: 59 dB(A) (draft printing at 20 ppm)	Acoustic Power Emissions: 6.8 B(A) (printing at 20 ppm); Acoustic pressure emissions: 59 dB(A) (draft printing at 20 ppm)	Acoustic Power Emissions: 6.8 B(A) (printing at 20 ppm); Acoustic pressure emissions: 59 dB(A) (draft printing at 20 ppm)	Acoustic Power Emissions: 6.8 B(A) (printing at 20 ppm); Acoustic pressure emissions: 59 dB(A) (draft printing at 20 ppm)
Power specifications	Power supply type: Internal (Built-in) Universal Power Supply; Power supply required: Input voltage: 100 to 240 VAC (+/- 10%), 50/60 Hz; Power consumption¹⁶: 35 watts maximum, 0.14 watts (Manual-Off), 7.20 watts (Standby), 1.30 watts (Sleep)	Power supply type: Internal (Built-in) Universal Power Supply; Power supply required: Input voltage: 100 to 240 VAC (+/- 10%), 50/60 Hz; Power consumption¹⁶: 35 watts maximum, 0.14 watts (Manual-Off), 7.20 watts (Standby), 1.30 watts (Sleep)	Power supply type: Internal (Built-in) Universal Power Supply; Power supply required: Input voltage: 100 to 240 VAC (+/- 10%), 50/60 Hz; Power consumption¹⁶: 35 watts maximum, 0.14 watts (Manual-Off), 7.20 watts (Standby), 1.30 watts (Sleep)	Power supply type: Internal (Built-in) Universal Power Supply; Power supply required: Input voltage: 100 to 240 VAC (+/- 10%), 50/60 Hz; Power consumption¹⁶: 35 watts maximum, 0.14 watts (Manual-Off), 7.20 watts (Standby), 1.30 watts (Sleep)
Connectivity	1 USB 2.0; 1 Host USB; 1 Ethernet; 1 Wireless 802.11b/g/n; 2 RJ-11 modem ports	1 USB 2.0; 1 Host USB; 1 Ethernet; 1 Wireless 802.11b/g/n; 2 RJ-11 modem ports	1 USB 2.0; 1 Host USB; 1 Ethernet; 1 Wireless 802.11b/g/n; 2 RJ-11 modem ports	1 USB 2.0; 1 Host USB; 1 Ethernet; 1 Wireless 802.11b/g/n; 2 RJ-11 modem ports
Dimension (W x D x H) ¹⁸	499.5 x 449.7 x 327.3 mm (desktop footprint); 499.5 x 530.1 x 327.3 mm (duplexer built-in, output tray no need to extend)	499.5 x 449.7 x 327.3 mm (desktop footprint); 499.5 x 530.1 x 327.3 mm (duplexer built-in, output tray no need to extend)	499.5 x 439.3 x 410.5 mm (desktop footprint); 499.5 x 530.1 x 410.5 mm (duplexer built-in, output tray no need to extend)	499.5 x 439.3 x 410.5 mm (desktop footprint); 499.5 x 530.1 x 410.5 mm (duplexer built-in, output tray no need to extend)
Weight ¹⁷	15.2 kg	15.2 kg	18.46 kg	18.46 kg
Warranty	1 Year Limited Warranty (Return to HP/Dealer - Unit Exchange)	1 Year Limited Warranty (Return to HP/Dealer - Unit Exchange)	1 Year Limited Warranty (Return to HP/Dealer - Unit Exchange)	1 Year Limited Warranty (Return to HP/Dealer - Unit Exchange)
What's in the box	HP OfficeJet Pro 8730 All-in-One Printer; Setup cartridges; Power cord; Phone cord; Setup poster; Ethernet cable; USB cable.	HP OfficeJet Pro 8730M All-in-One Printer; Setup cartridges; Power cord; Phone cord; Setup poster; Ethernet cable; USB cable.	HP OfficeJet Pro 8740 All-in-One Printer; Setup Cartridges; Power cord; Phone cord; Setup poster.	HP OfficeJet Pro 8745 All-in-One Printer; Setup Cartridges; Power cord; Phone cord; Setup poster.
Printer series	HP OfficeJet Pro 8730 All-in-One Printer (D9L20A)	HP OfficeJet Pro 8732 All-in-One Printer Mono (T0G56A) (India only)	HP OfficeJet Pro 8740 All-in-One Printer (D9L21A) (SPAC only)	HP OfficeJet Pro 8745 All-in-One Printer (K7543A) (SPAC only)
HP Care Packs	HP 3-yr Next Business Day Exchange OfficeJet Pro Printer - E Svc (UG075E) HP 3-yr Onsite Exchange OfficeJet Pro Printer - E Svc (UG470E) HP 3-yr Pickup Retention OfficeJet Pro Printer - E Svc (UG350E)	HP 3-yr Next Business Day Exchange OfficeJet Pro Printer - E Svc (UG075E) HP 3-yr Onsite Exchange OfficeJet Pro Printer - E Svc (UG470E) HP 3-yr Pickup Retention OfficeJet Pro Printer - E Svc (UG350E)	HP 3-yr Next Business Day Exchange OfficeJet Pro Printer - E Svc (UG075E) HP 3-yr Onsite Exchange OfficeJet Pro Printer - E Svc (UG470E) HP 3-yr Pickup Retention OfficeJet Pro Printer - E Svc (UG350E)	HP 3-yr Next Business Day Exchange OfficeJet Pro Printer - E Svc (UG075E) HP 3-yr Onsite Exchange OfficeJet Pro Printer - E Svc (UG470E) HP 3-yr Pickup Retention OfficeJet Pro Printer - E Svc (UG350E)
Recommended Papers	HP Professional Inkjet Paper, Glossy, A4, 50 sheets, 180 gsm (C6818A) HP Professional Inkjet Paper, Matte, A4, 200 sheets, 120 gsm (Q6593A) HP Professional Inkjet Paper, Matte, A3, 100 sheets, 120 gsm (Q6594A)	HP Professional Inkjet Paper, Glossy, A4, 50 sheets, 180 gsm (C6818A) HP Professional Inkjet Paper, Matte, A4, 200 sheets, 120 gsm (Q6593A) HP Professional Inkjet Paper, Matte, A3, 100 sheets, 120 gsm (Q6594A)	HP Professional Inkjet Paper, Glossy, A4, 50 sheets, 180 gsm (C6818A) HP Professional Inkjet Paper, Matte, A4, 200 sheets, 120 gsm (Q6593A) HP Professional Inkjet Paper, Matte, A3, 100 sheets, 120 gsm (Q6594A)	HP Professional Inkjet Paper, Glossy, A4, 50 sheets, 180 gsm (C6818A) HP Professional Inkjet Paper, Matte, A4, 200 sheets, 120 gsm (Q6593A) HP Professional Inkjet Paper, Matte, A3, 100 sheets, 120 gsm (Q6594A)
Supplies compatibility	HP 955 Black Original Ink Cartridge (L0560AA) HP 955 Cyan Original Ink Cartridge (L0551AA) HP 955 Magenta Original Ink Cartridge (L0554AA) HP 955 Yellow Original Ink Cartridge (L0557AA) HP 955XL High Yield Black Original Ink Cartridge (L0572AA) HP 955XL High Yield Cyan Original Ink Cartridge (L0563AA) HP 955XL High Yield Magenta Original Ink Cartridge (L0566AA) HP 955XL High Yield Yellow Original Ink Cartridge (L0569AA) HP 959XL High Yield Black Original Ink Cartridge (L0R42AA)	HP 955 Black Original Ink Cartridge (L0560AA) HP 955XL High Yield Black Original Ink Cartridge (L0572AA) HP 959XL High Yield Black Original Ink Cartridge (L0R42AA)	HP 955 Black Original Ink Cartridge (L0560AA) HP 955 Cyan Original Ink Cartridge (L0551AA) HP 955 Magenta Original Ink Cartridge (L0554AA) HP 955 Yellow Original Ink Cartridge (L0557AA) HP 955XL High Yield Black Original Ink Cartridge (L0572AA) HP 955XL High Yield Cyan Original Ink Cartridge (L0563AA) HP 955XL High Yield Magenta Original Ink Cartridge (L0566AA) HP 955XL High Yield Yellow Original Ink Cartridge (L0569AA) HP 959XL High Yield Black Original Ink Cartridge (L0R42AA)	HP 955 Black Original Ink Cartridge (L0560AA) HP 955 Cyan Original Ink Cartridge (L0551AA) HP 955 Magenta Original Ink Cartridge (L0554AA) HP 955 Yellow Original Ink Cartridge (L0557AA) HP 955XL High Yield Black Original Ink Cartridge (L0572AA) HP 955XL High Yield Cyan Original Ink Cartridge (L0563AA) HP 955XL High Yield Magenta Original Ink Cartridge (L0566AA) HP 955XL High Yield Yellow Original Ink Cartridge (L0569AA) HP 959XL High Yield Black Original Ink Cartridge (L0R42AA)

HP OfficeJet and OfficeJet Pro Printers

March 2018 Edition



Technical Specifications



	HP OfficeJet 200 Printer	HP OfficeJet 250 All-in-One Printer	HP OfficeJet 258 All-in-One Printer
Product Description	Make the world your office with powerful portable printing—no network necessary. ⁹ This quick, quiet printer delivers more pages per cartridge and has a long-lasting battery life. ¹⁰	Print, scan, and copy from nearly anywhere with this portable all-in-one. Easily connect to your printer with Bluetooth® Smart technology and Wi-Fi Direct®. ^{11,12} This quiet workhorse has a long battery life and delivers the most pages. ¹⁰	Print, scan, and copy with this compact, portable all-in-one with a 10-sheet automatic document feeder. Easily connect and print from your mobile device using Bluetooth® Smart technology and Wi-Fi Direct®—no network required. ^{11,12}
Number of users	1-3 Users	1-3 Users	1-3 Users
Function	Print only	Wireless, Print, Scan and Copy	Wireless, Print, Scan and Copy
Technology	HP Thermal Inkjet	HP Thermal Inkjet	HP Thermal Inkjet
Duplex print options	Manual (driver support provided)	Manual (driver support provided)	Manual (driver support provided)
Speed¹²	Black: On AC: up to 20 ppm, On Battery: up to 18 ppm (draft, A4); On AC: up to 10 ppm, On Battery: up to 9 ppm (ISO, laser-comparable); Colour: On AC: up to 19 ppm, On Battery: up to 17 ppm (draft, A4); On AC: up to 7 ppm, On Battery: up to 6 ppm (ISO, laser-comparable)	Black: On AC: up to 20 ppm; On Battery: up to 18 ppm (draft, A4); On AC: up to 10 ppm; On Battery: up to 9 ppm (ISO, laser-comparable); Colour: On AC: up to 19 ppm; On Battery: up to 17 ppm (draft, A4); On AC: up to 7 ppm; On Battery: up to 6 ppm (ISO, laser-comparable)	Black: On AC: up to 20 ppm; On Battery: up to 18 ppm (draft, A4); On AC: up to 10 ppm; On Battery: up to 9 ppm (ISO, laser-comparable); Colour: On AC: up to 19 ppm; On Battery: up to 17 ppm (draft, A4); On AC: up to 7 ppm; On Battery: up to 6 ppm (ISO, laser-comparable)
First page out (A4, ready)¹³	Black: On AC: As fast as 12 seconds, On Battery: as fast as 12 seconds; Colour: On AC: As fast as 14 seconds, On Battery: as fast as 15 seconds	Black: On AC: as fast as 11 seconds; On Battery: as fast as 11 seconds; Colour: On AC: as fast as 13 seconds; On Battery: as fast as 14 seconds	Black: On AC: as fast as 11 seconds; On Battery: as fast as 11 seconds; Colour: On AC: as fast as 13 seconds; On Battery: as fast as 14 seconds
Resolution	Black (best): Up to 1200 x 1200 rendered dpi; Colour (best): Up to 4800 by 1200 optimised dpi on HP Advance Photo Paper 1200 by 1200 dpi input	Black (best): Up to 1200 x 1200 rendered dpi; Colour (best): Up to 4800 by 1200 optimised dpi on HP Advance Photo Paper 1200 by 1200 dpi input	Black (best): Up to 1200 x 1200 rendered dpi; Colour (best): Up to 4800 by 1200 optimised dpi on HP Advance Photo Paper 1200 by 1200 dpi input
Languages	HP PCL 3 GUI	HP PCL 3 GUI	HP PCL 3 GUI
Borderless printing	Yes (127 x 177 mm)	Yes (127 x 177 mm)	Yes (127 x 177 mm)
Wireless capability	Yes, via built-in wireless	Yes. Wireless, wifi direct & BLE	Yes. Wireless, wifi direct & BLE
Mobile printing capability¹⁴	HP ePrint; Wireless Direct Printing	HP ePrint	HP ePrint
Ink types	Dye-based (colour), pigment-based (black)	Dye-based (colour), pigment-based (black)	Dye-based (colour), pigment-based (black)
Scan			
Type	No	Sheet-feed	Sheet-feed
Technology	No	Contact Image Sensor (CIS)	Contact Image Sensor (CIS)
Resolution	No	Hardware: Up to 600 x 600 dpi; Optical: Up to 600 dpi; Enhanced: Up to 600 dpi	Hardware: Up to 600 x 600 dpi; Optical: Up to 600 dpi; Enhanced: Up to 600 dpi
Max scanning size	No	Flatbed: 216 x 356 mm	Flatbed: 216 x 356 mm
Input modes	No	Front-panel scan, copy; HP Officejet 250 Mobile AIO SW Driver: HP AIO apps in mobile device.	Front-panel scan, copy; HP Officejet 250 Mobile AIO SW Driver: HP AIO apps in mobile device.
Grayscale levels	No	256	256
Bit depth	No	24-bit	24-bit
Input format	No	Scan File Type supported by Software: Bitmap (bmp), JPEG (.jpg), PDF (.pdf), PNG (.png), Rich Text (.rtf), Searchable PDF (.pdf), Text (.txt), TIFF (.tif)	Scan File Type supported by Software: Bitmap (bmp), JPEG (.jpg), PDF (.pdf), PNG (.png), Rich Text (.rtf), Searchable PDF (.pdf), Text (.txt), TIFF (.tif)
Copy			
Speed	No	Black: On AC: up to 8 ppm; On Battery: up to 7 ppm ISO; Colour: On AC: up to 4 ppm; On Battery: up to 3 ppm ISO	Black: On AC: up to 8 ppm; On Battery: up to 7 ppm ISO; Colour: On AC: up to 4 ppm; On Battery: up to 3 ppm ISO
Resolution	No	Black (text and graphics): Up to 600 dpi; Colour (text and graphics): Up to 600 dpi	Black (text and graphics): Up to 600 dpi; Colour (text and graphics): Up to 600 dpi
Max copies	No	Up to 50 copies	Up to 50 copies
Fax			
Resolution	No	No	No
Transmission speed	No	No	No
Memory	No	No	No
Display	5.08 cm (2.0") MGD (Monochrome Graphic Display)	6.7 cm (2.65") CGD Display, IR Touch	6.7 cm (2.65") CGD Display, IR Touch
Media			
Automatic document feeder	No	Up to 10 sheets	Up to 10 sheets
Duty cycle (monthly, A4)¹⁵	Up to 500 pages	Up to 500 pages	Up to 500 pages
Recommended monthly volume	100 to 300 pages	100 to 300 pages	100 to 300 pages
Paper handling	50-sheet input tray	50-sheet input tray	50-sheet input tray
Supported sizes	A4; A5 ; A6; B5 (ISO); B5 (JIS); envelopes (A2; C5; C6; DL); photo (10 x 15 cm; L; 2L); Japanese Postcard; Ofuku Hagaki	A4; A5 ; A6; B5 (ISO); B5 (JIS); envelopes (A2; C5; C6; DL); photo (10 x 15 cm; L; 2L); Japanese Postcard; Ofuku Hagaki	A4; A5 ; A6; B5 (ISO); B5 (JIS); envelopes (A2; C5; C6; DL); photo (10 x 15 cm; L; 2L); Japanese Postcard; Ofuku Hagaki
Supported weights	60 to 300 g/m ²	60 to 300 g/m ²	60 to 300 g/m ²
Recommended weights	75 g/m ²	75 g/m ²	75 g/m ²
Types	Plain Paper; HP Photo Papers; HP Matte Brochure or Professional Paper; HP Matte Presentation Paper; HP Glossy Brochure or Professional Paper; Other Photo Inkjet Papers, Other Matte Inkjet Papers, Other Glossy Inkjet Papers, Plain Paper, Light/Recycled	Plain Paper; HP Photo Papers; HP Matte Brochure or Professional Paper; HP Matte Presentation Paper; HP Glossy Brochure or Professional Paper; Other Photo Inkjet Papers; Other Matte Inkjet Papers; Other Glossy Inkjet Papers; Plain Paper, Light/Recycled	Plain Paper; HP Photo Papers; HP Matte Brochure or Professional Paper; HP Matte Presentation Paper; HP Glossy Brochure or Professional Paper; Other Photo Inkjet Papers; Other Matte Inkjet Papers; Other Glossy Inkjet Papers; Plain Paper, Light/Recycled
Processor	525 MHz	700 MHz	700 MHz
Memory (Std)	128 MB DDR3	256 MB DDR3	256 MB DDR3
Operating system compatibility	Windows 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer. Windows Vista: (32-bit only), 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XP SP3 or higher (32-bit only); any Intel Pentium II, Celeron or 233 MHz compatible processor, 850 MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Apple OS X Yosemite (v10.10) OS X Mavericks (v10.9), OS X Mountain Lion (v10.8); 1 GB HD; Internet required; USB Linux (For more information, see http://open-source.com/hp/wi-fi/index.html)	Windows 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer. Windows Vista: (32-bit only), 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XP SP3 or higher (32-bit only); any Intel Pentium II, Celeron or 233 MHz compatible processor, 850 MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Apple OS X v10.11 El Capitan, OS X v10.10 Yosemite, OS X v10.9 Mavericks; 1 GB HD; Internet required; USB Linux (For more information, see http://open-source.com/hp/wi-fi/index.html)	Windows 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer. Windows Vista: (32-bit only), 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XP SP3 or higher (32-bit only); any Intel Pentium II, Celeron or 233 MHz compatible processor, 850 MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Apple OS X v10.11 El Capitan, OS X v10.10 Yosemite, OS X v10.9 Mavericks; 1 GB HD; Internet required; USB Linux (For more information, see http://open-source.com/hp/wi-fi/index.html)
Environmental			
Operating environment	Operating temperature range: 5 to 40° C; Recommended operating temperature range: 15 to 30° C; Operating humidity range: 15 to 95% RH; Recommended operating humidity range: 15 to 90% RH; Storage temperature range: -40 to 60° C	Operating temperature range: 5 to 40° C; Recommended operating temperature range: 15 to 30° C; Operating humidity range: 15 to 90% RH; Recommended operating humidity range: 20 to 80% RH; Storage temperature range: -40 to 60° C	Operating temperature range: 5 to 40° C; Recommended operating temperature range: 15 to 30° C; Operating humidity range: 15 to 90% RH; Recommended operating humidity range: 20 to 80% RH; Storage temperature range: -40 to 60° C
Acoustics	Acoustic Power Emissions: 5.4 B(A) (Best), 6.0 B(A) (Normal), 6.2 B(A) (Fast Draft); Acoustic pressure emissions: 42 dB(A) (Best), 47 dB(A) (Normal), 49 dB(A) (Fast Draft)	Acoustic Power Emissions: 5.7 B(A) (Best), 6.0 B(A) (Normal), 6.2 B(A) (Fast Draft); Acoustic pressure emissions: 50.7 dB(A) (Best), 54.5 dB(A) (Normal), 57.2 dB(A) (Fast Draft)	Acoustic Power Emissions: 5.7 B(A) (Best), 6.0 B(A) (Normal), 6.2 B(A) (Fast Draft); Acoustic pressure emissions: 50.7 dB(A) (Best), 54.5 dB(A) (Normal), 57.2 dB(A) (Fast Draft)
Power specifications	Power supply type: Built-in universal power supply; Power supply required: Input voltage: 100 to 240 VAC, 50 to 60 Hz; 200 to 240 VAC, 50 to 60 Hz; Power consumption: ¹⁶ 15 watts (Active), 0.17 watts (Manual-Off), 3.9 watts (Standby), 1.14 watts (Sleep)	Power supply type: Built-in universal power supply; Power supply required: Input voltage: 100 to 240 VAC, 50 to 60 Hz; 200 to 240 VAC, 50 to 60 Hz; Power consumption: ¹⁶ 0.14 watts (Manual-Off), 3.4 watts (Standby), 0.81 watts (Sleep)	Power supply type: Built-in universal power supply; Power supply required: Input voltage: 100 to 240 VAC, 50 to 60 Hz; 200 to 240 VAC, 50 to 60 Hz; Power consumption: ¹⁶ 0.14 watts (Manual-Off), 3.4 watts (Standby), 0.81 watts (Sleep)
Connectivity	1 USB 2.0 + Wi-Fi	1 USB 2.0 device; 1 USB 2.0 host; 1 wireless; 1 wifi direct; 1 BLE	1 USB 2.0 device; 1 USB 2.0 host; 1 wireless; 1 wifi direct; 1 BLE
Dimension (W x D x H)¹⁷	364 x 186 x 69 mm	380.2 x 198.3 x 91.3 mm	380.2 x 198.3 x 91.3 mm
Weight¹⁷	2.1 kg (2.2 kg - with battery)	2.96 kg (3.06 kg with Battery)	2.96 kg (3.06 kg with Battery)
Warranty	1 Year Limited Warranty (Return to HP/Dealer - Unit Exchange)	1 Year Limited Warranty (Return to HP/Dealer - Unit Exchange)	1 Year Limited Warranty (Return to HP/Dealer - Unit Exchange)
What's in the box	HP OfficeJet 200 Mobile Printer; Setup cartridges, SW CD, Setup Poster, Power Cord, Rechargeable Battery	HP OfficeJet 250 Mobile All-in-One Printer; Setup Cartridges Software CD; Setup Poster; Power Cord Rechargeable Battery	HP OfficeJet 258 Mobile All-in-One Printer; Setup Cartridges Software CD; Setup Poster; Power Cord Rechargeable Battery
Printer series	HP OfficeJet 200 Printer (CZ993A)	HP OfficeJet 250 All-in-One Printer (CZ992A)	HP OfficeJet 258 All-in-One Printer (N4L17A) (China only)
HP Care Packs	HP 3-yr Next Business Day Exchange OfficeJet Pro Printer - E Svc (UG073E) HP 3-yr Onsite Exchange OfficeJet Pro Printer - E Svc (UG468E) HP 3-yr Pickup Retention OfficeJet Pro Printer - E Svc (UG348E)	HP 3-yr Next Business Day Exchange OfficeJet Pro Printer - E Svc (UG073E) HP 3-yr Onsite Exchange OfficeJet Pro Printer - E Svc (UG468E) HP 3-yr Pickup Retention OfficeJet Pro Printer - E Svc (UG348E)	HP 3-yr Next Business Day Exchange OfficeJet Pro Printer - E Svc (UG073E) HP 3-yr Onsite Exchange OfficeJet Pro Printer - E Svc (UG468E) HP 3-yr Pickup Retention OfficeJet Pro Printer - E Svc (UG348E)
Recommended Papers	HP Professional Inkjet Paper, Glossy, A4, 50 sheets, 180 gsm (C6818A) HP Professional Inkjet Paper, Matte, A4, 200 sheets, 120 gsm (Q6593A) HP Professional Inkjet Paper, Matte, A3, 100 sheets, 120 gsm (Q6594A)	HP Professional Inkjet Paper, Glossy, A4, 50 sheets, 180 gsm (C6818A) HP Professional Inkjet Paper, Matte, A4, 200 sheets, 120 gsm (Q6593A) HP Professional Inkjet Paper, Matte, A3, 100 sheets, 120 gsm (Q6594A)	HP Professional Inkjet Paper, Glossy, A4, 50 sheets, 180 gsm (C6818A) HP Professional Inkjet Paper, Matte, A4, 200 sheets, 120 gsm (Q6593A) HP Professional Inkjet Paper, Matte, A3, 100 sheets, 120 gsm (Q6594A)
Supplies compatibility	HP 62 Tri-colour Original Ink Cartridge (C2P06AA) HP 62 Black Original Ink Cartridge (C2P04AA) HP 62XL High Yield Tri-colour Original Ink Cartridge (C2P07AA) HP 62XL High Yield Black Original Ink Cartridge (C2P05AA)	HP 62 Tri-colour Original Ink Cartridge (C2P06AA) HP 62 Black Original Ink Cartridge (C2P04AA) HP 62XL High Yield Tri-colour Original Ink Cartridge (C2P07AA) HP 62XL High Yield Black Original Ink Cartridge (C2P05AA)	HP 62 Tri-colour Original Ink Cartridge (C2P06AA) HP 62 Black Original Ink Cartridge (C2P04AA) HP 62XL High Yield Tri-colour Original Ink Cartridge (C2P07AA) HP 62XL High Yield Black Original Ink Cartridge (C2P05AA)

¹ Cost-per-page (CPP) claim compares the majority of multi-pass colour laser printers <\$300 USD as of February 2014, based on market share as reported by Q4 2013 IDC. CPP for laser supplies are based on published specifications of the manufacturers' highest-capacity cartridges. HP OfficeJet Pro CPP based on HP 934X/935X ink cartridges estimated street price, published yield, and continuous printing. Actual prices may vary. Actual yields may vary based on images printed and other factors. For more information, see <http://go.com/go/learnaboutsupplies>. ² Local printing requires mobile device and printer to be on the same wireless network or have a direct wireless connection. Wireless performance is dependent on physical environment and distance from access point. Wireless operations are compatible with 2.4 GHz operations only. Remote printing requires an Internet connection to an HP web-connected printer. App or software and HP ePrint account registration may also be required. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. See <http://go.com/go/mobileprinting> for more details. ³ In comparison to the majority of consumer/home office inkjet all-in-one printers - \$399 USD as of November 2014, based on market share as reported by IDC as of Q3 2014, and typical time to set up and/or presence of preloaded plug-in. App download required for printer setup. Local printing requires mobile device and printer to be on the same network or have a direct wireless connection to the printer. Wireless performance is dependent on physical environment and distance from access point. Wireless operations are compatible with 2.4 GHz operations only. Remote printing requires an Internet connection to an HP web-connected printer. App or software and HP ePrint account registration may also be required. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. See <http://go.com/go/mobileprinting> for more details. ⁴ For details on local printing requirements see <http://go.com/go/mobileprinting>. ⁵ Compared with the majority of colour laser AIOs <\$300 including HP as of October 2015; market share as reported by IDC as of Q2 2015. Cost per page (CPP) comparisons for laser supplies are based on published specifications of the manufacturers' highest-capacity cartridges and long-life consumables. CPP comparisons for high-capacity HP ink supplies are based on published specifications of the manufacturers' highest-capacity cartridges. CPP based on high-capacity ink cartridges' estimated street price and page yield. 50 yield based on continuous printing in default mode. For more information, see <http://go.com/go/learnaboutsupplies>. ⁶ Requires HP All-in-One Printer Remote mobile app download and is compatible with iPhone® 4 and later, iPad® 4th generation, iPod mini®, iPod Air®, iPod®, and mobile devices using Android™ 4.0.3 or later. For a full list of supported operating systems, see <http://go.com/go/mobileprinting>. ⁷ Compared with the majority of colour laser AIOs <\$300 USD, August 2015; market share as reported by IDC as of Q2 2015. Cost per page (CPP) comparisons for laser supplies are based on published specifications of the manufacturers' highest-capacity cartridges and long-life consumables. CPP comparisons for high-capacity HP ink supplies are based on published specifications of the manufacturers' highest-capacity cartridges' estimated street price and page yield. ISO yield based on continuous printing in default mode. For more information, see <http://go.com/go/learnaboutsupplies>. ⁸ Wireless performance is dependent upon physical environment and distance from access point. Wireless operations are compatible with 2.4 GHz routers only. Wi-Fi Direct™ signal of a Wi-Fi Direct-supported AIO or printer prior to printing. Depending on mobile device, an app or driver may also be required. For details, see <http://go.com/go/mobileprinting>. Wi-Fi Direct™ is a registered trademark of Wi-Fi Alliance®. ⁹ Best-in-class performance claim compares all inkjet colour mobile printers as of October 2015 based on market share as reported by Q2 2015 IDC, and manufacturer's published specifications. ¹⁰ Mobile device needs to support Bluetooth v4.0+ to be enabled. A mobile app such as HP ePrint or HP AIO Remote must be installed and opened for printing. Mobile device must be within 5 feet of the printer. For details, see <http://go.com/go/mobileprinting>. Bluetooth is a trademark owned by its proprietor and used by HP under license. ¹¹ Speed specifications have been updated to reflect current industry testing methods. ¹² Either after first page or after first set of ISO test pages. For details, see <http://go.com/go/mobileprinting>. ¹³ Wireless performance is dependent upon physical environment and distance from the access point. Wireless operations are compatible with 2.4 GHz routers only, excludes wireless direct. Wireless direct may require driver or app, be installed and connected on wireless-enabled mobile device or PC. Wireless functionality may vary by computer and mobile operating systems. See <http://open-source.com>. HP ePrint requires account registration, HP ePrint-enabled printer, Internet connection, and a wireless-enabled mobile device or Internet-connected computer with email capability. Separately purchased data plans or usage fees may apply. Print times and connection speeds may vary. AirPrint supports OS X® Lion, OS X Mountain Lion and the following devices running iOS 4.2 or later: iPod®, iPhone®, iPad®, iPod touch® (3rd generation or later) and require the printer be connected to the same network as your OS X or iOS device. AirPrint, the AirPrint Logo, iPad®, iPhone®, and iPod touch are trademarks of Apple® Inc. Windows is a trademark of the Microsoft group of companies. BlackBerry® names and logos are the property of Research In Motion Limited. Android is a trademark of Google Inc. ¹⁴ HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement. ¹⁵ Dimensions vary as per configuration. ¹⁶ Weight varies as per configuration. ¹⁷ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. ¹⁸ Available in selected countries only.