

Non-covered Items

Document Details

Purpose	To list items which are not covered under HP's warranty or Service Contract provided for HP Indigo presses
Scope	HP Indigo 10000 Digital Press, HP Indigo 12000 Digital Press, HP Indigo 20000 Digital Press, HP Indigo 30000 Digital Press, HP Indigo 50000 Digital Press. HP Indigo 7000 Series Digital Presses, HP Indigo WS6000 Series Digital Presses, HP Indigo 8000 Digital Press HP Indigo Graphic Enhancements Machine (GEM)
Document number	CA493-06050
Revision number	Rev 01
Date	9 January 2019
Security level	HP Confidential

The information contained in this document is accurate at the date of release.

Check Knowledge Zone on PrintOS for the most recent version of this document.

Overview

This document includes the list of items which may be provided with HP Indigo presses but that are not covered under HP's warranty commitment or by the Service Contract.

Parts or tools used in the course of installing, servicing, monitoring and/or troubleshooting the products (for example jigs, tools, consumables, and measurement instruments) are also not covered under HP's warranty commitment or by the Service Contract.

The list is referenced in HP Indigo's direct sales contracts, and the HP Indigo Channel Partner Operating Manual.

NOTE HP reserves the right to update this list from time to time.

Non-covered items list

Non-covered item / press	HP P/N	Tresu PN	HP Indigo Digital Presses									
			7x00	6x00	8000	1x000	20000	30000	50000	GEM	i-Coat	
Chiller parts and maintenance			x	x	x	x	x	x	x	x	x	
Press re-location (move in site or between sites)			x	x	x	x	x	x	x	x	x	x
Press UPS			x	x	x	x	x	x	x	x	x	
Opr. workstation lamps						x	x	x	x			
Tablet												
Tools and jigs (such as Conductivity/Density meter)			x	x	x	x	x	x	x	x	x	x
Press PC EOL			x	x	x	x	x	x	x	x	x	
Supplies including imaging products			x	x	x	x	x	x	x	x	x	X
BID washers			x	x	x	x	x	x	x	x		
Ink Mixing system (IMS)			x	x	x	x	x	x	x	x		
OPT. PALLET STACKER (2 UNIT) 35x0,3600,5x00,7x00	CK896A		x									
ILP Anilox Drum 1.2 bcm	H0J49B							x	x			
ILP Anilox Drum 1.8 bcm	H0J80B							x	x			
ILP Applicator Drum	H0J50C							x	x			
ILP Chamber Maroon Seal, 60 Units (Cust-1447-34)	CA490-21780							x				
Poly Containment Blade .015"X1.375"X100'	4114-1617							x				
Blade Orange .027" X 1 1/4" X 100ft	4114-1618							x				
Lubricant-Grease Silicone Oil	6040-1461							x				
TRESU Doctor blade 35x0,15 stainless - roll 100M Doctor blade 35x0,15 stainless								x				
TRESU Doctor Blade 35x0,2 stainless steel, 100 m. roll								x				
TRESU Sealing D4 EPDM - 1 PCS Black, dimensions 28 x 102 mm								x				

Non-covered item / press	HP P/N	Tresu PN	HP Indigo Digital Presses									
			7x00	6x00	8000	1x000	20000	30000	50000	GEM	i-Coat	
Retaining Spring D3-D5								X				
Anilox Sleeve – glass fiber version 2.5BCM								X				
Anilox Sleeve – glass fiber version 3.36 BCM								X				
Doctor Blade accessories & supplies				X	X			X		X		
OPT. ANLX SLV 1.6 BCM, 5 0000	T3P71A									X		
OPT. ANLX SLV 3.9 BCM, 5 0000	T3P73A									X		
OPT. RUBBER ROLLER, 5000 0	T3P74A									X		
OPT. ANLX SLV 2.5 BCM, 5 0000	T3P82A									X		
OPT. ILP ROLLER (1 UNIT), 321mm, 6x00	CK921A			X	X							
OPT. ILP ROLLER (WINE) 321MM (1 UNIT)6600,6800	CK924A			X	X							
PT.STACKER PALLET.2unit s. 10000 DROP4,12000	H0J00B					X						
OPT. ANLX SLV HGH 196937,BCM:3.2-3.5,VLM:4.9-5.4	H0J40A							X				
OPT. ANLX GF SLV HGH 216954,BCM:3.2-3.5,VLM:4.9-	H0J40B							X				
OPT. ANLX SLV LOW 180455,BCM:2.3-2.6,VLM:3.8-4.2	H0J41A							X				
OPT. ANLX GF SLV LOW 241147,BCM:2.3-2.6,VLM:3.8-	H0J41B							X				
OPT. RUBBER SLEEVE 20000	H0J42A							X				
OPT. ILP ROLLER 328mm, 6x00	H0J53A			X	X							
OPT. INLINE PRIME DP680, ILP, 6x00	H0J76A			X	X							
OPT. INLINE PRIME DP680, ILP, 6x00	H0J76B			X	X							
OPT. CORONA, ILP, 30000	H0J91A								X			
OPT. CORE 6 INCH ADAPTOR WS4500,WS4600,WS6X00	Q4820B			X	X							
OPT. ICOAT X10, 30000	T3Q15A								X			X
OPT. ICOAT SERVICE CART, 30000	T3Q18A								X			X
OPT. ICOAT ICUT, 30000	T3Q28A								X			X

Non-covered item / press	HP P/N	Tresu PN	HP Indigo Digital Presses								
			7x00	6x00	8000	1x000	20000	30000	50000	GEM	i-Coat
OPT. ICOAT SYNTHETIC, 30 000	T3Q30A								X		X
GEM Print head	B1B47A									X	
GEM Anilox roller	7000- A05606-C									X	
GEM coating sleeve										X	
GEM coating roller										X	
GEM coating sleeve assembly jig										X	
GEM Pickup roller	7000- A05642-D									X	
GEM Anilox brush	8710-2706			X				X		X	
GEM Flexo Blade	B1B46A									X	
Anilox roller sleeve Tresu WB - protection coating		4082302									X
Anilox roller sleeve Tresu WB - standard coating		4079050									X
Anilox roller sleeve Tresu WB - high gloss coating		4082304									X
Anilox roller sleeve Tresu UV - protection coating		4082305									X
Anilox roller sleeve Tresu UV - standard coating		4082307									X
Anilox roller sleeve Tresu UV - high gloss coating		4079049									X
Anilox roller sleeve Tresu WB - ultra high gloss coating		4082308									X
Doctor blade 35x0,15 Stainless steel		3034733									X
Doctor blade 35x0,3 Stainless steel		3012618									X
Foam Seal D1.1K - MK II		4087517									X
Bracing for foam seal D1.1K		5032506									X
O-Ring for chamber		3021693									X
Tissue roller for plate cleaner		3031546									X
Tape/Kliche, Duploflex 5.2 P. 800mm x25m		3034353									X
Wash & print Waterbased A1403, 20 kg, Cleaningfluid		3012362									X

Non-covered item / press	HP P/N	Tresu PN	HP Indigo Digital Presses									
			7x00	6x00	8000	1x000	20000	30000	50000	GEM	i-Coat	
UV Wash, 20 kg, Cleaningfl., Special		3034494										x
Cardboard tubes for tissue - L=800 mm		3039158										x
Seal D1.1K EPDM 70 Shore		4063036										x
Seal D1 EPDM 80 shore (60° Lip)		4027925										x
Retaining spring D1-D2 Small		4000018										x
Sponge - Foam Plastic 3.30 ND (BASF PUR)		3039975										x

Revision history and confidentiality notice

Revision History

Revision	Description
CA493-06050 Rev 00	Initial document
CA493-06050 Rev 01	Added Tresu and i-Coat columns to table
Responsible Engineer (TS)	Eyal Nahum
Press Group Manager	Moty Yaverboum / Esteban Birenbaum
R&D Engineer	N/A
Engineering	N/A
Documentation Manager	Yuval Bloomberg / Isaac Diwan
Configuration Control	Sigal Aknin
Written By	Isaac Diwan

Printing instructions

Paper weight	80 g
Page size	A4, Letter, or 8.27 x 11.00 in (21 x 27.94 cm)
Printing	Office printer
Simplex/duplex	Duplex
Color	Full color
Finishing	Staple at top-left corner

Confidentiality notice

The information contained in this document is accurate at the date of release. Check Knowledge Zone on PrintOS for the most recent version of this document.

This document contains valuable trade secrets and confidential information of HP. Nothing herein may be copied, reproduced or distributed in any form or medium, or disclosed to any third party in any manner, without prior written authorization of HP. The copyright notice, which appears in this document, is purely precautionary and shall not be deemed to constitute publication or intent to publish, in whole or in part.

© Copyright 2018 HP Development Company, L.P. All rights reserved.