

Overview

Input / Output Devices - Notebooks

Models

HP 1030 SmartCard pen Holder <i>New!</i>	3KM16AA
HP Pro x2 612 Replacement Wacom Pen	KOG16AA
HP Executive Tablet Pen G2	F3G73AA
HP Active Pen with Spare Tips	1FH00AA
HP Ultrathin Bluetooth Mouse	L9V78AA
HP Ultrathin Bluetooth Mouse SE	L9V77AA
HP Wireless Optical Mouse	K7S53AA
HP 2.4 GHz Wireless Mouse	L0Z84AA
HP Slim Bluetooth Mouse	F3J92AA
HP Ultra Mobile Wireless Mouse	H6F25AA
HP Touch to Pair Mouse	H6E52AA
HP X4000b Bluetooth Mouse	H3T50AA
HP Comfort Grip Wireless Mouse	H2L63AA
HP USB Travel Mouse	G1K28AA
HP 3-Button USB Laser Mouse	H4B81AA
HP Pro x2 612 G1 Travel Keyboard	G8X14AA
HP Pro x2 612 G1 Backlit Power Keyboard	K3T47AA
HP Elite x2 1011 Power Keyboard	LOU13AA
HP Elite x2 1011 G1 Travel Keyboard	K6B54AA
HP Wireless (Link-5) Keyboard	T6U20AA
HP USB Essential Keyboard/Mouse (APJ & Americas only)	H6L29AA
HP 2.4 GHz Wireless Keyboard and Mouse Bundle	G1K29AA
HP Slim Wireless Keyboard and Mouse	T6L04AA
HP Slim USB Keyboard and Mouse	T6T83AA
HP Conferencing Keyboard	K8P74AA
HP Pro x2 612 G2 Collaboration Keyboard	1FV38AA
HP Wireless Collaboration Keyboard	Z9N39AA
HP USB Collaboration Keyboard	Z9N38AA
HP Wireless Premium Keyboard	Z9N41AA
HP USB Premium Keyboard	Z9N40AA
HP USB Premium Mouse	1JR32AA
HP Wireless Premium Mouse	1JR31AA
HP x360 11 EMR Pen with Eraser	2EB40AA

Introduction

HP Input/Output devices provide additional desktop functionality for HP Business Notebooks.

Overview

Compatibility

HP's Input/Output devices with USB connections are compatible with all HP Business Notebook and docking products. HP Executive Tablet Pen Gen 2 is compatible **only** with the HP EliteBook Revolve 810 G2 , the HP ElitePad 1000 G2 and HP Pro Tablet 610 G1. Refer to your notebook's QuickSpecs for specific compatibility.

HP Wacom Replacement Pen and the HP Pro x2 612 G1 Keyboards are compatible **only** with the HP Pro x2 612 G1.

HP Elite X2 1011 G1 Soft Keyboard Jacket is only compatible with the HP Elite X2 1011 G1 only.

HP Elite x2 1011 Power and Travel Keyboards are only compatible with the HP Elite x2 1011.

HP Active Pen with Spare Tips is only compatible with HP ProBook x360 11 G1

HP Pro x2 612 G2 Collaboration Keyboard is compatible with HP Pro x2 612 G2

NOTE: Not all localizations and models are available in all regions.

Service and Support

HP's Input/Output devices have a one-year limited warranty. Technical support is available seven days a week, 24 hours a day, as well as in online support forums. Certain restrictions and exclusions apply.

Technical Specifications

HP 1030 SmartCard pen Holder	Part Number	3KM16AA
	Dimensions (L x W)	2.12 x 2.66 inch (54 x 67.71mm)
	Weight	0.011lb (5 grams)
	Kit contents	HP SmartCard pen holders (5 pieces) and document
	Compatibility	HP EliteBook x360 1030 G2
	Options	<p>HP Active Pen with App Nib Set Change out tips as needed with 12 spare nibs and a handy tweezer.</p> <p>HP Active Pen Nib Set Change out tips as needed with 30 spare nibs and 5 handy tweezers.</p> <p>HP x360 11 Pen Nib Set Change out tips as needed with 30 spare nibs and 5 handy tweezers</p>
HP Pro x2 612 Replacement Wacom Pen	Part Number	KOG16AA
	Dimensions (L x W)	4.33 x .22 in (110 x 5.5 mm)
	Weight	0.10 oz (2.8 g)
	Tip Diameter	1 mm
	Power	No battery required
	Buttons	Yes, 1
	Pen pressure level resolution	1024 levels
	Tilt Operation	Yes
	Palm Rejection	Yes
	Hover Reading Heights	15 mm
	Connecting technology	Electro-Magnetic Resonance (EMR)
	Kit contents	HP Wacom Digitizer Pen and documentation
	Color	Black plastic
Compatibility	HP Pro x2 612 G1	

NOTE: The Wacom Pen is available as a configurable option at the time of order and available on models ordered with a digitizer screen. Models without a built-in digitizer are incompatible with the Pen and cannot be added as aftermarket option.

HP x360 11 EMR Pen with Eraser	Part Number	2EB40AA
	Dimensions (L x W)	5.11 x .037 in (130 x 9.5 mm)
	Weight	.31 oz (9.9 g)
	Tip Diameter	1.6 mm
	Pen pressure level resolution	4096 levels
	Tilt Operation	Yes
	Palm Rejection	Yes (Note: by system control; when EMR activates, finger touch off by system)
	Hover Reading Heights	8 mm (max)
	Compatibility	HP Chromebook x360 11 G1 Education Edition ¹
	What's in the box	HP x360 11 EMR Pen, tweezer, 3 X POM Tips, 1 pen lanyard, pen holder and documentation

Technical Specifications

HP x360 11 Pen Nib Set	Part Number	3RV58AA
		Support the writing and drawing experience of your HP x360 11 EMR Pen with Eraser by keeping spares at the ready with the HP x360 11 Pen Nib Set. It has 30 replacement nibs and six easy assembly tools.

HP Active Pen with App Launch	Part Number	T4Z24AA
	Dimensions (L x W)	5.79 x .037 in (147.29 x 9.5 mm)
	Weight	.61 oz (17.5 g)
	Compatibility	Compatible with the HP Elite x2 1012 G1 ¹ .
	What's in the box	HP Active Pen with App Launch; AAAA battery; Lanyard; 3 replacement tips; Replacement tip tool; Documentation

1. The HP Active Pen with App Launch is only compatible with HP Elite x2 1012 G1, sold separately

HP Active Pen with App Nib Set	Part Number	3RV56AA
		Maximize your HP Active Pen uptime by having extra nibs at the ready with the HP Active Pen with App Nib Set. It has 12 replacement nibs to write or draw onscreen with your device's touchscreen applications and one easy assembly tool.

HP Executive Tablet Pen G2	Part Number	F3G73AA
	Dimensions (L x W)	5.65 x 0.47 in (143.5 x 11.8 mm)
	Weight	1.06 oz (30 g)
	Tip Diameter	1 mm
	Power	Yes, 1 AAA battery
	Pen pressure level resolution	256 levels
	Tilt Operation	Yes
	Palm Rejection	Yes
	Hover Reading Heights	5 mm
	System requirements	Windows 8, Windows 8.1
	Kit contents	HP Executive Tablet Pen G2, AAA battery and documentation
	Functionality	Right-click, draw, type, and navigate better than ever with a capacitive tip that offers pin-point accuracy to help improve productivity. Pen supports hover feature and pressure sensitivity levels up to 256 Windows 8 Certified Soft tip for quiet performance and more precise writing capabilities
	Color	Black
	Compatibility	HP ElitePad 1000 G2 Tablet, and HP EliteBook Revolve 810 G2 only

HP Active Pen with Spare Tips	Part Number	1FH00AA
	Dimensions (L x W)	4.85 x .20 in (123.3 x 5.3 mm)
	Weight	Including battery: Approximately 15.8g Excluding battery: Approximately 9.2g

Technical Specifications

Tip Diameter	1 mm
Power	Yes, One AAAA battery
Buttons	Yes, 2
Pen pressure level resolution	2048 levels
Tilt Operation	Yes
Palm Rejection	Yes
Hover Reading Heights	8 mm+
Operating Environment Temperature	5 to 40 °C (41 F – 104° F)
Humidity	+30 ~ +80 % (no condensation)
Switch Operation	Pen tip: Pressure information is detected as continuous signal Side switch: ON / OFF switching is detected
System requirements	Windows 8.1, Windows 10
Kit Contents	HP Active Pen, Tweezers + 3 x POM Tips, 1 AAAA battery, pen lanyard and documentation
Color	Nature Silver
Compatibility	HP ProBook x360 11 G1

HP Active Pen with App Nib Set

Part Number 3RV57AA

Maximize your HP Active Pen uptime by having extra nibs at the ready with the HP Active Pen Nib Set. It has 30 replacement nibs to write or draw onscreen with your device's touchscreen applications and five easy assembly tools.

HP Ultrathin Bluetooth Mouse

Part Number	L9V78AA
Dots per inch (DPI)	1200
Connectivity	Bluetooth® 3.0
Tracking type	Optical
Dimensions (H x L x W)	1.02 x 2.48 x 3.98 in (2.60 x 6.12 x 10.88 cm)
Weight	3.60 oz (102 g)
Color	Black
System requirements	Windows 7, Windows 8 and Windows 10
Functionality	4-Way Scroll Vertically : 1 or 2 fingers UP or 1 or 2 fingers Down Horizontally : 1 or 2 fingers Left or 1 or 2 fingers Right
Kit contents	HP Ultrathin Bluetooth Mouse, two AA batteries and documentation

HP Ultrathin Bluetooth Mouse SE

Part Number	L9V77AA
Dots per inch (DPI)	1200
Connectivity	Bluetooth® 3.0
Tracking type	Optical
Dimensions (H x L x W)	1.02 x 2.48 x 3.98 in (2.60 x 6.12 x 10.88 cm)
Weight	3.60 oz (102 g)
Color	Red
System requirements	Windows 7, Windows 8 and Windows 10

Technical Specifications

	Functionality	4-Way Scroll Vertically : 1 or 2 fingers UP or 1 or 2 fingers Down Horizontally : 1 or 2 fingers Left or 1 or 2 fingers Right
	Kit contents	HP Ultrathin Bluetooth Mouse SE, two AA batteries and documentation
HP Wireless Optical Mouse	Part Number	K7S53AA
	Dots per inch (DPI)	1200
	Connectivity	2.4 GHz
	Tracking type	Optical
	Dimensions (H x L x W)	1.40 x 2.26 x 3.70 in (3.58 x 5.75 x 9.40 cm)
	Weight	2.09 oz (59.5 g)
	System requirements	Windows 7, Windows 8 and Windows 10 Available USB port
	Functionality	3 Buttons (Left, Right and Scroll)
	Kit contents	HP Wireless Optical Mouse, nano USB receiver, one AA battery and documentation
HP 2.4 GHz Wireless Mouse	Part Number	LOZ84AA
	Dots per inch (DPI)	1600
	Connectivity	2.4 GHz
	Tracking type	Optical
	Dimensions (H x L x W)	1.53 x 2.24 x 3.73 in (3.91 x 5.70 x 9.48 cm)
	Weight	2.82 oz (80 g)
	System requirements	Windows 7, Windows 8 and Windows 10 Available USB port
	Functionality	3 Buttons (Left, Right and Scroll)
	Kit contents	HP 2.4 GHz Wireless Mouse, nano USB receiver, one AA battery and documentation
HP Slim Bluetooth Mouse	Part Number	F3J92AA
	Dots per inch (DPI)	Default 1200. Adjustable (800, 1000, 1200, 1600)
	Connectivity	Bluetooth 3.0
	Tracking type	Optical
	Dimensions (H x L x W)	0.98 x 4.00 x 2.54 in (2.50 x 10.17 x 6.46 cm)
	Weight	1.55 oz (44 g)
	System requirements	Windows XP ,Vista ,Windows 7 , Windows 8 , Windows 10, Mac OSX , Chrome , and Android
	Kit contents	HP Slim Bluetooth Mouse , one AA battery and documentation
HP Ultra Mobile Wireless Mouse	Part Number	H6F25AA
	Dots per inch (DPI)	1200
	Connectivity	2.4 GHz, Link 5
	Tracking type	Optical

Technical Specifications

Dimensions (H x L x W)	0.98 x 4.00 x 2.54 in (2.50 x 10.17 x 6.46 cm)
Weight	3.25 oz (92 g)
System requirements	Windows XP, Vista, Windows 7, Windows 8, Windows 10, Mac OSX, and Android
Kit contents	HP Ultra Mobile Wireless Mouse, two AA batteries and documentation

HP Touch to Pair Mouse	Part Number	H6E52AA
	Dots per inch (DPI)	1600
	Connectivity	Bluetooth 3.0 + NFC
	Tracking type	Laser
	Dimensions (H x L x W)	1.52 x 4.21 x 2.88 in (3.86 x 10.70 x 7.31 cm)
	Weight	2.65 oz (75 g) (w/o batteries)
	System requirements	Windows Vista, Windows 7, Windows 8 and Windows 10 (NFC pairing only works on system with NFC enabled and Windows 8 and higher)
	Kit contents	HP Touch to Pair Mouse, two AA batteries, and documentation

HP X4000b Bluetooth Mouse	Part Number	H3T50AA
	Dots per inch (DPI)	Default 1200. Adjustable (800, 1000, 1200, 1600)
	Connectivity	Bluetooth 3.0
	Tracking type	Laser
	Dimensions (H x L x W)	1.52 x 4.21 x 2.64 in (3.86 x 10.69 x 6.71 cm)
	Weight	4.3 oz (122.5 g)
	System requirements	Windows Vista, Windows 7, Windows 8, and Windows 10
	Kit contents	HP X4000b Bluetooth mouse, two AA batteries and documentation

HP Comfort Grip Wireless Mouse	Part Number	H2L63AA
	Dots per inch (DPI)	Default 1200. Adjustable (800, 1000, 1200, 1600)
	Connectivity	2.4 GHz, Link 5
	Tracking type	Laser
	Dimensions (H x L x W)	1.52 x 4.21 x 2.64 in (3.86 x 10.69 x 6.71 cm)
	Weight	4.3 oz (122.5 g)
	System requirements	Windows Vista, Windows 7, Windows 8, and Windows 10; Available USB port
	Kit contents	HP Comfort Grip Wireless Mouse, USB Wireless micro-receiver, two AA batteries, and documentation

HP USB Travel Mouse	Part Number	G1K28AA
----------------------------	--------------------	---------

Technical Specifications

Dots per inch (DPI)	1000
Connectivity	USB
Tracking type	Optical
Dimensions (H x L x W)	1.45 x 3.85 x 2.32 in (3.7 x 9.8 x 5.9 cm)
Weight	2.15 oz (61 g)
Cable length	3.1 ft (95 cm)
System requirements	Windows 7, Windows 8 and Windows 10 Available USB port
Approvals	EMC Standards EN55022:1998, EN55024:1998 Safety Standards UL(60950), CSA(60950-1-03), (EN60950-1:2006) Laser Standards Mouse in compliance with EN 60825-1:1994 Class 1 LED
Kit contents	HP USB Travel Mouse and documentation

HP 3-Button USB Laser Mouse	Part Number	H4B81AA
	Dots per inch (DPI)	1000
	Connectivity	USB
	Tracking type	Laser
	Dimensions (H x L x W)	1.47 x 4.53 x 2.47 in (3.73 x 11.5 x 6.29 cm)
	Weight	3.36 oz (102 g)
	Cable length	6 ft (180 cm)
	System requirements	Windows Vista, Windows 7; Available USB port
	Kit contents	HP 3-Button USB Laser Mouse and documentation

HP Pro x2 612 G1 Travel Keyboard	Part Number	G8X14AA
	Dimensions	8.89 x 12.38 x 0.23 inch (22.6 x 31.4 x 0.6 cm)
	Weight	1.57 lbs (715 g)
	Kit contents	HP Pro x2 612 G1 Travel Keyboard and documentation
	Key Features	<ul style="list-style-type: none"> - Thin keyboard folio with retaining flap - ClickPad (87 x 49 mm) with image sensor, multi-touch gestures enabled, on/off function and LED indicator - Foldable kickstand; 120° viewing angle - Docking connector to tablet - USB 3.0 port - Combo audio jack, DC-in (4.5mm) - Full size 81/82-key island-style backlit keyboard with full row of function keys and LED indicators

HP Pro x2 612 G1 Backlit Power Keyboard	Part Number	K3T47AA
	Dimensions	9.43 x 12.44 x 0.39 inch (23.9 x 31.6 x 0.10 cm)
	Weight	2.16 lbs (980 g)
	Kit contents	HP Pro x2 612 G1 Backlit Power Keyboard and documentation

Technical Specifications

	Key Features	<p>Power keyboard base</p> <p>ClickPad (87 x 49 mm) with image sensor, multi-touch gestures enabled, on/off function and LED indicator</p> <p>Docking connector, DisplayPort 1.2, VGA, SD card reader, 2 USB 3.0 port (1 charging), RJ45, Combo audio jack, DC-in (4.5mm)</p> <p>Full size 81/82-key island-style backlit keyboard with full row of function keys and LED indicators</p>
HP Elite x2 1011 Power Keyboard	<p>Part Number</p> <p>Dimensions</p> <p>Weight</p> <p>Kit contents</p> <p>Ports and slots</p>	<p>LOU13AA</p> <p>11.73 x 8.12 x 0.82 in (29.8 x 20.61 x 2.08 cm)*</p> <p>*Tablet with power keyboard</p> <p>Starting at 1.72 lbs (780 g)</p> <p>HP Elite x2 1011 Power Keyboard , documentation</p> <p>Ports</p> <ul style="list-style-type: none"> 1 docking connector to tablet 1 headphone/microphone combo 1 DisplayPort 1.2 1 USB 3.0 1 USB 3.0 charging <p>1 docking connector for dongle support</p> <p>1 4.5 mm multi-pin AC port</p> <p>Slots</p> <ul style="list-style-type: none"> 1 smart card reader
HP Elite x2 1011 Travel Keyboard	<p>Part Number</p> <p>Dimensions</p> <p>Weight</p> <p>Kit contents</p> <p>Key features</p>	<p>K6B54AA</p> <p>11.6 x 8.26x 0.24 inch (29.56 x 21.0 x 0.6 cm)</p> <p>1.18 lbs (530 g)</p> <p>HP Elite x2 1011 G1 Travel Keyboard and documentation</p> <ul style="list-style-type: none"> -Thin keyboard folio with retaining flap -ClickPad (87 x 49 mm) with image sensor, multi-touch gestures enabled, on/off function and LED indicator -Foldable kickstand; 130° viewing angle -Docking connector to tablet -USB 3.0 port -Combo audio jack, DC-in (4.5mm) -Full size 81/82-key island-style backlit keyboard with full row of function keys and LED indicators
HP Wireless (Link-5) Keyboard	<p>Part Number</p> <p>Dimensions</p> <p>Weight</p> <p>Connectivity</p> <p>System requirements</p>	<p>T6U20AA</p> <p>5.3 x 17.6 x 0.83 in (13.7 x 43.6 x 2.1 cm)</p> <p>1.23 lbs (560 g)</p> <p>2.4 GHz, Link-5</p> <p>Windows Vista, Windows 7; Windows 8, Windows 8.1, Windows 10. Available USB port for the receiver</p>

Technical Specifications

Wireless Connection Encryption Secure 128-bit (AES) encryption between device and receiver

Kit contents HP Wireless (Link-5) Keyboard, USB Link-5 micro-receiver, two AAA batteries and documentation

HP USB Essential Keyboard/Mouse (APJ & Americas only)

Keyboard

Part Number H6L29AA
Dimensions (H x L x W) 1.08 x 18.15 x 6.02 in (2.74 x 46.1 x 15.3 cm)
Weight 20.6 oz (585 g)
Cable length 5 ft (1.5 m)
System requirements Windows Vista, Windows 7, Windows 8, and Windows 10
 Available USB port
Approvals UL, CSA, FCC, CE Mark, TUV, TUV GS, VCCI, BSMI, C-Tick, MIC

Mouse

Dots per inch (DPI) 1000
Dimensions (H x L x W) 1.37 x 4.53 x 2.48 inch (3.50 x 11.50 x 6.30 cm)
Weight 3.74 oz (106 g)
Cable length 5.9 ft (1.8 m)
System requirements Windows Vista, Windows 7, Windows 8, and Windows 10.
 Available USB port
Approvals UL, CSA, FCC, CE Mark, TUV, TUV GS, VCCI, BSMI, C-Tick, MIC
Kit contents Keyboard, mouse, and documentation

HP 2.4 GHz Wireless Keyboard and Mouse Bundle

Keyboard

Part Number G1K29AA
Dimensions (H x L x W) 1.08 x 16.6 x 5.66 in (2.74 x 42.15 x 14.38 cm)
Weight 16.27 oz (460 g) With battery
Wireless Connection Encryption Secure 128-bit (AES) encryption between device and receiver
System requirements Android™. Available USB port for the receiver.

Mouse

Dots per inch (DPI) 1000
Tracking type Laser
Dimensions (H x L x W) 1.46 x 4.53 x 2.48 inch (3.7 x 11.5 x 6.29 cm)
Weight 4.06 oz (115 g) With battery
Kit contents Keyboard, Mouse, USB Receiver, AA batteries and documentation

HP Slim Wireless Keyboard and Mouse Keyboard

Part Number T6L04AA
Dimensions (H x L x W) 1.09 x 18.1 x 6.47 in (27.87 x 460.3 x 164.3 mm)

Technical Specifications

Weight	1.94 lb (880 g) without batteries
Wireless Connection Encryption	Secure 128bit AES Encryption between device and receiver
System requirements	Windows Vista, Windows 7; Windows 8, Windows 8.1, Windows 10. Available USB port for the receiver

Mouse	Dots per inch (DPI)	1000
	Tracking type	Laser
	Dimensions (H x L x W)	0.33x 1.79 x 0.72 in (8.4 x 45.5 x 18.4 mm)
	Weight	0.15 lb (67 g) without batteries
	System requirements	Windows Vista, Windows 7; Windows 8, Windows 8.1, Windows 10
	Approvals	UL, CSA/TUV (Europe Only); CE Mark; CB Report; FCC; CE; ACA C-Tick; BSMI; KC; VCCI; GS Mark (Germany only)
	Kit contents	Keyboard, Mouse, USB Receiver, AAA batteries and documentation

HP Slim USB Keyboard and Mouse Keyboard	Part Number	T6T83AA
	Dimensions (H x L x W)	1.71 x 6.83 x 8.27 in (4.36 x 17.37 x 21 cm)
	Weight	1.32 lb (0.6± 0.08 kg)
	Cable length	6 ft (1.8 m)
	System requirements	Windows Vista, Windows 7; Windows 8, Windows 8.1, Windows 10. Available USB port

Mouse	Dots per inch (DPI)	1000
	Tracking type	Laser
	Dimensions (H x L x W)	0.33x 1.79 x 0.72 in (8.4 x 45.5 x 18.4 mm)
	Weight	0.15 lb (67 g)
	Cable length	6 ft (1.8 m)
	System requirements	Windows Vista, Windows 7; Windows 8, Windows 8.1, Windows 10. Available USB port
	Approvals	UL, CSA/TUV (Europe Only); CE Mark; CB Report; FCC; CE; ACA C-Tick; BSMI; KC; VCCI; GS Mark (Germany only)
Kit contents	Keyboard, Mouse and documentation	

HP Conferencing Keyboard

Part Number	K8P74AA
Dimensions	0.85 x 17.34 x 6.10 in (2.16 x 44.05 x 15.50 cm)
Weight	24.69 oz. (700 g)
Connectivity	USB cable
Keys	110 (US) Layout, 111 (EU) Layout – depending upon country
Feature Summary	Full-size ultra-quiet keyboard with numerical pad and 12 function keys

Technical Specifications

One-touch simplicity for Microsoft Lync or Skype for Business voice or video calls with dedicated keys and LED light indicators

Technical Specifications

Illuminated keys

Incoming Call – *Blinks Green*
Call in progress – *Green*
Microphone Mute – *Orange*
Audio Mute – *Orange*
Screen Sharing – *Orange*

Other Call control keys

Stop Webcam – *Orange*
End/Decline Call
Volume up and down rocker key

Microsoft Lync/Outlook

Fn+F12 – Lync or Skype for Business Calendar will open. If Lync or Skype for Business is not available will bring Outlook Calendar *
Fn+F11 – Lync or Skype for Business Contact will open. If Lync or Skype for Business is not available will bring Outlook Contact list *

Functions Keys

Fn+F10 – System Settings
Fn+F9 – Devices
Fn+F8 – Search
Fn+F7 – Blank
Fn+F6 – Up Brightness Adjustment
Fn+F5 – Down Brightness Adjustment
Fn+F4 – Display Options
Fn+F3 – File Explorer
Fn+F2 – System Lock
Fn+F1 – System Sleep

System requirements

Available USB port
Windows 7, Windows 8.x, and Windows 10

Server: Microsoft Lync Server 2010 or 2013 and Skype for Business Server 2015
Client: Microsoft Lync 2013 version 15.0.46xx or newer or Skype for Business

Notes:

- Limited support for Microsoft Lync 2010, Microsoft Lync 2013 Basic and Microsoft Metro Mode
- Screen brightness functions supported in select HP systems

Approvals**EMC****Product Safety****Country of origin****Kit contents****Service and support****Compatibility**

FCC; CE; ACA(C-tick); EAC

UL, CE Mark

China

HP Conferencing Keyboard and documentation

One-year limited warranty

HP Conferencing Keyboard is compatible with HP Business Notebooks, Desktops and docking products – HP 90W/230W Docking Stations, 120W/230W Advanced Docking Stations and Ultra Slim Docks.

****** Fn+11 and Fn+12 function keys are not supported in Microsoft Windows 8.x Metro mode

Technical Specifications

Functions Key	<p>Fn+F11 – Lync or Skype for Business Contact will open. If Lync or Skype for Business is not available will bring Outlook Contact list *</p> <p>Fn+F10 – Print Screen</p> <p>Fn+F9 – Devices</p> <p>Fn+F8 – Search</p> <p>Fn+F7 – Blank</p> <p>Fn+F6 – Up Brightness Adjustment</p> <p>Fn+F5 – Down Brightness Adjustment</p> <p>Fn+F4 – Display Options</p> <p>Fn+F3 – File Explorer</p> <p>Fn+F2 – System Lock</p> <p>Fn+F1 – System Sleep</p>
System requirements	<p>Available USB port</p> <p>Windows 7, Windows 8.x, and Windows 10</p> <p>Server: Microsoft Lync Server 2013 or Skype for Business Server 2015</p> <p>Client: Locally installed on the system Microsoft Lync 2013 version 15.0.46xx or newer or Skype for Business</p> <p>Notes:</p> <ul style="list-style-type: none"> Limited support for Microsoft Lync 2013 Basic and Microsoft Metro Mode Screen brightness functions supported in select HP systems
Operating Temperature	0 ~ +40°C
Approvals	<p>CE RF test report; USA /FCC Part 15 C; Canada/RS-210; Argentina; Jordan; RUSSIA-FAC(RF); RUSSIA-CU; South Africa; Turkey; Ukraine; BRAZIL; Mexico; Australia / New Zealand; Australia / New Zealand RCM; AUSTRALIA NEW ZEALAND RF; China SRRC; INDIA wireless; INDIA safety; Indonesia; Japan TELEC; KOREA KCC; MALAYSIA; Pakistan; Philippines; Singapore; Taiwan BSMI; Taiwan NCC; CB for Nemko; cCSAus for CSA; UL/CUL; GS for TUV Rh; Japan EMC</p>
Country of origin	China
Kit contents	<p>Keyboard, USB Link-5 micro-receiver, micro USB to USB rechargeable cable and documentation</p>
Service and support	One-year limited warranty
Compatibility	<p>HP Wireless Collaboration Keyboard is compatible with HP Business Notebooks, Desktops and docking products – HP 90W/230W Docking Stations, 120W/230W Advanced Docking Stations and Ultra Slim Docks.</p>

** Fn+11 and Fn+12 function keys are not supported in Microsoft Windows 8.x Metro mode

HP USB Collaboration Keyboard

Part number	Z9N38AA
Dimensions	17.04 x 0.46x 5.55 inch (43.3 x 1.18 x 14.1 cm)
Weight	1.42lb (662.3g)

Technical Specifications

Connectivity	USB cable
USB Cable length	5.9 ft (1.8 m)
Switch	Function Lock switch - access the special function keys without having to first press on the Fn key -On (Green): Performs the action as depicted in the icon -Off (Red): Hold the fn key and the numeral function key to perform the action as depicted in the icon
Keys	109 (US) Layout, 110 (EU) Layout, 114 (JP) Layout – depending upon country Full-size keyboard with numerical pad and 12 function keys.
Feature Summary	Adjustable slope 0-6 degrees Key force: 60±10g Key life: 10 million cycles activation (Normal Key) Key typing noise: Max 55dbA Key structure: Scissor type Key cap legend: Printed (Lync Buttons Laser Printed)
Illuminated keys	Incoming Call – <i>Blinks Green</i> Call in progress – <i>Green</i> Decline incoming Call – <i>Blinks Red</i> End Call – <i>Red</i> Microphone Mute – <i>Amber</i> Audio Mute – <i>Amber</i> Screen Sharing – <i>Amber</i> Stop Webcam – <i>Amber</i> Cap Lock Num Lock Volume up and down
Other Call control keys	Fn+F12 – Lync or Skype for Business Calendar will open. If Lync or Skype for Business is not available will bring Outlook Calendar *
Microsoft Lync/Outlook	Fn+F11 – Lync or Skype for Business Contact will open. If Lync or Skype for Business is not available will bring Outlook Contact list *
Functions Key	Fn+F10 – Print Screen Fn+F9 – Devices Fn+F8 – Search Fn+F7 – Blank Fn+F6 – Up Brightness Adjustment Fn+F5 – Down Brightness Adjustment Fn+F4 – Display Options Fn+F3 – File Explorer Fn+F2 – System Lock Fn+F1 – System Sleep
System requirements	Available USB port Windows 7, Windows 8.x, and Windows 10 Server: Microsoft Lync Server 2013 or Skype for Business Server 2015 Client: Locally installed on the system Microsoft Lync 2013 version 15.0.46xx or newer or Skype for Business Notes: <ul style="list-style-type: none"> • Limited support for Microsoft Lync 2013 Basic and Microsoft Metro Mode • Screen brightness functions supported in select HP systems
Operating Temperature	0 ~ +40°C

Technical Specifications

Approvals

CE RF test report; USA /FCC Part 15 C; Canada/RS-210; Argentina; Jordan; RUSSIA-FAC(RF); RUSSIA-CU; South Africa; Turkey; Ukraine; BRAZIL; Mexico; Australia / New Zealand; Australia / New Zealand RCM; AUSTRALIA NEW ZEALAND RF; China SRRC; INDIA wireless; INDIA safety; Indonesia; Japan TELEC; KOREA KCC; MALAYSIA; Pakistan; Philippines; Singapore; Taiwan BSMI; Taiwan NCC; CB for Nemko; cCSAus for CSA; UL/CUL; GS for TUV Rh; Japan EMC China

Keyboard and documentation

One-year limited warranty

Country of origin

Kit contents

Service and support

Compatibility

HP USB Collaboration Keyboard is compatible with HP Business Notebooks, Desktops and docking products – HP 90W/230W Docking Stations, 120W/230W Advanced Docking Stations and Ultra Slim Docks.

****** Fn+11 and Fn+12 function keys are not supported in Microsoft Windows 8.x Metro mode

HP Wireless Premium Keyboard

Part Number	Z9N41AA
Dimensions	17.04 x 0.46x 5.55 inch (43.3 x 1.18 x 14.1 cm)
Weight	1.4lb (656.1g)
Connectivity	Wireless 2.4 GHz, Link-5
Wireless Connectivity Encryption	Secure 128-bit (AES) encryption between device and receiver
Power Specifications	Rechargeable Li-ion battery – 650 mAh
Battery Life (rechargeable)	Up to 3 months
mUSB rechargeable cable length	5.9 ft (1.8m)
Indicator Lights	Battery and connection status LED
Switches	Power switch - On/Off position Function Lock switch - access the special function keys without having to first press on the Fn key -On (Green): Performs the action as depicted in the icon -Off (Red): Hold the fn key and the numeral function key to perform the action as depicted in the icon
Connect button	Link-5 connect button
Port	Micro USB Type B port to recharge keyboard battery
Keys	109 (US) Layout, 110 (EU) Layout, 114 (JP) Layout – depending upon country
Feature Summary	Anodized aluminum-trimmed full-size keyboard with numerical pad and 12 function keys. Adjustable slope 0-6 degrees Key force: 60±10g Key life: 10 million cycles activation (Normal Key) Key typing noise: Max 55dbA Key structure: Scissor type Key cap legend: Printed
Illuminated Keys	Microphone Mute – Amber Audio Mute – Amber Cap Lock Num Lock
Function Keys	Fn+F10 – Print Screen Fn+F9 – Devices Fn+F8 – Search Fn+F7 – Blank

Technical Specifications

	<p>Fn+F6 – Up Brightness Adjustment Fn+F5 – Down Brightness Adjustment Fn+F4 – Display Options Fn+F3 – File Explorer Fn+F2 – System Lock Fn+F1 – System Sleep</p>
System requirements	<p>Available USB port Windows 7, Windows 8.x, and Windows 10</p> <ul style="list-style-type: none"> Screen brightness functions supported in select HP systems <p>0 ~ +40°C</p>
Operating Temperature	
Approvals	<p>CE RF test report; ; USA /FCC Part 15 C; Canada/RS-210; Argentina; Jordan; RUSSIA-FAC(RF); RUSSIA-CU; South Africa; Turkey; Ukraine; BRAZIL; Mexico; Australia / New Zealand; Australia / New Zealand RCM; AUSTRALIA NEW ZEALAND RF; China SRRC; INDIA wireless; INDIA safety; Indonesia; Japan TELEC; KOREA KCC; MALAYSIA; Pakistan; Philippines; Singapore; Taiwan BSMI; Taiwan NCC; CB for Nemko; cCSAus for CSA; UL/CUL; GS for TUV Rh; Japan EMC; WHQL Win 10 China</p>
Country of Origin	China
Kit contents	Keyboard, USB Link-5 micro-receiver, micro USB to USB rechargeable cable and documentation
Service and support	One-year limited warranty

HP USB Premium Keyboard

Part Number	Z9N40AA
Dimensions	17.04 x 0.46x 5.55 inch (43.3 x 1.18 x 14.1 cm)
Weight	1.5lb (690.6g)
Connectivity	USB interface
Cable length	5.9 ft (1.8m)
Switches	<p>Function Lock switch - access the special function keys without having to first press on the Fn key</p> <ul style="list-style-type: none"> -On (Green): Performs the action as depicted in the icon -Off (Red): Hold the fn key and the numeral function key to perform the action as depicted in the icon <p>Link-5 connect button</p>
Keys	109 (US) Layout, 110 (EU) Layout, 114 (JP) Layout – depending upon country
Feature Summary	<p>Anodized aluminum-trimmed full-size keyboard with numerical pad and 12 function keys. Adjustable slope 0-6 degrees Key force: 60±10g Key life: 10 million cycles activation (Normal Key) Key typing noise: Max 55dba</p>

Technical Specifications

Illuminated Keys	Key structure: Scissor type Key cap legend: Printed Microphone Mute – <i>Amber</i> Audio Mute – <i>Amber</i> Cap Lock Num Lock
Function Keys	Fn+F10 – Print Screen Fn+F9 – Devices Fn+F8 – Search Fn+F7 – Blank Fn+F6 – Up Brightness Adjustment Fn+F5 – Down Brightness Adjustment Fn+F4 – Display Options Fn+F3 – File Explorer Fn+F2 – System Lock Fn+F1 – System Sleep
System requirements	Available USB port Windows 7, Windows 8.x, and Windows 10
Operating Temperature	0 ~ +40°C
Approvals	CE RF test report; ; USA /FCC Part 15 C; Canada/RS-210; Argentina; Jordan; RUSSIA-FAC(RF); RUSSIA-CU; South Africa; Turkey; Ukraine; BRAZIL; Mexico; Australia / New Zealand; Australia / New Zealand RCM; AUSTRALIA NEW ZEALAND RF; China SRRC; INDIA wireless; INDIA safety; Indonesia; Japan TELEC; KOREA KCC; MALAYSIA; Pakistan; Philippines; Singapore; Taiwan BSMI; Taiwan NCC; CB for Nemko; cCSAus for CSA; UL/CUL; GS for TUV Rh; Japan EMC; WHQL Win 10
Country of Origin	China
Kit contents	Keyboard and documentation, One-year limited warranty
HP USB Premium Mouse	
Part Number	1JR32AA
Dots per inch (DPI)	Default 1200. Adjustable (800, 1000, 1200, 1600)
Tracking type	Laser
Dimensions (H x L x W)	2.63 x 4.21 x 1.52 in (67 x 107 x 38.6 mm)
Weight	2.99 oz (85g)
Cable length	5.9 ft (1.8m)
System requirements	Windows 7, Windows 8.x, and Windows 10
Approvals	UL / FCC (US only); CSA (Canada only); EN 55022, EN 55024 (Europe only); TUV GS (Germany only); CU EAC (Russia only); UkrSEPRO (Ukraine only); Sii (Israel only); SASO (Saudi Arabia only); SABS / NRCS (South Africa); Radio Research Agency (RRA) (Korea only); BSMI (Taiwan only); VCCI (Japan only); ACMA (Australia/New Zealand only)
Kit contents	Mouse and Documentation
HP Wireless Premium Mouse	
Part Number	1JR31AA
Dots per inch (DPI)	Default 1200. Adjustable (800, 1000, 1200, 1600)
Tracking type	Laser

Technical Specifications

Dimensions (H x L x W)	2.63 x 4.21 x 1.52 in (67 x 107 x 38.6 mm)
Weight	4.5 oz (115 g)
Connectivity	Wireless 2.4 GHz, Link-5
Power Specifications	Rechargeable Li-ion battery – 400 mAh
Battery Life (rechargeable)	Up to 2.7 months
USB rechargeable cable length	5.9 ft (1.8m)
Indicator Lights	Battery and connection status LED
Switches	Power switch - On/Off position
Connect button	Link-5 connect button
Port	Micro USB Type B port to recharge mouse battery
System requirements	Windows 7, Windows 8.x, and Windows 10
Approvals	UL / FCC (USA only); CSA (Canada only); IFT (Mexico only); ENACOM (Argentina only); CRC (Colombia only); Anatel (Brazil only); Comision Nacional de Telecomunicaciones - CONATEL (Venezuela only); SUBTEL (Chile only); EN 55022, EN 55024, EN 300328, EN 301489-1-17 (Europe only); National Telecom Regulatory Authority (NTRA) (Egypt only); TUV GS (Germany only); FCA / CU EAC (Russia only); UkrSEPRO (Ukraine only); Sii/Ministry of Communications(MOC) (Israel only); SASO/CITC (Saudi Arabia only); BTK (Turkey only); TRA (UAE only); SABS / NRCS / ICASA (South Africa only); CERT (Tunisia only); Radio Research Agency (RRA) (Korea only); NCC / BSMI (Taiwan only); MIC / VCCI (Japan only); IDA (Singapore only); OFCA (Hong Kong); SRRRC (China only); SIRIM (Malaysia only); ACMA (Australia/New Zealand only); NBTC (Thailand only); Ministry of Information and Communications(MIC) (Vietnam only); Bangladesh Telecommunication Regulatory Commission (Bangladesh only); TRC (Sri Lanka only); National Telecommunications Commission (Philippines only); WPC/BIS (India only); SDPPI (Indonesia only)
Kit contents	Mouse, USB Link-5 micro-receiver, micro USB to USB rechargeable cable and documentation

Summary of Changes

Date of change:	Version History:		Description of change:
June 16, 2014	From version 1 to 2	Changed	Version to match PB
January 12, 2015	V31 to V32	Updated	Name of HP Elite x2 612 Replacement Wacom Pen
February 17, 2015	V32 to V33	Added	HP Pro x2 1011 Power Keyboard
February 18, 2015	V33 to V34	Added	HP Pro x2 1011 Travel Keyboard
February 19, 2015	V34 to V35	Added	HP Ultrathin Wireless Mouse
April 1, 2015	V35 to V36	Changed	HP Ultrathin Wireless Mouse to HP Ultrathin Bluetooth Mouse
		Added	HP Ultrathin Bluetooth Mouse SE
May 20, 2015	V36 to V37	Added	Wireless Connection Encryption
July 17, 2015	V37 to V38	Updated	Products that are Windows 10 compatible
July 27, 2015	V38 to V39	Removed	Products that are end of life HP Optical USB Travel Mouse RH304AA HP USB Essential Keyboard and Mouse Bundle H2S75AA
		Added	HP Slim Wireless Keyboard Combo HP Slim USB Keyboard Combo
October 9, 2015	V40 to V41	Added	HP Slim Wireless Keyboard and Mouse HP Slim USB Keyboard and Mouse Updated specs
October 31, 2015	V41 to V42	Updated	Part numbers for HP Slim Wireless Keyboard and Mouse T6L04AA HP Slim USB Keyboard and Mouse T6T83AA
November 9, 2015	V42 to V43	Updated	HP Slim USB Keyboard and Mouse Dimensions
November 30, 2015	V43 to V44	Added	HP Wireless (Link-5) Keyboard T6U20AA
		Updated	Updated HP Slim Wireless Keyboard and Mouse and HP Wireless (Link-5) Keyboard battery to AAA battery Copyright statement
May 12, 2015	V44 to v45	Updated	System requirements for the 2.4 GHz Keyboard and Mouse
May 12, 2015	V45 to V46	Removed	HP Bluetooth Keyboard
January 10, 2017	V46 to V47	Added	HP Active Pen with Spare Tips specs added
March 10, 2017	V47 to v48	Added	HP Pro x2 612 G2 Collaboration Keyboard 1FV38AA
May 30, 2017	V48 to v49	Added	HP Wireless Collaboration Keyboard Z9N39AA
		Added	HP USB Collaboration Keyboard Z9N38AA
		Added	HP Wireless Premium Keyboard Z9N41AA
		Added	HP USB Premium Keyboard Z9N40AA
		Added	HP USB Premium Mouse 1JR32AA
		Added	HP Wireless Premium Mouse 1JR31AA
July 10, 2017	V49 to V50	Added	HP x360 11 EMR Pen with Eraser 2EB40AA
January 17, 2018	V50 to V51	Added	HP 1030 SmartCard pen Holder 3KM16AA
April 9, 2018	V51 to V52	Added	HP Active Pen Nib Set, HP x360 11 Pen Nib Set, HP Active Pen with App Nib Set

Summary of Changes

© Copyright 2018 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. Microsoft and Windows are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries. Bluetooth is a trademark of its proprietor and used by HP Inc. under license.