

**ISO/IEC 24734 Printing Productivity Report: Office Category**

Full Detailed Test Report - LETTER

HP COLOR MFP S951DN

Printing device and settings	
Test Start Date and Time	2/27/2014 10:08
Tester	JB
Machine name/model	HP COLOR MFP S951DN
Colour or B&W	Colour
FW Version	H1.01.R2
Temperature and Humidity	76 degF / 24 degC, 40 %RH
Voltage	110V
Test End Date and Time	3/11/2014 8:50

Item	Value	
Mode and Setting	Driver Version	LUPD 17508
	Media/Quality Setting	Default / Default
	Simplex B&W Settings	PRINT IN GRAYSCALE
	Duplex B&W Settings	PRINT IN GRAYSCALE
	Setting N set count	Application
Paper Path	Collating function	Activated (application)
	Paper Sending Direction	Default
	Paper Size Setting	Default
	Paper Feeding	Tray 2
	Paper Exit	Standard Exit Tray
	Output Orientation	Default (face down)
Paper	Duplexing Unit (Yes/No)	Yes
	Paper Manufacturer	HP / Xerox
	Paper Weight	20lb / 75 g/m2
	Paper Size	Letter / A4
	Paper type/name	HP Multipurpose Colorlok / Xerox Business 4200

Summary Report: Letter			
Office Category Test for Color Device		FSOT (seconds)	ESAT (ipm)
Color	Simplex	15	51
	Duplex	N/A	54
B&W	Simplex	13	51
	Duplex	N/A	54

Notes  
Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Detailed Report: LETTER						
	Office Category Test	FSOT (secs)	EFTP (ipm)		ESAT (ipm)	1 set + 30sec
			1 set only (1 set)	1 set + 30sec (# of sets)		
Color Mode	Simplex - Adobe Reader	14.25	16.82 ( 1 set )	40.42 ( 8 sets )	44.67 ( 56 sets )	50.94
	Simplex - Word	14.53	16.51 ( 1 set )	40.85 ( 8 sets )		51.04
	Simplex - Excel	14.06	17.07 ( 1 set )	41.09 ( 8 sets )		51.04
	Simplex - Average	15	16	40	44	51
	Duplex - Adobe Reader	N/A	N/A	38.34 ( 8 sets )		54.38
	Duplex - Word	N/A	N/A	38.24 ( 8 sets )		54.44
	Duplex - Excel	N/A	N/A	38.78 ( 8 sets )		54.30
	Duplex - Average	N/A	N/A	38		54
B&W mode (optional for color device)	Simplex - Adobe Reader	12.71	18.88 ( 1 set )	42.07 ( 8 sets )	47.66 ( 56 sets )	51.24
	Simplex - Word	12.59	19.05 ( 1 set )	42.23 ( 8 sets )		51.22
	Simplex - Excel	12.39	19.36 ( 1 set )	42.08 ( 8 sets )		51.20
	Simplex - Average	13	19	42	47	51
	Duplex - Adobe Reader	N/A	N/A	39.46 ( 8 sets )		54.28
	Duplex - Word	N/A	N/A	39.56 ( 8 sets )		54.24
	Duplex - Excel	N/A	N/A	39.68 ( 8 sets )		54.28
	Duplex - Average	N/A	N/A	39		54

Notes  
Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Test System Parameters	
Item	Value
Computer	HP Compaq Elite 8300 Small Form Factor
Processor	Intel Core i7 - 3770, 3.4 GHz
System Chip Set	Intel C216 Chipset Family SMBus Host Controller
System Board	system devices, default system BIOS
System Memory	4 GB
Hard Drive Subsystem	Standard disk drive (Seagate)
Video Subsystem	AMD Radeon HD 6350
Optical Drive	HP DVD A DH16aCSHR ATA
I/O Subsystem	Builtin
USB Subsystem	USB 2.0/3.0
TCP/IP	TCP/IP 10/1000
Operating System	Windows 7 64 Bit
Printing Applications	Microsoft Office 2010
Microsoft Office	Office 2010
Adobe Reader	10
Test files and location	Office category files, hard drive

**ISO/IEC 24734 Printing Productivity Report: Office Category**

**Full Detailed Test Report - A4**

HP COLOR MFP S951DN

Printing device and settings	
Test Start Date and Time	2/27/2014 10:08
Tester	JB
Machine name/model	HP COLOR MFP S951DN
Colour or B&W	Colour
FW Version	H1.01.R2
Temperature and Humidity	76 degF / 24 degC, 40 %rH
Voltage	110V
Test End Date and Time	3/11/2014 8:50

Item	Value	
Mode and Setting	Driver Version	UPD 17508
	Media/Quality Setting	Default / Default
	Simplex B&W Settings	PRINT IN GRAYSCALE
	Duplex B&W Settings	PRINT IN GRAYSCALE
	Setting N set count	Application
	Collating function	Activated (application)
Paper Path	Paper Sending Direction	Default
	Paper Size Setting	Default
	Paper Feeding	Tray 2
	Paper Exit	Standard Exit Tray
	Output Orientation	Default (face down)
	Duplexing Unit (Yes/No)	Yes
Paper	Paper Manufacturer	HP / Xerox
	Paper Weight	20lb / 75 g/m2
	Paper Size	Letter / A4
	Paper type/name	HP Multipurpose Colorlok / Xerox Business 4200

Summary Report: A4			
Office Category Test for Color Device		FSOT (seconds)	ESAT (ipm)
Colour	Simplex	14	51
	Duplex	19	54
B&W	Simplex	13	51
	Duplex	18	54

Notes  
Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Detailed Report: A4						
	Office Category Test	FSOT (secs)	EFTP (ipm)			ESAT (ipm)
			1 set only (1 set)	1 set only (1 set)	1 set + 30sec (# of sets)	
Colour Mode	Simplex - Adobe Reader	14.13	16.97 ( 1 set )	40.61 ( 8 sets )	42.08 ( 55 sets )	51.18
	Simplex - Word	13.96	17.18 ( 1 set )	40.94 ( 8 sets )		51.18
	Simplex - Excel	13.69	17.53 ( 1 set )	41.28 ( 8 sets )		51.19
	Simplex - Average	14	17	40	42	51
	Duplex - Adobe Reader	18.89	12.68 ( 1 set )	38.54 ( 8 sets )		54.62
	Duplex - Word	18.93	12.66 ( 1 set )	38.78 ( 8 sets )		54.58
	Duplex - Excel	18.47	12.98 ( 1 set )	38.86 ( 8 sets )		54.54
	Duplex - Average	19	12	38		54
B&W mode (optional for color device)	Simplex - Adobe Reader	12.94	18.55 ( 1 set )	42.03 ( 8 sets )	47.92 ( 56 sets )	51.21
	Simplex - Word	12.57	19.09 ( 1 set )	42.25 ( 8 sets )		51.20
	Simplex - Excel	12.27	19.54 ( 1 set )	42.43 ( 8 sets )		51.17
	Simplex - Average	13	19	42	47	51
	Duplex - Adobe Reader	17.50	13.70 ( 1 set )	39.58 ( 8 sets )		54.40
	Duplex - Word	17.29	13.86 ( 1 set )	39.56 ( 8 sets )		54.34
	Duplex - Excel	17.43	13.76 ( 1 set )	39.96 ( 8 sets )		54.36
	Duplex - Average	18	13	39		54

Notes  
Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Test System Parameters	
Item	Value
Computer	HP Compaq Elite 8300 Small Form Factor
Processor	Intel Core i7 - 3770, 3.4 GHz
System Chip Set	Intel C216 Chipset Family SMBus Host Controller
System Board	system devices, default system BIOS
System Memory	4 GB
Hard Drive Subsystem	Standard disk drive (Seagate)
Video Subsystem	AMD Radeon HD 6350
Optical Drive	HP DVD A DH16aCASHR ATA
I/O Subsystem	Builtin
USB Subsystem	USB 2.0/3.0
TCP/IP	TCP/IP 10/1000
Operating System	Windows 7 64 Bit
Printing Applications	Microsoft Office 2010
Microsoft Office	Office 2010
Adobe Reader	10
Test files and location	Office category files, hard drive

**ISO/IEC 29183 Copy Productivity Report**

Full Detailed Test Report - LETTER

HP COLOR MFP S951DN

Machine Setup Information	
Test Start Date and Time	2/27/2014 10:08
Tester	JB
Machine name/model	HP COLOR MFP S951DN
Colour or B&W	Colour
Configuration (options)	Not Specified
Temperature and Humidity	76 degF / 24 degC, 40 %rH
Test End Date and Time	3/11/2014 8:50

Pre-set Item	Pre-set Value	
Mode	Output Resolution	Default
	Output Quality	Default
	Copying Mode	Colour for Colour and B&W for B&W
	Auto Density Adjustment	Default
	Collating function	Set in Control Panel
Paper	Paper Sending Direction	Default
	Paper Type Setting	Default
Paper Path	Paper Feeding	Tray 2
	Paper Exit	Default
	Face Up Exit	Default (face down)
Temporary Stop	Fixing Capability	Default
	Image Quality Stability	Default
	Capacity of Paper	Default
	Others	None

Paper	Paper Manufacturer	HP / Xerox
	Paper Weight	20lb / 75 g/m2
	Paper Size	Letter / A4
	Paper type/name	HP Multipurpose Colorlok / Xerox Business 4200

Summary Report: Letter		
	sFCOT	sESAT (ipm)
Color	7	51
B&W	5	51

Notes  
 First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration and document.

Detailed Report: LETTER						
	Target	sFCOT (secs)	sEFTP (ipm)			sESAT (ipm)
			1copy	1copy+30sec	1copy+4minutes	
Color	A	6.92	8.66	43.09 29 sets	46.84 223 sets	51.12
	B	6.91	8.67	42.81 28 sets		51.02
	C	6.91	8.68	42.96 29 sets		51.02
	D	6.70	8.96	42.64 28 sets		51.05
	Average	7	8	42	46	51
	B&W	A	4.54	13.27	45.62 29 sets	47.55 224 sets
B		4.55	13.13	45.16 29 sets		51.20
C		4.37	13.72	42.45 30 sets		51.18
D		4.25	14.12	45.20 29 sets		51.19
Average		5	13	44	47	51

Notes  
 First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration and document.

**ISO/IEC 29183 Copy Productivity Report**

Full Detailed Test Report - A4

HP COLOR MFP S951DN

Machine Setup Information	
Test Start Date and Time	2/27/2014 10:08
Tester	JB
Machine name/model	HP COLOR MFP S951DN
Colour or B&W	Colour
Configuration (options)	Not Specified
Temperature and Humidity	76 degF / 24 degC, 40 %rH
Test End Date and Time	3/11/2014 8:50

	Pre-set Item	Pre-set Value
Mode	Output Resolution	Default
	Output Quality	Default
	Copying Mode	Colour for Colour and B&W for B&W
	Auto Density Adjustment	Default
Paper	Collating function	Set in Control Panel
	Paper Sending Direction	Default
	Paper Type Setting	Default
Paper Path	Paper Feeding	Tray 2
	Paper Exit	Default
	Face Up Exit	Default (face down)
Temporary Stop	Fixing Capability	Default
	Image Quality Stability	Default
	Capacity of Paper	Default
	Others	None

Paper	Paper Manufacturer	HP / Xerox
	Paper Weight	20lb / 75 g/m <sup>2</sup>
	Paper Size	Letter / A4
	Paper type/name	HP Multipurpose Colorlok / Xerox Business 4200

Summary Report: A4		
	sFCOT	sESAT (ipm)
Colour	7	51
B&W	5	51

Notes  
 First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration and document.

Detailed Report: A4						
	Target	sFCOT (secs)	sEFTP (ipm)			sESAT (ipm)
			1copy	1copy+30sec	1copy+4minutes	
Colour	A	6.95	8.63	43.57 29 sets	47.37 221 sets	51.19
	B	6.99	8.58	43.69 29 sets	<del>47.37</del> <del>221 sets</del>	51.18
	C	6.94	8.63	43.96 29 sets	<del>47.37</del> <del>221 sets</del>	51.19
	D	6.94	8.63	43.05 29 sets	<del>47.37</del> <del>221 sets</del>	51.23
	Average	7	8	43	47	51
B&W	A	4.17	14.39	45.48 30 sets	48.37 225 sets	51.20
	B	4.09	14.62	45.26 29 sets	<del>48.37</del> <del>225 sets</del>	51.17
	C	5.06	11.87	42.12 29 sets	<del>48.37</del> <del>225 sets</del>	51.17
	D	4.28	14.01	45.26 29 sets	<del>48.37</del> <del>225 sets</del>	51.21
	Average	5	13	44	48	51

Notes  
 First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration and document.