


### Overview


### HP Pro Tablet 10 EE G1



#### Front


- |                                     |  |
|-------------------------------------|--|
| 1. Micro USB port                   | 7. Volume up button                    |
| 2. Micro HDMI port                  | 8. Power button                        |
| 3. Micro SIM slot (optional)        | 9. LED webcam indicator                |
| 4. Micro SD card slot               | 10. 1.26 MP or 2MP front-facing camera |
| 5. Audio-out (headphone/microphone) | 11. Capacitive Touch Windows button    |
| 6. Volume down button               |  |

### Overview




**Back**

1. Mono speaker
2. Service screw with cover
3. Rear-facing 2 or 5 MP camera with auto focus




**Top**

1. Power button
2. Internal microphone
3. Stylus tether attach



**Left**

1. Volume up and down button
2. 3.5mm headphone/microphone combo jack
3. MicroSD Card Slot (SIM card reader optional)
4. Micro HDMI port
5. Micro USB port
6. AC plug charging LED indicator
7. DC-in charging jack



**Right**

1. Stylus tether attach
2. Stylus garage

### Overview

#### AT A GLANCE

- Durable, IP52\* tested design
- Optional passive stylus
- Integrated stylus garage
- HP School Pack education software *(Planned for March 2015. Cannot be uploaded or updated on systems purchased prior to March availability)*
- Windows 8.1 Pro for Education (32-bit), Windows 8.1 Pro (32-bit), Windows 8.1 (32-bit) and Windows 10 operating systems
- Intel® Atom™ Quad-Core Processor
- 10.1" capacitive touch display, (1280x800) WXGA IPS anti-glare ultra-slim w/ LED backlight touch display
- Integrated Intel® HD Graphics
- Up to 2GB DDR3L RAM
- 32GB/64GB embedded Multi Media Card
- MicroSD card slot, supports SDXC and up to 64GB
- Choice of 5MP rear-facing camera\*\*, 2MP front-facing camera with webcam LED\*\* or 2MP rear-facing camera, 1.26 MP front-facing camera with webcam LED
- 802.11 a/b/g/n dual band 2x2 wireless connectivity, plus Bluetooth® 4.0+ LE (Bluetooth Low Energy)
- Optional 3G WWAN
- Up to 9.5 hours battery life
- Attractive lava gray color

The solution is not covered under HP limited warranty for IP 52 dust and water ingress.

\*\* Available on select configurations only.

\*\*\*Tested by HP using continuous HD video playback, 720p (1280x720) resolution, 150 nits brightness, system audio level at 50%, player audio level at 100%, played from local storage, headphone attached, wireless off, auto dimming off. Actual battery life will vary depending on configuration and maximum capacity will naturally decrease with time and usage.

**NOTE: See important legal disclosures for all listed specs in their respective features sections.**

### Features

#### PRODUCT NAME

HP Pro Tablet 10 EE G1

#### OPERATING SYSTEM

**Preinstalled**  
Windows 10 Pro 32  
Windows 10 Home 32  
Windows 8.1 Pro 32

**Web Supported**  
Windows 10 Pro 32  
Windows 10 Home 32  
Windows 8.1 Pro 32  
Windows 8.1 Enterprise 32  
Windows 10 Enterprise 32

\*Note: Not all features are available in all editions or versions of Windows. Systems may require upgraded and/or separately purchased hardware, drivers, software or BIOS update to take full advantage of Windows functionality. Windows 10 is automatically updated, which is always enabled. ISP fees may apply and additional requirements may apply over time for updates. See <http://www.microsoft.com>.

#### PROCESSORS

Intel® Atom® Quad Core Processor Z3735G with Intel® HD Graphics  
(1.33 GHz, up to 1.83 GHz using Intel Burst Technology, 2 MB cache, 4 cores)\*

Intel® Atom® Quad Core Processor Z3735G with Intel® HD Graphics  
(1.33 GHz, up to 1.83 GHz using Intel Burst Technology, 2 MB cache, 4 cores)\*

\*Multi-Core is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Intel's numbering is not a measurement of higher performance.

#### GRAPHICS

Intel® HD Graphics

#### DISPLAY

**Type** 10.1" diagonal (1280x800) WXGA IPS anti-glare ultra-slim w/ LED backlight  
**Touchscreen** 10-point touch capacitive digitizer, with capacitive touch Windows Home button  
**Aspect Ratio** 16:10  
**Auto rotate** Selectable  
**Screen material** Chemically strengthened soda lime glass  
**Diagonal Size** 10.1 inch  
**Viewing Angles** AUO=85°, IVO=45°  
**Refresh Rate** 60Hz  
**Brightness** 350 nits (typical)  
**Color Depth** 16.7M colors (RGB 6-bits) data driver with Hi-FRC

### Features

\* Resolutions are dependent upon monitor capability, and resolution and color depth settings

#### STYLUS (OPTIONAL)

2.2mm tip Passive Stylus support, Back cover with integrated stylus garage\*

\*Product may be ordered without stylus.

#### INTERNAL STORAGE

##### Internal Storage Device

32GB embedded Multi Media Card NAND flash 5.0

MicroSDXC card slot supporting up to 128GB\*

Micro-SIM Slot (only available on Wireless WAN SKUs)\*\*

\*For storage drive, GB = 1 billion bytes. Optional Micro-Secure Digital eXtended Capacity (SDXC) card sold separately. Actual formatted capacity is less. Up to 5GB of system disk is reserved for system recovery software.

\*\*Optional feature

#### MEMORY CONFIGURATIONS

1GB DDR3L (select configurations)

2GB DDR3L (select configurations)

#### NETWORKING/COMMUNICATIONS

##### Wi-Fi\* and Bluetooth® Combo

Broadcom 43241 a/b/g/n 2x2 + Bluetooth 4.0 + LE dual band 2x2 wireless LAN

- BT Class 1 (10m+ range), Bluetooth 4.0+LE, included with WLAN module
- WLAN Antennas (2)

##### Broadband\*

Global 3G WWAN Module with GPS

- HP hs3110 HSPA+ w/GPS M.2 Module

\*Optional feature

##### Other Wireless Features

Miracast\*\*

Intel WiDi Software\*\*\*

\* Wireless access point and Internet service required and not included. Availability of public wireless access points limited.

\*\*Miracast technology only works with other Miracast ready devices. High definition (HD) content is required to view high-definition images. For details see <http://wi-fi.org/miracast>.

\*\*\* Integrated Intel Wi-Di feature is available on select configurations only and requires separately purchased projector, TV or computer monitor with an integrated or external Wi-Di receiver. External Wi-Di receivers connect to the projector, TV or computer monitor via a standard HDMI cable, also sold separately.

#### AUDIO/MULTIMEDIA



### Features

#### Audio

DTS Sound+™

(1) Mono Speaker (2W)

(1) Integrated digital microphone

(1) 3.5mm headphone/microphone jack\*

#### Cameras

##### Standard Option:

Front: 1.26MP front-facing Camera with webcam indicator LED

Back: 2MP rear-facing Camera, Auto-focus

##### Premium Option\*\*:

Front: 2MP front-facing Camera with webcam indicator LED

Back: 5MP rear-facing Camera, Auto-focus

\* Headphones are sold separately.

\*\*Available on select configurations only.

### SENSORS

Accelerometer

e-Compass

### SOFTWARE

#### Windows® Apps (included in Windows 8.1)

Buy Office

Office 365 (optional)\*

\*Office 365 Personal 1-year (1- Year Office 365 Personal subscription included with Windows 8.1 with Bing 32. Don't forget to activate within six months of Windows activation. Office 365 Personal edition software may not be used for commercial, non-profit or revenue-generating activities).

Internet Explorer® 11

Alarms

Bing Search for Internet Explorer® 11

Calculator

Camera

Desktop

Finance

Food & Drink

Games

Health + Fitness

Help & Tips

Mail

Maps

Music

News

PC Settings

People

Photos

Reader

Reading List

### Features

Scan  
Skype™  
Sound Recorder  
Sports  
Store  
Travel  
Video  
Weather

### SOFTWARE

#### Preinstall

#### Windows 8.1

ePrint Driver  
HP Registration  
HP Setup  
HP Support Assistant  
HP Wallpaper  
System Default Settings  
UEFI System Diagnostics

#### Windows 10

ePrint Driver  
Recovery Manager  
HP Support Assistant  
Microsoft Security Essentials  
HP Setup  
UEFI System Diagnostics

#### HP School Pack Software

Anti-Virus - Windows Defender  
Note Taking – Microsoft OneNote  
Art – Microsoft Fresh Paint  
Online Courses - HP LIFE (<http://www.life-global.org>)  
Online Courses - HP Online Learning Platform (check <http://www.hp.com/go/teachingwithtechnology> for regional availability)

#### *Projected availability March 2015<sup>1</sup>*

Anti-Theft – Absolute Data Protect<sup>2</sup>  
Reading / eTextBook - OverDrive  
HP Classroom Manager Student<sup>3</sup>  
Science - PASCO  
English Language Learning – Oxford University Press

#### Security

Firmware TPM<sup>4</sup>

#### HP Software

HP ePrint<sup>5</sup>  
HP Wireless Hotspot  
HP Touchpoint Manager<sup>6</sup>  
HP User Guide with Warranty Documentation  
HP Print Adapter

### Features

Getting Started with Windows 8  
HP Registration for Windows 8  
HP SoftPaq Download Manager

1. Expected to be available in March 2015 and the applications cannot be updated or uploaded OTA after product purchase without HP School Pack
2. Includes a 1 year license of Absolute Data Protect to locate your device, lock and prevent unauthorized access and remotely delete personal data. See <http://www.absolute.com/landing/2012/computrace-hp> for complete details. Absolute Data Protect agent is shipped turned off and must be activated by customer. Subscription required after the one year period. Service may be limited, check with Absolute for availability outside the U.S. The optional subscription service of Absolute Recovery Guarantee is a limited warranty. Certain conditions apply. For full details visit: <http://www.absolute.com/company/legal/agreements/computrace-agreement>. If Data Delete is utilized, the Recovery Guarantee payment is null and void. In order to use the Data Delete service, customers must first sign a Pre-Authorization Agreement and either create a PIN or purchase one or more RSA SecurID tokens from Absolute Software.
3. HP Classroom Manager for Teachers is required and sold separately for control and device locking from the teacher's Windows desktop console; no locking and control functionality originates from HP Classroom Manager for Student.
4. Firmware TPM is version 2.0, a subset of the TPM 2.0 specification version v0.89 as implemented by Intel Platform Trust Technology (PTT).
5. Requires an Internet connection to HP web-enabled printer and HP ePrint account registration. For HP ePrint details, see [www.hp.com/go/businessmobileprinting](http://www.hp.com/go/businessmobileprinting).
6. Some Touchpoint features require purchase of Pro Package subscription HP Touchpoint Manager supports Android™, iOS and Windows operating systems and PCs, notebooks, tablets and smartphones from various manufacturers. Not available in all countries see [www.hp.com/Touchpoint](http://www.hp.com/Touchpoint) for availability information. Touchpoint Manager require purchase of a subscription.

### POWER

#### Power Supply

18W (12V/1.5A) nPFC AC adapter with Grey DC Cord

#### Primary Battery

1S2P, 2Cell, 29.6Wh

#### Standby Time

Standby life will vary depending on various factors including battery, Memory, CPU, EC and LAN chip. The maximum capacity of the battery will naturally decrease with time and usage.

#### Video Playback

Up to 9.5 hours

#### Power Conservation

Connected Standby

\*Tested by HP using continuous HD video playback, 720p (1280x720) resolution, 150 nits brightness, system audio level at 50%, player audio level at 100%, played from local storage, headphone attached, wireless off, auto dimming off. Actual battery life will vary depending on configuration and maximum capacity will naturally decrease with time and usage.

### WEIGHT & DIMENSIONS

#### Weight\*





### Features

Starting weight: 845g (1.76 lb)  
Configured with optional WWAN, integrated stylus: 0.888 kg (1.96lb)

**Dimensions** (w x d x h)  
280 x 182 x 14.4 mm (11.02 x 7.16 x 0.56 in)\*

\* Weight varies by configuration and components.

### PORTS/SLOTS

#### Ports

- (1) Micro USB 2.0
- (1) DC-in charging jack
- (1) Micro-HDMI (type-D connector)\*
- (1) 3.5mm headphone/microphone combo jack\*\*

#### Expansion Slots

MicroSDXC card slot expandable up to 128GB\*\*\*

\* Micro HDMI to HDMI cables sold separately, \*\* Headphones are sold separately, \*\*\* Card Sold separately

### IN THE BOX

HP Pro Tablet 10 EE G1  
AC charger-10W with USB  
Quick Start Guide

### SERVICE AND SUPPORT

HP Services offers limited 1-year warranty options depending on country. 90-day limited warranty on software. On-site service and warranty upgrades are also available. HP Care Pack Services are extended service contracts that go beyond the standard limited warranties, HP Care Pack Services information by product is available at: <http://www.hp.com/go/cpc>

Certain restrictions and exclusions apply. Consult the HP Customer Support Center for details.  
<http://h20000.www2.hp.com/bizsupport/TechSupport/ProductRoot.jsp>

### Technical Specifications

#### SYSTEM UNIT

<b>Stand-Alone Power Requirements</b> (AC Power)	<b>Nominal Operating Voltage</b>	12V
	<b>Average Operating Power</b>	4.1W
	<b>Max Operating Power</b>	<18W
<b>Temperature</b>	<b>Operating</b>	32° to 122° F (0° to 50° C)
	<b>Non-operating</b>	- 4° to 140° F (-20° to 65° C)
<b>Relative Humidity</b>	<b>Operating</b>	0%~90%
	<b>Non-operating</b>	0%~95%
<b>Shock</b>	<b>Operating</b>	40 G, 2 ms, half-sine
	<b>Non-operating</b>	240 G, 2 ms, half-sine
<b>Random Vibration</b>	<b>Operating</b>	1.043 grms
	<b>Non-operating</b>	3.5 grms
<b>Planned Industry Standard Certifications</b>	IP52 ENERGY STAR® certified, EPEAT® Gold* registered where applicable. EPEAT registration varies by country. See <a href="http://www.epeat.net">www.epeat.net</a> for registration status by country.  China CCC China Energy Label China Minimum Efficiency requirements India BIS Indonesia Postel Japan PC Green label Philippines NTC Taiwan BSMI WEEE compliant (Waste Electric and Electronic Equipment) REACH/REACH2 NVIOT-Nokia NVIOT-Ericsson NVIOT-Nortel NVIOT-IP Access CTA RoHS 2 Compliant E-Standby compliant California Battery Charger Energy Efficiency compliant Acoustics Report and Acoustics Summary EDS (environmental data sheet) RAT (recyclability assessment) UL & CSA EuP Lot 3 (2014) MPRII Russia GOST UL Class1/Div2, CSA, and cUL TISI Battery certification for Thailand Low Halogen** EFB Class 1 requirements (D0160.21/ED-14) EMC Test report	

### Technical Specifications

ISO 9000 Certificate  
 ITO ECO Declaration  
 BQB-RF  
 BQB-Profile  
 WiFi  
 Miracast  
 USB IF  
 GCF/PTCRB-RF  
 GCF/PTCRB-Protocol  
 CE/FCC  
 CTIA OTA  
 Acoustic test  
 AGPS Performance  
 Data throughput

\* EPEAT® registered where applicable. EPEAT registration varies by country. See [www.epeat.net](http://www.epeat.net) for registration status by country.

\*\* External power supplies, power cords, cables and peripherals are not Low Halogen. Service parts obtained after purchase may not be Low Halogen.

\*\*\*Miracast technology only works with other Miracast ready devices. High definition (HD) content is required to view high-definition images. For details see <http://wi-fi.org/miracast>. For Miracast on a Windows tablet, see: For more information: <http://windows.microsoft.com/en-us/windows-8/project-wireless-screen-miracast.6>. IP52 testing is pending and test results are not a guarantee of future performance under these test conditions

### STORAGE AND DRIVES

#### Internal Storage

#### 64 GB embedded Multi Media Card

<b>Drive Weight</b>	Up to 2g	
<b>Capacity</b>	64 GB	
<b>Height</b>	1.4 mm	
<b>Package Size</b>	11.5 x 13 mm	
<b>Interface</b>	MMC Protocol v 5.0	
<b>Performance</b>	<b>Maximum Sequential Read</b> 100 MB/s (min)	<b>Maximum Sequential Write</b> 40MB/s (min)

#### 32 GB embedded Multi Media Card

<b>Drive Weight</b>	Up to 2g	
<b>Capacity</b>	32 GB	
<b>Height</b>	1.2 mm	
<b>Width</b>	11.5 x 13 mm	
<b>Interface</b>	MMC Protocol v 5.0	
<b>Performance</b>	<b>Maximum Sequential Read</b> 100 MB/s (min)	<b>Maximum Sequential Write</b> 40MB/s (min)

### ENVIRONMENTAL DATA

ENERGY STAR® 6.1 certified  
 EPEAT® Gold registered\*  
 Low Halogen\*\*  
 Mercury-free display backlights and arsenic-free display glass  
 All HP computing products are delivered by SmartWay carriers\*\*\*

**Eligible for recycling or cash back through HP's buyback and recycling program. \*\*\***

- [www.hp.com/go/smbrecycling](http://www.hp.com/go/smbrecycling) (10 units or less)
- [www.hp.com/go/businessrecycling](http://www.hp.com/go/businessrecycling) (overview of all business related end of use programs)

### Technical Specifications

- Email [recycling.quote@hp.com](mailto:recycling.quote@hp.com) to get a quote or details on recycling programs

#### **Hewlett-Packard Corporate Environmental Information**

For more information about HP's commitment to the environment:

Global Citizenship Report

<http://www.hp.com/hpinfo/globalcitizenship/qcreport/index.html>

Environment website

<http://www.hp.com/environment>

Eco-label certifications

<http://www.hp.com/hpinfo/globalcitizenship/environment/productdesign/ecolabels.html>

ISO 14001 certificates:

<http://www.hp.com/hpinfo/globalcitizenship/environment/operations/envmanagement.html>

\* EPEAT® registered where applicable. EPEAT registration varies by country. See [www.epeat.net](http://www.epeat.net) for registration status by country.

\*\* External power supplies, power cords, cables and peripherals are not Low Halogen. Service parts obtained after purchase may not be Low Halogen.

\*\*\* Designation based on actions to reduce transportation-related emissions. SmartWay: US only. (14e) Free recycling in select countries.

\*\*\*\*Program may not be available in your area. Check [www.hp.com/go/recycling](http://www.hp.com/go/recycling) to see if HP offers free recycling in your area.

### **COUNTRY OF ORIGIN**

China

### Technical Specifications (detail)

#### NETWORKING/COMMUNICATIONS

<b>HP hs3110/3114 HSPA+ Mobile Broadband Module with GPS support*</b>	<b>Technology/Operating bands</b>	WCDMA/HSDPA/HSUPA/HSPA+: 2100(Band I), 1900 (Band II), AWS(Band IV), 850 (Band V), 900 (Band VIII) MHz GSM/GPRS/EDGE: 1900 MHz (Band II), 1800 MHz (Band III), 850 MHz (Band V), 900 MHz (Band VIII) MHz
	<b>Wireless protocol standards</b>	GSM/GPRS/EDGE: Class B, Multi-slot class 33, coding schemes CS1 - CS4 and MSC1 - MSC9. UMTS/WCDMA: Release 99 and Release 7 Advanced Receiver Type 3i
	<b>GPS</b>	Standalone, A-GPS
	<b>GPS Bands</b>	1575.42 MHz ± 1.023 MHz, GLONASS 1596-1607MHz
	<b>Maximum data rates</b>	HSPA+: UL 5.76 Mbps / DL 21.6 Mbps HSPA: UL 5.76 Mbps / DL 7.2 Mbps WCDMA PS: UL 384 kbps / DL 384 kbps WCDMA CS: UL 64 kbps / DL 64 kbps GPRS: UL 85.6 kbps / DL 107 kbps EDGE: UL 236.8 kbps/DL 296 kbps
	<b>Maximum output power</b>	WCDMA/HSPA/HSPA+ MHz: 24 dBm GPRS 1900/1800 MHz: 30 dBm GPRS 900/850 MHz: 33 dBm EDGE 1900/1800 MHz: 26 dBm EDGE 900/850 MHz: 27 dBm
	<b>Maximum power consumption</b>	2500 mA (peak); 600 mA (average)
	<b>Power consumption, sleep mode</b>	3.6 mA
	<b>Power management</b>	USB selective suspend
	<b>Antenna type</b>	Dual high efficiency multi-band antennae with spatial diversity
	<b>Form Factor</b>	M.2, 3042-S3 Key B
	<b>Weight</b>	6 g
	<b>Dimensions (Length x Width x Thickness)</b>	1.65 x 1.18 x 0.09 in (42 x 30 x 2.3 mm)
	<b>Voltage, Operating</b>	3.3 V +1.1/-0.17 V
	<b>Temperature, Operating</b>	14° to 131°F (-10° to 55°C)
	<b>Temperature, Non-operating</b>	-40° to 185°F (-40° to 85°C)
	<b>Humidity</b>	5% to 95%

\* Mobile Broadband is an optional feature and requires factory configuration. Connection requires wireless data service contract, network support, and is not available in all areas. Contact service provider to determine the coverage area and availability. Connection speeds will vary due to location, environment, network conditions, and other factors.

<b>Broadcom Dual Band Wireless – N 43241 802.11a/b/g/n (2x2)</b>	<b>Wireless LAN Standards</b>	IEEE 802.11a IEEE 802.11b IEEE 802.11g IEEE 802.11n
--	-------------------------------	--

### Technical Specifications (detail)

<b>Bluetooth v4.0 combo adapter</b>	<b>Interoperability</b>	Wi-Fi certified
	<b>Frequency Band</b>	802.11 b/g/n 2.402 GHz and 2.482 GHz 802.11 a/n 4.9-4.95 GHz (Japan) 5.15-5.25 GHz 5.25-5.35 GHz 5.47-5.725 GHz 5.825-5.850 GHz
	<b>Antenna Structure</b>	2 transmit; 2 receive (2x2)
	<b>Data Rates</b>	802.11a: 6, 9, 12, 18, 24, 36, 48, 54 Mbps 802.11b: 1, 2, 5.5, 11 Mbps 802.11g: 6, 9, 12, 18, 24, 36, 48, 54 Mbps 802.11n: MCS 0 ~ MCS 15, (20 MHz, and 40 MHz)
	<b>Modulation</b>	Direct Sequence Spread Spectrum CCK, BPSK, QPSK, 16-QAM, 64-QAM
	<b>Security<sup>1</sup></b>	<ul style="list-style-type: none"> <li>• IEEE and WiFi compliant 64 / 128 bit WEP encryption for a/b/g</li> <li>• AES-CCMP: 128 bit in hardware</li> <li>• 802.1x authentication</li> <li>• WPA, WPA2, 802.1x WPA=PSK, WPA2-PSK, TKIP, and AES.</li> <li>• WPA2 certification</li> <li>• IEEE 802.11i</li> <li>• Cisco Certified Extensions, all versions through CCX4 and CCX Lite</li> <li>• WAPI</li> </ul>
	<b>Sub-channels</b>	Multinational support with frequency bands and channels compliant to local regulations.
	<b>Network Architecture Models</b>	Ad-hoc (Peer-to-Peer) Infrastructure (Access Point Required)
	<b>Roaming</b>	IEEE 802.11 compliant roaming between access points
	<b>Output Power<sup>2</sup></b>	<ul style="list-style-type: none"> <li>• 2.4G: +13.5 dBm minimum</li> <li>• 5G: +12 dBm minimum</li> </ul>
	<b>Power Consumption</b>	Transmit: 2.0 W (max) Receive: 1.6 W (max) Idle associated: 150 mW Idle unassociated: 50 mW Radio disabled: 25mW
	<b>Power Management</b>	802.11 compliant power saving mode
	<b>Receiver Sensitivity<sup>3</sup></b>	802.11b: -95 dBm (1 Mbps), -93 dBm (2 Mbps), -91 dBm (5.5 Mbps), -88 dBm (11 Mbps) 802.11g: -90 dBm (6 Mbps), -89 dBm (9 Mbps), -87 dBm (12 Mbps), -85 dBm (18 Mbps), -82 dBm (24 Mbps), -79 dBm (36 Mbps), -76 dBm (48 Mbps), -74 dBm (54 Mbps), 802.11n:

### Technical Specifications (detail)

	-69 dBm (150 Mbps), -66 dBm (300 Mbps)	
<b>Antenna Connections</b>	2 U.FL type connectors (output impedance of $50 \pm 2$ ohms)	
<b>Form Factor</b>	Customized LGA Card	
<b>Dimensions (WxDxH)</b>	17 x 10.5 x 1.5 mm)	
<b>Operating Voltage</b>	3.3v +/- 9% and 1.8V +/- 9%	
<b>Temperature</b>	Operating	14° to 158°F (-10° to 70°C)
	Non-operating	-40° to 176°F (-40° to 80°C)
<b>Humidity</b>	Operating	10% to 90% (non-condensing)
	Non-operating	5% to 95% (non-condensing)
<b>Altitude</b>	Operating	0 to 10,000 ft (3,048 m)
	Non-operating	0 to 50,000 ft (15,240 m)

1. Check latest software/driver release for updates on supported security features.
2. Maximum output power may vary by country according to local regulations.
3. Receiver sensitivity is measured at a packet error rate of 8% for 802.11b (CCK modulation) and a packet error rate of 10% for 802.11a/g (OFDM modulation).

Type	Description	Part #
<b>Input / Output</b>	HP Pro 10 EE G1 Stylus	K6X13AA
	HP Pro 10 EE G1 Keyboard Base	K7N19AA
<b>Cases / Sleeves</b>	HP Pro 10 EE G1 Sleeve	LOW36AA
<b>Power / Adapters</b>	Micro USB to Ethernet/USB Adapter	K1V16AA
	Micro USB to USB	K2P83AA
	Micro USB to Ethernet Adapter	K2P84AA
	HP Micro HDMI to HDMI/VGA Adapter	K8E31AA
	HP Multi-Tablet Charging Cart,	H4W98AA
<b>Other</b>	HP Tablet Cleaning Kit	K6F99AA

Copyright © 2015 Hewlett-Packard Development Company, L.P.

Microsoft and Windows are U.S. registered trademarks of the Microsoft group of companies. Intel and Intel Atom are trademarks of Intel Corporation in the U.S. and/or other countries. Bluetooth is a registered trademark of its proprietor and used by Hewlett-Packard Company under license. For DTS patents, see <http://patents.dts.com>. Manufactured under license from DTS Licensing Limited. DTS, the Symbol, & DTS and the Symbol together are registered trademarks, and DTS Studio Sound is a trademark of DTS, Inc. © DTS, Inc. All Rights Reserved.

The information contained herein is subject to change without notice. The only warranties for HP products are set forth in the express limited warranty statements accompanying such products. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.