Overview

HP 9.5mm ProOne AIO 600 G2 Slim DVD-ROM Drive

Models

HP 9.5mm ProOne AIO 600 G2 Slim DVD-ROM Drive	P1N65AA

Introduction

Affordably add an optical storage reader to your HP Desktop PC[1] with the HP 9.5mm ProOne AIO 600 G2 Slim DVD-ROM Drive, which connects through SATA and reads DVD and CD format media.

Key Benefits

- Enjoy fast data transfer speeds, solid system cooling airflow, high, dedicated bandwidth, and headroom for speed increases.
- Access your data and video files on a drive that reads from any industry-standard DVD and CD media.
- Fits into the new 9.5mm ODD slim bay
- Rest easy with HP service and support.[2]

Compatibility

The HP 9.5mm ProOne AIO 600 G2 Slim DVD-ROM Drive is compatible with the HP ProOne 600 G2 AIO 21.5" Touch and HP ProOne 600 G2 AIO 21.5" Non-Touch.

Service and Support

Your Option Limited Warranty is a one (1) year (HP Option Limited Warranty Period) parts replacement warranty on any HP-branded or Compaq-branded options (HP Options). If your HP Option is installed in an HP Hardware Product, HP may provide warranty service either for the HP Option Limited Warranty Period or the remaining Limited Warranty Period of the HP Hardware Product in which the HP Option is being installed, whichever period is the longer but not to exceed three (3) years from the date you purchased the HP Option.

Technical Specifications

Height	9.5mm	
Orientation	Either horizontal or vertical	
Interface type	SATA/ATAPI	
Dimensions (W x H x D)	5.04 x 0.37 x 5.0 in (128 x 9.5 x 127 mm) without bezel	
Weight (max)	Up to 0.31 lb (140g) without bezel	
Read speeds	**DVD+R/-R/+RW/ -RW/+R DL /-R DL**	Up to 8X
	DVD-ROM	Up to 8X
	CD-ROM, CD-R	Up to 24X
	CD-RW	Up to 24X
Access time (typical reads, including settling)	**Random**	DVD-ROM: 170 ms (typical), CD-ROM: 170 ms (typical)
	Full Stroke	DVD-ROM: 320 ms (typical), CD-ROM: 320 ms (typical)
Power	**Source**	Slimline SATA DC power receptacle
	DC Power Requirement	5 VDC ± 5%-100 mV ripple p-p
	DC Current	5 VDC - <1000 mA typical, < 1600 mA maximum
Environmental (all conditions non-condensing)	**Temperature**	41° to 122° F (5° to 50° C)
	Relative Humidity	10% to 80%
	Maximum Wet Bulb Temperature (operating)	84° F (29° C)
Option kit contents	HP 9.5mm ProOne AIO 600 G2 Slim DVD-ROM Drive and documentation.	

[1] See product QuickSpecs for exact compatibility.

[2] One year, or the remaining warranty of the HP Desktop PC in which the drive is installed.

© Copyright 2015 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Summary of changes

Date of change:	**Version History:**		**Description of change:**
	Version 1 to 2		