

### Overview

## HP 9.5mm ProOne AIO 400 G2 Slim DVD Writer Drive

### Models

HP 9.5mm ProOne AIO 400 G2 Slim DVD Writer Drive

P8A47AA

---

### Introduction

Affordably add an optical storage writer to your HP All-in-One<sup>1</sup> with the HP 9.5mm ProOne AIO 400 G2 Slim DVD Writer Drive.

---

### Key Benefits

- Easily back up and copy files on a writer that creates DVD discs that can be played on most set-top DVD players and DVD-ROM drives.<sup>2</sup>
- Enjoy fast data transfer speeds, solid system cooling airflow, high, dedicated bandwidth, and headroom for speed increases in future generations.
- Rest easy with HP service and support.<sup>3</sup>

1. See product QuickSpecs for exact platform compatibility.
  2. Do not copy commercially available DVD movies or other copy-right protected materials. Double Layer discs can store more data than single layer discs. However, double-layer discs burned with this drive may not be compatible with many existing single-layer DVD drives and players.
  3. One year, or the remaining warranty of the HP AIO in which the writer is installed.
- 

### Compatibility

HP ProOne 400 G2 AIO Touch, HP ProOne 400 G2 AIO Non-Touch

---

### Service and Support

Your Option Limited Warranty is a one (1) year (HP Option Limited Warranty Period) parts replacement warranty on any HP-branded or Compaq-branded options (HP Options). If your HP Option is installed in an HP Hardware Product, HP may provide warranty service either for the HP Option Limited Warranty Period or the remaining Limited Warranty Period of the HP Hardware Product in which the HP Option is being installed, whichever period is the longer but not to exceed three (3) years from the date you purchased the HP Option.

### Technical Specifications

#### HP 9.5mm ProOne AIO 400 G2 Slim DVD Writer Drive

<b>Height</b>	9.5 mm height	
<b>Orientation</b>	Either horizontal or vertical	
<b>Interface type</b>	SATA/ATAPI	
<b>Disc recording capacity</b>	Up to 8.5 GB DL or 4.7 GB standard	
<b>Dimensions (W x H x D)</b>	5.04 x 0.37 x 5.0 in (128 x 9.5 x 127 mm) without bezel	
<b>Weight (max)</b>	0.31 lb (140 g)	
	DVD-R DL	Up to 6X
	DVD+R	Up to 8X
	DVD+RW	Up to 8X
	DVD+R DL	Up to 6X
	DVD-R	Up to 8X
	DVD-RW	Up to 6X
	CD-R	Up to 24X
	CD-RW	Up to 10X
	DVD-RW, DVD+RW	Up to 8X
	DVD-R DL, DVD+R DL	Up to 8X
	DVD+R, DVD-R	Up to 8X
	DVD-ROM DL, DVD-ROM	Up to 8X
	CD-ROM, CD-R	Up to 24X
	CD-RW	Up to 24X
	Random	DVD-ROM: 170 ms (typical), CD-ROM: 170 ms (typical)
<b>Access time</b> (typical reads, including settling)	Full Stroke	DVD-ROM: 320 ms (typical), CD-ROM: 320 ms (typical)
	Stop Time	6 seconds (typical)
	Source	Slimline SATA DC power receptacle
	DC Power Requirement	5 VDC $\pm$ 5%-100 mV ripple p-p
<b>Power</b>		
	DC Current	5 VDC (< 1000 mA typical, 1600 mA maximum)
	Temperature	41° to 122° F (5° to 50° C)
<b>Environmental conditions</b> (operating - non-condensing)	Relative Humidity	10% to 80%
	Maximum Wet Bulb Temperature	84° F (29° C)

### *Technical Specifications*

The information contained herein is subject to change without notice. The only warranties for HP products are set forth in the express limited warranty statements accompanying such products. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

### Summary of changes

Date of change:	Version History:	Description of change:
	From v1 to v2	
December 5, 2016	From v2 to v3	SuperMulti references deleted