



Product Service

CERTIFICATE

No. Z1A 15 12 93407 033

Holder of Certificate: **HP Inc.**
 1501 Page Mill Road
 Palo Alto CA 94304
 USA

Certification Mark:

Product: **Notebook Computer**

Tested according to: EN 60950-1:2006/A2:2013
 EK1-ITB 2000:2015
 AfPS GS 2014:01 PAK

The product meets the safety and health requirements of the German Product Safety Act section 20 to 22 ProdSG. The certification marks shown above can be affixed on the product. It is not permitted to alter the certification marks in any way. In addition the certificate holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. See also notes overleaf.

Test report no.: 6121015124001

Valid until: 2020-12-09

Date, 2015-12-17

Watson Yang
 (Watson Yang)



Page 1 of 3



Product Service

CERTIFICATE
No. Z1A 15 12 93407 033

Model(s): HSTNN-I33C-5, HP EliteBook 850 G3,
HP ZBook 15u G3

Parameters:

Rated input voltage:	19.5 Vdc
Rated input current:	2.31 A or 3.33 A
Protection class:	III
Max. ambient temperature:	35 °C
Degree of protection against ingress of liquids:	Ordinary
Declared Sound Power level:	2.9 B(A)

Remarks:

- 1) See attachment for LCD(s) covered by this certificate.
- 2) The equipment is evaluated for operating in altitude up to 3,048 m (10,000 ft) above the sea level.

Factory(ies): 75263



Taiwan

The following LCD's panel description of the models are as below:

- | | |
|-------------------|--------------------|
| 1. AUO | Type: B156HTN03 |
| 2. AUO | Type: B156XTN07 |
| 3. BOE | Type: NT156WHM |
| 4. Chimei Innolux | Type: N156BGE |
| 5. Chimei Innolux | Type: N156HGE |
| 6. Sharp | Type: LQ156D1JW02B |
| 7. LG Display | Type: LP156WF6 |
| 8. Samsung | Type: LTN156HL02 |

Suitable for Max. illuminance: $L_{REF,EXT} = 200 \text{ cd/m}^2$ or $L_{REF,SML} = 2000 \text{ cd/m}^2$

Suitable for Max. illuminance: 750 lx

Pixel fault classification: I

Design viewing distance: 500 mm

Design viewing direction: (0°, 90°)

Viewing direction range: Φ range is 0° to 360°

θ range is 43.1°

Content and perception: Artificial information

Date: 2015-12-17



Testing Laboratory

Watson Yang