



Product Service

# CERTIFICATE

No. Z1A 16 05 93407 048

**Holder of Certificate:** **HP Inc.**  
 1501 Page Mill Road  
 Palo Alto CA 94304  
 USA

**Certification Mark:**



**Product:** **Notebook Computer**

**Tested according to:** EN 60950-1:2006/A2:2013  
 EK1-ITB 2000:2016  
 AfPS GS 2014:01 PAK

The product meets the safety and health requirements of the German Product Safety Act section 20 to 22 ProdSG. The certification marks shown above can be affixed on the product. It is not permitted to alter the certification marks in any way. In addition the certificate holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. See also notes overleaf.

**Test report no.:** 612101642201

**Valid until:** 2021-05-09

**Date,** 2016-05-10

*Watson Yang*  
 (Watson Yang)



Page 1 of 3



Product Service

## CERTIFICATE

No. Z1A 16 05 93407 048

**Model(s):** HSTNN-I68C, HP EliteBook 1030 G1

**Parameters:**

|   |                |
|---|----------------|
| Rated input voltage:                                | 19.5 Vdc       |
| Rated input current:                                | 2.31 or 3.33 A |
| Protection class:                                   | III            |
| Max. ambient temperature:                           | 35 °C          |
| Degree of protection<br>against ingress of liquids: | Ordinary       |
| Declared Sound Power level:                         | 2.6 B(A)       |

Remark: The equipment is evaluated for operating in altitude up to 3,048 m (10,000 ft) above the sea level.

**Factory(ies):** 75263

Page 2 of 3

*Wath yf*



Taiwan

**Attachment to the Certificate      No. Z1A 16 05 93407 048**

**The following LCD's panel description of the model is as below:**

- |                   |                   |
|-------------------|-------------------|
| 1. AUO            | Type: B125HAN02   |
| 2. LG             | Type: LP125WF2    |
| 3. Sharp          | Type: LQ125T1JW02 |
| 4. Samsung        | Type: LTN125HL02  |
| 5. Samsung        | Type: LTN125HL07  |
| 6. Young Lighting | Type: HW13FHD503  |
| 7. Young Lighting | Type: HW13QDP501  |

Suitable for Max. illuminance:  $L_{REF,EXT} = 200 \text{ cd/m}^2$  or  $L_{REF,SML} = 2000 \text{ cd/m}^2$

Suitable for Max. illuminance: 750 Lux

Pixel fault classification: I

Design viewing distance: 500 mm

Design viewing direction: (0°, 90°)

Viewing direction range:  $\Phi$  range is 0° to 360°

$\theta$  range is 35.2° (12.5")

$\theta$  range is 37.3° (13.3")

Content and perception: Artificial information

**Date: 2016-05-10**



**Testing Laboratory**

**Watson Yang**