

Overview

HP Elite Slice Accessories

	Part Number
Optical Drive	
HP ODD Module ¹	W6M51AV
HP ODD Module ¹	X8U73AA
Audio	
HP Audio Module ¹	W6M50AV
HP Audio Module ¹	X8U72AA
Mounting	
HP VESA Plate	W5V97AV
HP VESA Plate	X8U74AA
<p>¹ If using a unit configured with a Wireless Charging Cover, or a system that is using more than 2 modules attached you will need to power the system with a 90W EPS (sold separately).</p>	
<u>Other compatible accessory options</u>	
Cables and Adapters	
HP DisplayPort to HDMI 4K Adapter	W5V89AV
HP DVI Cable	W5V88AV
HP Type-C to Dual Type-A Adapter	W5V90AV
HP Type-C to VGA Adapter	W5V91AV
HP USB to Serial Port Adapter	W5V92AV
HP USB-C to USB 3.0 Adapter	W5V93AV
Type-C to DisplayPort Adapter	W5V95AV
Type-C to HDMI Adapter	W5V96AV
Stands	
HP Integrated WorkCenter - Desktop Mini	G1V61AA
Security	
HP Keyed Cable Lock 10mm Kit	T1A62AA

Technical Specifications

Optical Drive

HP ODD Module

Quickly and easily back up files and access content from your choice of optical media with the HP ODD Module that snaps into your HP Elite Slice solution for a simple unified footprint.

Dimensions (H x W x D)	24.5mm x 165mm x 165mm	
Weight	452g (15.94oz)	
Color	Sparkle Black	
Disc capacity	Up to 8.5 GB DVD double-layer or 4.7 GB standard single-layer	
Write / Read speeds	DVD-RAM	Up to 5X
	DVD+R	Up to 8X
	DVD+RW	Up to 8X
	DVD+R DL	Up to 6X
	DVD-R DL	Up to 6X
	DVD-R	Up to 8X
	DVD-RW	Up to 6X
	CD-R	Up to 24X
	CD-RW	Up to 24X
Host Interface	HP Slice module connector (USB 3.1 G1 data rate)	
Access times (typical reads, including setting)	Random	DVD-ROM: 160 ms (typical), CD-ROM: 140 ms (typical)
	Full Stroke	DVD-ROM: 280 ms (typical), CD-ROM: 280 ms (typical)
Power	Source	HP Slice module connector (19V 1A)
	DC Power Requirement	5 VDC \pm 5%-100 mV ripple p-p
	DC Current	5 VDC - 1000 mA typical, 1600 mA maximum
	Option kit contents	HP ODD Module, Installation guide, Warranty

Note A: Cannot be used as USB devices with a USB cable because the connector is unique and designed to connect with the HP Elite Slice and Slice for Meeting Rooms only.

Note B: This module, if being used with other modules, is to be used on top of the Audio module because it has a male and female connection points.

Note C: If using a unit configured with a Wireless Charging Cover, or a system that is using more than 2 modules attached you will need to power the system with a 90W EPS (sold separately).

Technical Specifications

Audio

HP Audio Module

Convert your HP Elite Slice into a speakerphone or a multimedia player with the HP Audio Module. Meetings, video, and music come to life with impeccable sound and clarity, custom-tuned in collaboration with audio experts at Bang & Olufsen.

Dimensions (H x W x D)	24.5mm x 165mm x 165mm
Weight	404g (14.25oz)
Color	Sparkle Black
Host Interface	HP Slice module connector (USB 3.1 G1 data rate)
Power	HP Slice module connector (19V 1A)
System Requirements Software	Win10 Conexant audio drivers
Option kit contents	HP Audio Module, Installation guide, Warranty
Compatibility	HP Elite Slice and HP Elite Slice for Meetings

Note A: Cannot be used as USB devices with a USB cable because the connector is unique and designed to connect with the HP Elite Slice and Slice for Meeting Rooms only.

Note B: If using a unit configured with a Wireless Charging Cover, or a system that is using more than 2 modules attached you will need to power the system with a 90W EPS (sold separately).

Mounting

HP VESA Plate

Mount your HP Elite Slice, Cover, and Modules to a fixed location on a desk or table with the HP VESA Plate, which allows them to be stacked and anchored with the 100 x 100 VESA pattern.

Dimensions (H x W x D)	16.5mm x 165mm x 165mm
Weight	257g (9.07oz)
Exterior color	Sparkle Black
VESA pattern	100 mm VESA standard
Possible configurations	Behind monitor or display with rear cables cascading down, attached to almost any flat surface, position your solution on a wall or on top of a desk for additional security
Option kit contents	VESA Plate, Installation guide, Warranty
Compatibility	HP Elite Slice and HP Elite Slice for Meeting Rooms

Technical Specifications

Service and support

Each accessory carries a one-year limited warranty. Technical support is available seven days a week, 24 hours a day, by phone, as well as online support forums. Certain restrictions and exclusions apply.

© Copyright 2017 HP Development Company, L.P.

Bluetooth is a trademark owned by its proprietor and used by Hewlett Packard Company under license.

USB Type-C™ and USB-C™ are trademarks of USB Implementers Forum.

The information contained herein is subject to change without notice. The only warranties for HP products are set forth in the express limited warranty statements accompanying such products. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Change Log

Date of change:	Version History:		Description of change:
	Version 1 to 2		
February 27, 2017	Version 2	Updated	Added the accessories: X8U74AA, HP VESA Plate; X8U72AA, HP Audio Module; X8U73AA, HP ODD Module