


Overview

HP 240 G6 Notebook PC



Left

- | | |
|----------------------------|-------------------------------|
| 1. Webcam LED | 8. USB 3.1 (Gen 1) port |
| 2. Webcam | 9. HDMI port |
| 3. Microphone | 10. RJ-45/Ethernet port |
| 4. Touchpad | 11. VGA port |
| 5. Touchpad buttons | 12. AC plug LED |
| 6. Audio in/out Combo Jack | 13. AC Smart Pin adapter plug |
| 7. USB 3.1 (Gen 1) port | 14. Power button |

Overview



Right

- | | |
|---|-----------------------------|
| 1. Webcam LED | 7. SD Card slot |
| 2. Webcam | 8. Hard drive indicator LED |
| 3. Microphone | 9. Power indicator LED |
| 4. Security lock slot (Locks sold separately) | 10. Touchpad buttons |
| 5. Optical drive (optional) | 11. Touchpad |
| 6. USB 2.0 port | 12. Power button |

Overview

AT A GLANCE

- Windows 10 versions, FreeDOS 2.0, or Ubuntu Linux available
- Choice of the latest Intel® Core™ or Intel® Celeron® processors
- Intel® HD Graphics
- New Dark Ash Silver color with a fresh woven texture
- Display choices include 14.0" diagonal HD
- Choice of hard drives up to 1 TB
- Weight starting at: 4.08 lbs (1.85 kg)
- Security features including FW TPM 2.0 and security lock slot (Lock not included)
- Keyboard - Full size textured island-style keyboard
- Touchpad with gestures support
- HP webcam with single digital microphone and HD (supporting WDR- Wide Dynamic Range) or VGA camera
- Two USB 3.1 (Gen 1) ports and one USB 2.0 port
- Wireless LAN (WLAN) up to 802.11ac to keep you connected

NOTE: See important legal disclosures for all listed specs in their respective features sections.

Features

PRODUCT NAME

HP 240 G6 Notebook PC

OPERATING SYSTEM

| | |
|------------------------|---|
| Preinstalled OS | Windows 10 Pro 64 ¹ Windows 10 Pro 64 (National Academic only) ¹ Windows 10 Home 64 ¹ Windows 10 Home Single Language 64 ¹ Windows 10 Home 64 (National Academic only) ¹ CPPP Windows 10 Home China Language Edition FreeDOS Ubuntu Linux |
|------------------------|---|

NOTE 1: Not all features are available in all editions or versions of Windows. Systems may require upgraded and/or separately purchased hardware, drivers, software or BIOS update to take full advantage of Windows functionality. Windows 10 is automatically updated, which is always enabled. ISP fees may apply and additional requirements may apply over time for updates. See <http://www.windows.com/>.

PROCESSOR

Intel® Core™ i5-7200U with Intel® HD Graphics 620 (2.5 GHz base frequency, up to 3.1 GHz with Intel® Turbo Boost Technology, 3 MB cache, 2 cores) ^{2,3}

Intel® Core™ i3-6006U with Intel® HD Graphics 520 (2 GHz, 3 MB cache, 2 cores) ²

Intel® Celeron® N3060 with Intel® HD Graphics 400 (1.6 GHz base frequency, up to 2.48 GHz burst frequency, 2 MB cache, 2 cores) ²

Intel® Core™ i3-7020U with Intel® HD Graphics 620 (2.3 GHz, 3 MB cache, 2 cores) ^{2,3}

Intel® Core™ i7-7500U with Intel® HD Graphics 620 (2.7 GHz base frequency, up to 3.5 GHz with Intel® Turbo Boost Technology, 4 MB cache, 2 cores) ^{2,3}

Intel® Core™ i5-8250U with Intel® UHD Graphics 620 (1.6 GHz base frequency, up to 3.4 GHz with Intel® Turbo Boost Technology, 6 MB cache, 4 cores) ^{2,3}

Intel® Celeron® N3350 with Intel® HD Graphics 500 (1.1 GHz base frequency, up to 2.4 GHz burst frequency, 2 MB cache, 2 cores) ²

Intel® Celeron® Processor N4000 with Intel® UHD Graphics 600 (1.1 GHz base frequency, up to 2.6 GHz burst frequency, 4 MB cache, 2 cores) ²

Intel® Celeron® Processor N4100 with Intel® UHD Graphics 600 (1.1 GHz base frequency, up to 2.4 GHz burst frequency, 4 MB cache, 4 cores) ²

8th Generation Intel® Core™ i5 processor, 7th Generation Intel® Core™ i5 processor; 6th Generation Intel® Core™ i3 processor; Intel® Celeron® processor, Intel® Pentium® processor ³

Processor Family

7th Generation Intel® Core™ i5 processor (7200U model)

6th Generation Intel® Core™ i3 processor (6006U model)

Intel Braswell processor (Celeron N3060)

NOTE 2: Multicore is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on

Features

application workload and your hardware and software configurations. Intel's numbering is not a measurement of higher performance.

NOTE 3: In accordance with Microsoft's support policy, HP does not support the Windows 8 or Windows 7 operating system on products configured with Intel and AMD 7th generation and forward processors or provide any Windows 8 or Windows 7 drivers on <http://www.support.hp.com>.

CHIPSET

Chipset is integrated with processor

Features

GRAPHICS

Integrated

Intel® HD Graphics 620⁴

Intel® HD Graphics 520⁴

Intel® HD Graphics 400⁴

Supports

HD Decode, DX12 and HDMI⁵

Optional discrete graphics

AMD® Radeon™ M520

NOTE 4: HD content required to view HD images.

NOTE 5: Cables sold separately.

DISPLAY

Internal

35.6 cm (14") diagonal HD WLED Anti-Glare (1366x768) slim-flat (3.0mm), SVA, eDP^{4,6}

VGA

Port supports resolutions up to 1920 x 1200 external resolution @ 60 Hz

HDMI

Port supports resolutions up to 1920 x 1080 external resolution @ 60 Hz

NOTE 4: HD content required to view HD images.

NOTE 6: Resolutions are dependent upon monitor capability, and resolution and color depth settings.

STORAGE AND DRIVES

Primary Storage

512GB SATA TLC SSD

256GB SATA TLC SSD

128GB SATA TLC SSD

Support all 7mm/9.5mm, SATA 2.5" Hard Drives

1 TB SATA 5400 rpm SATA (7/9.5 mm)⁷

500 GB SATA 5400 rpm SATA (7 mm)⁷

500 GB SATA 7200 rpm SATA (7 mm)⁷

Optical Drive

Optional DVD+/-RW Double-Layer Writer^{8,9}

NOTE 7: For storage drives, GB = 1 billion bytes. TB = 1 trillion bytes. Actual formatted capacity is less. Up to 30 GB (for Windows 10) is reserved for system recovery software.

NOTE 8: HD-DVD disks cannot be played on this drive. No support for DVD-RAM. Actual speeds may vary. Don't copy copyright-protected materials. Double Layer discs can store more data than single layer discs; discs burned with this drive may not be compatible with many existing single-layer DVD drives and players.

NOTE 9: Sold separately or as an optional feature.

Features

MEMORY

Standard

DDR4 (Intel® Core™ i5-7200U, i3-6006U processors only)
DDR4-2133 (Transfer rates up to 2133 MT/s) (DDR4-2400 bridge to DDR4-2133)
Dual channel support
No customer accessible / upgradeable

Configurations

4096 MB Total System Memory (4096 MB x 1)
6144 MB Total System Memory (2048 MB x 1 + 4096 MB x 1)
8192 MB Total System Memory (4096 MB x 2)
8192 MB Total System Memory (8192 MB x 1)
12288 MB Total System Memory (8192 MB x 1 + 4096 MB x 1)
16384 MB Total System Memory (8192 MB x 2)

Maximum

16 GB DDR4-2133 SDRAM

Standard

DDR3L (Intel® Celeron® N3060 processor only)
DDR3L-1600 (Transfer rates up to 1600 MT/s)
Single channel support
No customer accessible / upgradeable

Configurations

2048 MB Total System Memory (2048 MB x 1)
4096 MB Total System Memory (4096 MB x 1)
8192 MB Total System Memory (8192 MB x 1)

Maximum

16 GB DDR3L-1600 SDRAM

NETWORKING/COMMUNICATIONS

Wireless LAN (WLAN)

Realtek 802.11b/g/n (1x1) WiFi¹⁰
Realtek 802.11b/g/n (1x1) WiFi and Bluetooth® 4.0 Combo¹⁰
Intel® Dual band wireless-AC 3168 802.11AC (1x1) WiFi and Bluetooth® 4.2 Combo Adaptor (non-vPro)¹⁰
Intel® Dual Band Wireless-AC 7265 802.11 AC (2x2) WiFi and Bluetooth® 4.2 Combo Adapter (non-vPro)¹⁰

Ethernet

Integrated 10/100/1000 NIC

Communications

Compatible with Miracast-certified devices¹¹

NOTE 10: Wireless access point and Internet service required and sold separately. Availability of public wireless access points limited. The specifications for the 802.11ac WLAN are draft specifications and are not final. If the final specifications differ from the draft specifications, it may affect the ability of the notebook to communicate with other 802.11ac WLAN devices.

NOTE 11: Miracast is a wireless technology your PC can use to project your screen to TVs, projectors, and streaming media players that also support Miracast. You can use Miracast to share what you're doing on your PC and present a slide show. For more information: <http://windows.microsoft.com/en-us/windows-8/project-wireless-screen-miracast>.

Features

AUDIO/MULTIMEDIA

Audio

2 Integrated stereo speakers

Camera

HP TrueVision HD Camera⁴

Indicator LED, USB2.0, HD BSI sensor, f2.0, WDR

720p by 30 frames per second

Single digital microphone

Webcam

HP Webcam¹²

VGA camera, indicator LED, USB 2.0, f2.4

480p by 30 frames per second

Single digital microphone

NOTE 4: HD content required to view HD images.

NOTE 12: Wireless access point and Internet service is required and is not included. Availability of public wireless access points limited.

KEYBOARDS/TOUCHPAD

Keyboard

Full size textured island-style keyboard

Jet black

Touchpad

Multitouch gestures enabled

Support Modern Trackpad Gestures

Taps enabled as default

SOFTWARE AND SECURITY

Preinstalled Software

Buy Office

HP JumpStart

Windows 10 Redstone1 Recovery Manager Installer - CPS

Windows 10 Redstone1 Push Button Reset Recovery - CPS

HP Support Assistant

HP PC Hardware Diagnostics UEFI

HP ePrint¹³

HP System Event Utility

CyberLink Power Media Player

Bing Search for IE11

Security

firmware TPM 2.0

Security lock slot (Locks sold separately)

McAfee LiveSafe

NOTE13: Requires an Internet connection to HP web-enabled printer and HP ePrint account registration (for a list of eligible printers, supported documents and image types and other HP ePrint details, see <http://www.hp.com/go/eprintcenter>).

Features

POWER

Power Supply

65W EM Smart AC adapter¹⁵
45W Smart AC adapter¹⁵

Primary Battery

HP 3-cell battery, 31 Whr Li-ion
HP 4-cell battery, 41 Whr Li-ion

Power Cord

1 M (3.28 feet) length power cord with sticker label

Battery life

7th Gen core CPU: Up to 9 hours 30 minutes¹⁶
6th Gen core CPU: Up to 9 hours¹⁶
Intel®Pentium and Celeron®: Up to 9 hours¹⁶

Fast Charge (90 mins, 90% charged)

Supports battery fast charge

NOTE 15: Availability may vary by country.

NOTE 16: Windows 10 MM14 battery life will vary depending on various factors including product model, configuration, loaded applications, features, use, wireless functionality, and power management settings. The maximum capacity of the battery will naturally decrease with time and usage. See www.bapco.com for additional details.

WEIGHTS & DIMENSIONS

Weight

Starting at 1.85 kg¹⁷
Starting at 4.08 lbs¹⁷

NOTE 17: Weight varies by configuration and components.

Dimensions (W x D x H)

34 x 24 x 2.37 cm
13.39 x 9.45 x .93 in

PORTS/SLOTS

Ports/Connectors

USB 3.1 (Gen 1) ports - Two (Left)
USB 2.0 port - One (Right)
HDMI 1.4b - One¹⁸
VGA port - One
RJ-45 / Ethernet - One¹⁸
Headphone / microphone combo jack - One

Features

AC Smart adapter port – One

Slots

HP Multi-Format Digital Media Card Reader
Supports SD/SDHC/SDXC

NOTE 18: All cables and locks are sold separately.

SERVICE AND SUPPORT

HP Services offers limited 1-year warranty; 1-year limited warranty on primary battery. On-site service is also available with optional HP Care Services, which extend protection beyond the standard limited warranty. To choose the right level of service for your HP product, use the HP Care Services Lookup Tool at: <http://www.hp.com/go/lookuptool>. Additional HP Care Services, information by product is available at: <http://www.hp.com/go/cpc>.¹⁹

NOTE 19: HP Care Packs are sold separately. Service levels and response times for HP Care Packs may vary depending on your geographic location. Service starts on date of hardware purchase. Restrictions and limitations apply. For details, visit www.hp.com/go/cpc. HP services are governed by the applicable HP terms and conditions of service provided or indicated to Customer at the time of purchase. Customer may have additional statutory rights according to applicable local laws, and such rights are not in any way affected by the HP terms and conditions of service or the HP Limited Warranty provided with your HP Product.

COMPATIBILITY

HP USB 3.0 Port Replicator (Spin 2) - Y4H06AA
HP Conferencing Keyboard - K8P74AA
HP 65W Smart Power Adapter - H6Y89AA
HP Essential Backpack (up to 15.6") - H1D24AA
HP Keyed Cable Lock 10mm - T1A62AA

CERTIFICATION AND COMPLIANCE

Energy Efficiency Compliance

UL
FCC Compliance
ENERGY STAR^{®20}
EPEAT[®] Silver²⁰
Australia / NZ C-Tick Compliance
CCC
Japan VCCI Compliance
MIC / KCC
BSMI
CE Marking Compliance
GOST
Saudi Arabian Compliance (ICCP)
SABS

Features

NOTE 20: EPEAT® registered where applicable. EPEAT® registration varies by country. See <http://www.epeat.net> for registration status by country.

Technical Specifications

DISPLAYS

| | | | | |
|--|---------------------------------------|----------------------|-----------------|--|
| 14" HD WLED Anti-Glare (1366x768) slim-flat (3.0mm), SVA, eDP | Outline Dimensions (W x H x D) | 320.9 x 250.6 x 3.0 | | |
| | Active Area | 309.5 x 174.05 | | |
| | Weight | 270 max. | | |
| | Diagonal Size | 14.0" | | |
| | Surface Treatment | AG | | |
| | Contrast Ratio | 600:1 (typ. AG) | | |
| | Refresh Rate | 60Hz | | |
| | Pixel Per Inch (PPI) | 112 | | |
| | Brightness | 220 nit typ. | | |
| | Pixel Resolution | Format | 1366 x 768 (HD) | |
| | | Configuration | RGB | |
| | Interface | eDP 1.2 | | |
| | LCD Mode | TN | | |
| | Viewing Angle | 45/45/20/40 | | |

STORAGE AND DRIVES

| | | | | |
|---|------------------------------|--|--------------|--|
| 500 GB 5400 rpm SATA Drive Weight Hard Drive | | <95g (0.209lb) | | |
| | Capacity | 500 GB | | |
| | Height | 6.8 +/- 0.2 mm (0.268 +/- .008 in) | | |
| | Width | 69.85 +/- 0.25 mm (2.750 +/- 0.010 in) | | |
| | Interface | SATA 6Gb/s | | |
| | Performance | Maximum Sequential Read | 600 MB/s max | |
| | | Maximum Sequential Write | 600 MB/s max | |
| | Logical Blocks | 976,773,168 | | |
| | Operating Temperature | 32° to 140° F (0° to 60° C) | | |
| | Features | DIPM | | |

Technical Specifications

| | | |
|--|--|--------------|
| 500 GB 7200 rpm SATA Drive Weight | <95g (0.209lb) | |
| Hard Drive | | |
| Capacity | 500 GB | |
| Height | 6.8 +/- 0.2 mm (0.268 +/- .008 in) | |
| Width | 69.85 +/- 0.25 mm (2.750 +/- 0.010 in) | |
| Interface | SATA 6Gb/s | |
| Performance | Maximum Sequential Read | 600 MB/s max |
| | Maximum Sequential Write | 600 MB/s max |
| Logical Blocks | 976,773,168 | |
| Operating Temperature | 32° to 140° F (0° to 60° C) | |
| Features | DIPM | |

| | | |
|---|--|--------------|
| 1 TB 5400 rpm SATA Hard Drive Weight | 90g(0.198lb) | |
| Drive | | |
| Capacity | 1TB | |
| Height | 7.0 (± 0.2) mm / 0.276 (± 008) in | |
| Width | 69.85 (± 0.25) mm / 2.750 (± 0.010) in | |
| Interface | SATA 6Gb/s | |
| Performance | Maximum Sequential Read | 600 MB/s max |
| | Maximum Sequential Write | 600 MB/s max |
| Logical Blocks | 1,953,525,168 | |
| Operating Temperature | 32° to 140° F (0° to 60° C) | |
| Features | DIPM | |

Technical Specifications

NETWORKING/COMMUNICATIONS

WWAN

Realtek RTL 8188EE 802.11 bgn 1x1 WiFi Adapter

| | |
|---|-------------------------|
| Technology/Operating bands | 2.4Ghz |
| Wireless protocol standards | 11n |
| Maximum data rates | 150Mbps |
| Maximum output power | FCC/11b at max. 17.5dBm |
| Maximum power consumption | 934mW in Tx mode |
| Form Factor | M2 2230 |
| Weight | 2 g |
| Dimensions (Length x Width x Thickness) | 22 mm x 30 mm x 2.3 mm |

Realtek RTL8723DE 802.11 bgn 1x1 WiFi + BT 4.2 Combo Adapter

| | |
|---|------------------------|
| Technology/Operating bands | 2.4Ghz |
| Wireless protocol standards | 11n |
| Maximum data rates | 150Mbps |
| Maximum output power | CE/11g at max 17dBm |
| Maximum power consumption | 736mW in Tx mode |
| Form Factor | M2 1630 |
| Weight | 2 g |
| Dimensions (Length x Width x Thickness) | 16 mm X 30 mm x 2.3 mm |

Technical Specifications

Realtek RTL8723BE-VB 802.11b/g/n 1x1 Wi-Fi + BT4.0 Combo Adapter

| | |
|---|------------------------|
| Technology/Operating bands | 2.4Ghz |
| Wireless protocol standards | 11n |
| Maximum data rates | 150Mbps |
| Maximum output power | FCC/11b at max. 16dBm |
| Maximum power consumption | 878mW in Tx mode |
| Form Factor | M2 2230 |
| Weight | 2 g |
| Dimensions (Length x Width x Thickness) | 22 mm X 30 mm x 2.3 mm |

Intel Dual band wireless-AC 3168 802.11AC 1x1 WiFi + BT 4.2 Combo Adaptor (non-vPro)

| | |
|---|--|
| Technology/Operating bands | 2.4Ghz/5G |
| Wireless protocol standards | 11ac |
| Maximum data rates | 433Mbps |
| Maximum output power | 16.25dBm in 2.4G 17.25dBm in 5G |
| Maximum power consumption | 1250 mW in 11ac 1x1 HB/80 Or 11n 1x1 HB/40 |
| Form Factor | M2 2230 |
| Weight | 2 g |
| Dimensions (Length x Width x Thickness) | 22 mm X 30 mm x 2.4 mm |

Technical Specifications

Intel Dual Band Wireless-AC 7265 802.11 AC 2x2 WiFi + BT 4.2 Combo Adapter (non-vPro)

| | |
|---|---|
| Technology/Operating bands | 2.4Ghz/5G |
| Wireless protocol standards | 11ac |
| Maximum data rates | 867Mbps |
| Maximum output power | 17.25dBm in 2.4G 16.25dBm in 5G |
| Maximum power consumption | 1580 mW in Wi-Fi: 802.11n link at 200 mbps, FTP transmitting 90% and FTP receiving 10%. Bluetooth: A2DP, 375 Kbps |
| Form Factor | M2 2230 |
| Weight | 2 g |
| Dimensions (Length x Width x Thickness) | 22 mm X 30 mm x 2.4 mm |

POWER

| | | | |
|--------------------------------------|--|---|--|
| 65 W Smart AC adapter | Dimensions (H x W x D) | 107.0 x 47.0 x 30.0mm | |
| | Weight | 250g +/-10% | |
| | Input | Input Efficiency | 88.0 % at 115 Vac and 89.0 % at 230Vac |
| | | Input frequency range | 47 to 63 Hz |
| | | Input AC current | Max. 1.7 A at 90 Vac |
| | Output | Output power | 65W |
| | | DC output | 19.5V |
| | | Hold-up time | 5ms at 115 Vac input |
| | | Output current limit | <11.0A |
| | Connector | C6 (3pin/with grounded, with Smart ID DC connector) | |
| | Environmental Design | Operating temperature | 32° to 95° F (0° to 35° C) |
| | | Non-operating (storage) temperature | -4° to 185° F (-20° to 85° C) |
| | | Altitude | 0 to 16,400 ft (0 to 5,000 m) |
| | | Humidity | 20% to 95% |
| Storage Humidity | | 10% to 95% | |
| EMI and Safety Certifications | *CE Mark - full compliance with LVD and EMC directives * Worldwide safety standards - IEC60950, EN60950, UL60950, Class1, SELV; | | |

Technical Specifications

Agency approvals - C-UL-US, NORDICS, DENAN, EN55022 Class B, FCC Class B,
CISPR22 Class B, CCC, NOM-1 NYCE.
* MTBF - over 200,000 hours at 25°C ambient condition.

| | | | |
|--------------------------------------|--|---|---|
| 65 W EM Smart AC adapter | Dimensions (H x W x D) | 127.0x51.0x30.0mm | |
| | Weight | 350g +/-10% | |
| | Input | Input Efficiency | 88.0 % at 115 Vac and 89.0 % at 230Vac |
| | | Input frequency range | 47 to 63 Hz |
| | | Input AC current | Max. 1.7 A at 90 Vac |
| | Output | Output power | 65W |
| | | DC output | 19.5V |
| | | Hold-up time | 5ms at 115 Vac input |
| | | Output current limit | <11.0A |
| | Connector | C6 (3pin/with grounded, with Smart ID DC connector) | |
| | Environmental Design | Operating temperature | 32° to 95° F (0° to 35° C) |
| | | Non-operating (storage) temperature | -4° to 185° F (-20° to 85° C) |
| | | Altitude | 0 to 16,400 ft (0 to 5,000 m) |
| | | Humidity | 20% to 95% |
| | | Storage Humidity | 10% to 95% |
| EMI and Safety Certifications | *CE Mark - full compliance with LVD and EMC directives * Worldwide safety standards - IEC60950, EN60950, UL60950, Class1, SELV; Agency approvals - C-UL-US, NORDICS, DENAN, EN55022 Class B, FCC Class B, CISPR22 Class B, CCC, NOM-1 NYCE. * MTBF - over 200,000 hours at 25°C ambient condition. | | |
| 45 W Smart AC adapter | Dimensions (H x W x D) | 95.0 x 40.0 x 26.5 mm | |
| | Weight | 200g +/-10% | |
| | Input | Input Efficiency | 87.74 % at 115 Vac and 88.4 % at 230Vac |
| | | Input frequency range | 47 to 63 Hz |
| | | Input AC current | Max. 1.4 A at 90 VAC |
| | Output | Output power | 45W |
| | | DC output | 19.5V |
| | | Hold-up time | 5ms at 115 Vac input |
| | | Output current limit | <8.0A |
| | Connector | C6 (3pin/with grounded, with Smart ID DC connector) | |
| | Environmental Design | Operating temperature | 32° to 95° F (0° to 35° C) |
| | | Non-operating (storage) temperature | -4° to 185° F (-20° to 85° C) |
| | | Altitude | 0 to 16,400 ft (0 to 5,000 m) |
| | | Humidity | 20% to 95% |
| | | Storage Humidity | 10% to 95% |

Technical Specifications

EMI and Safety Certifications

*CE Mark - full compliance with LVD and EMC directives
 * Worldwide safety standards - IEC60950, EN60950, UL60950, Class1, SELV;
 Agency approvals - C-UL-US, NORDICS, DENAN, EN55022 Class B, FCC Class B,
 CISPR22 Class B, CCC, NOM-1 NYCE.
 * MTBF - over 200,000 hours at 25°C ambient condition.

| | | |
|----------------------------------|--|--|
| HP 3-cell Li-Ion (31 WHr) | Dimensions | 274.15mm x 35.25mm x 21.1mm |
| | Weight | 185g |
| | Cells/Type | 3cell Lithium-Ion cylindrical cell / 18650 |
| | Voltage | LGC: 10.95V; SDI/Sanyo: 11.1V |
| | Amp-hour capacity | LGC: 2850mAh;SDI/Sanyo:2800mAh |
| | Watt-hour capacity | LGC: 31.2Wh; SDI/Sanyo:31.08Wh |
| | Operating (Charging) | 0~45°C |
| | Operating (Discharging) | -10~60°C |
| | Fuel Gauge LED | No |
| | Warranty | 300 cycles>80%(at 23°C) |
| | Optional Travel Battery Available | No |
| HP 4-cell Li-Ion (41 WHr) | Dimensions | 274.15mm x 35.25mm x 21.1mm |
| | Weight | 230g |
| | Cells/Type | 4cell Lithium-Ion cylindrical cell / 18650 |
| | Voltage | LGC: 14.6V; SDI/Sanyo:14.8V |
| | Amp-hour capacity | LGC: 2850mAh; SDI/Sanyo: 2800mAh |
| | Watt-hour capacity | LGC: 41.6Wh;SDI/Sanyo41.44Wh |
| | Operating (Charging) | 0~45°C |
| | Operating (Discharging) | -10~60°C |
| | Fuel Gauge LED | No |
| | Warranty | 300 cycles>80%(at 23°C) |
| | Optional Travel Battery Available | No |

Technical Specifications

Environmental Data **Eco-Label declarations** **Certifications &** This product has received or is in the process of being certified to the following approvals and may be labeled with one or more of these marks:

- IT ECO declaration
- US ENERGY STAR®
- US Federal Energy Management Program (FEMP)
- EPEAT[®] Gold Bronze, Silver, Gold registered in the United States. See <http://www.epeat.net> for registration status in your country. Search keyword *generator* on HP's 3rd party option store for solar energy accessory at <http://www.hp.com/go/options>.

System Configuration The configuration used for the Energy Consumption and Declared Noise Emissions data for the Notebook model is based on a "Typically Configured Notebook".

| Energy Consumption (in accordance with US ENERGY STAR® test method) | Consumption | | |
|---|--------------|--------------|--------------|
| | 115VAC, 60Hz | 230VAC, 50Hz | 100VAC, 50Hz |
| Normal Operation (Sort idle) | 8.53 W | 8.62 W | 8.64 W |
| Normal Operation (Long idle) | 4.27 W | 4.30 W | 4.28 W |
| Sleep | 0.67 W | 0.69 W | 0.67 W |
| Off | 0.31 W | 0.34 W | 0.31 W |

Note:

Energy efficiency data listed is for an ENERGY STAR® compliant product if offered within the model family. HP computers marked with the ENERGY STAR® Logo are compliant with the applicable U.S. Environmental Protection Agency (EPA) ENERGY STAR® specifications for computers. If a model family does not offer ENERGY STAR® compliant configurations, then energy efficiency data listed is for a typically configured PC featuring a hard disk drive, a high efficiency power supply, and a Microsoft Windows® operating system.

| Heat Dissipation* | Consumption | | |
|-------------------------------|--------------|--------------|--------------|
| | 115VAC, 60Hz | 230VAC, 50Hz | 100VAC, 50Hz |
| Normal Operation (Short idle) | 29 BTU/hr | 29 BTU/hr | 29 BTU/hr |
| Normal Operation (Long idle) | 15 BTU/hr | 15 BTU/hr | 15 BTU/hr |
| Sleep | 2 BTU/hr | 2 BTU/hr | 2 BTU/hr |
| Off | 1 BTU/hr | 1 BTU/hr | 1 BTU/hr |

Technical Specifications

*NOTE: Heat dissipation is calculated based on the measured watts, assuming the service level is attained for one hour.

| Declared Noise Emissions (in accordance with ISO 7779 and ISO 9296) | Sound Power (L_{WA}d, bels) | Sound Pressure (L_{pAm}, decibels) |
|--|--|---|
| Typically Configured – Idle | 1.6 | 16 |
| Fixed Disk – Random writes | 1.6 | 16 |
| Optical Drive – Sequential reads | | |

Longevity and Upgrading

This product can be upgraded, possibly extending its useful life by several years. Upgradeable features and/or components contained in the product may include:

- 3 USB ports
- 1 PC card slot (type I/II)
- 1 ExpressCard/54 slot
- 1 IEEE 1394 Port
- 2 SODIMM memory slots
- Optional expansion base docking station
- 1 multi-bay II storage port
- Interchangeable HDD??

Spare parts are available throughout the warranty period and or for up to “5” years after the end of production.

Batteries

This battery(s) in this product comply with EU Directive 2006/66/EC

Batteries used in the product do not contain:
Mercury greater the 1ppm by weight
Cadmium greater than 20ppm by weight

Battery description: CR2032 (coin cell)

Battery type: Lithium

Battery description: 6-cell high capacity Lithium-Ion battery (optional 8 cell available)

Battery type:

Technical Specifications

Additional Information

- This product is in compliance with the Restrictions of Hazardous Substances (RoHS) directive - 2011/65/EC.
- This HP product is designed to comply with the Waste Electrical and Electronic Equipment (WEEE) Directive – 2002/96/EC.
- This product is in compliance with California Proposition 65 (State of California; Safe Drinking Water and Toxic Enforcement Act of 1986).
- This product is in compliance with the IEEE 1680 (EPEAT[®]) standard at the <Gold> level, see www.epeat.net
- Plastics parts weighing over 25 grams used in the product are marked per ISO11469 and ISO1043.
- This product contains 0.0% post-consumer recycled plastic (by wt.)
- This product is 97.0% recycle-able when properly disposed of at end of life.

Packaging Materials

| | | |
|------------------|---|-------|
| External | PAPER/Corrugated | 341 g |
| Internal: | PLASTIC/Polyethylene Expanded - EPE | 27 g |
| | PLASTIC/Polyethylene low density - LDPE | 9 g |

The plastic packaging material contains at least 0.0% recycled content. The corrugated paper packaging materials contains at least 80.0% recycled content.

Material Usage

This product does not contain any of the following substances in excess of regulatory limits (refer to the HP General Specification for the Environment at <http://www.hp.com/hpinfo/globalcitizenship/environment/pdf/gse.pdf>):

- Asbestos
- Certain Azo Colorants
- Certain Brominated Flame Retardants – may not be used as flame retardants in plastics
- Cadmium
- Chlorinated Hydrocarbons
- Chlorinated Paraffins
- Formaldehyde
- Halogenated Diphenyl Methanes
- Lead carbonates and sulfates
- Lead and Lead compounds
- Mercuric Oxide Batteries
- Nickel – finishes must not be used on the external surface designed to be frequently handled or carried by the user.
- Ozone Depleting Substances
- Polybrominated Biphenyls (PBBs)
- Polybrominated Biphenyl Ethers (PBBEs)
- Polybrominated Biphenyl Oxides (PBBOs)
- Polychlorinated Biphenyl (PCB)
- Polychlorinated Terphenyls (PCT)
- Polyvinyl Chloride (PVC) – except for wires and cables, has been voluntarily removed from most applications.
- Radioactive Substances

Technical Specifications

- Tributyl Tin (TBT), Triphenyl Tin (TPT), Tributyl Tin Oxide (TBTO)

Packaging Usage

HP follows these guidelines to decrease the environmental impact of product packaging:

- Eliminate the use of heavy metals such as lead, chromium, mercury and cadmium in packaging materials.
- Eliminate the use of ozone-depleting substances (ODS) in packaging materials.
- Design packaging materials for ease of disassembly.
- Maximize the use of post-consumer recycled content materials in packaging materials.
- Use readily recyclable packaging materials such as paper and corrugated materials.
- Reduce size and weight of packages to improve transportation fuel efficiency.
- Plastic packaging materials are marked according to ISO 11469 and DIN 6120 standards.

End-of-life Management and Recycling

Hewlett-Packard offers end-of-life HP product return and recycling programs in many geographic areas. To recycle your product, please go to: <http://www.hp.com/go/reuse-recycle> or contact your nearest HP sales office. Products returned to HP will be recycled, recovered or disposed of in a responsible manner.

The EU WEEE directive (2002/95/EC) requires manufacturers to provide treatment information for each product type for use by treatment facilities. This information (product disassembly instructions) is posted on the Hewlett Packard web site at: <http://www.hp.com/go/recyclers>. These instructions may be used by recyclers and other WEEE treatment facilities as well as HP OEM customers who integrate and re-sell HP equipment.

HP, Inc. Corporate Environmental Information

For more information about HP's commitment to the environment:

Global Citizenship Report

<http://www.hp.com/hpinfo/globalcitizenship/gcreport/index.html>

Eco-label certifications

<http://www8.hp.com/us/en/hp-information/environment/ecolabels.html>

ISO 14001 certificates:

<http://h20195.www2.hp.com/V2/GetDocument.aspx?docname=c04755842>

and

<http://www.hp.com/hpinfo/globalcitizenship/environment/pdf/cert.pdf>

Options and Accessories (sold separately and availability may vary by country)

| Category | Description | Part Number |
|----------------------|--|-------------|
| Cases | HP Essential Top Load Case | H2W17AA |
| | HP Essential Backpack | H1D24AA |
| Docking | HP 3005PR USB3 Port Replicator | Y4H06AA |
| | HP USB Travel Dock | TOK30AA |
| Input Devices | HP 3001pr USB 3.0 Port Replicator | F3S42AA |
| | HP Slim USB Keyboard and Mouse | H4B81AA |
| | HP Slim Wireless Keyboard and Mouse | H6F25AA |
| | HP 3-Button USB Laser Mouse | G1K28AA |
| | HP USB Travel Mouse | N9K77AA |
| | HP Comfort Grip Wireless Mouse | N9K78AA |
| | HP Ultra Mobile Wireless Mouse | N2Z63AAA |
| Power | HP HDMI to DVI Adapter | V7W66AA |
| | HP 45W Smart AC Adapter 4.5mm | H6Y88AA#xxx |
| | HP 65W Smart AC Adapter | H6Y89AA#xxx |
| | HP 65W Slim AC Adapter | H6Y82AA#xxx |
| Memory | HP Power Bank | N9F71AA#xxx |
| | HP 4GB DDR3L-1600 1.35V SODIMM | H6Y75AA#XXX |
| Security | HP 8GB DDR3L-1600 1.35V SODIMM | H6Y77AA#XXX |
| | HP Essential Combination Lock | TOY16AA |
| | HP Combination Lock | TOY15AA |
| | HP Keyed Cable lock | TOY14AA |
| | HP Keyed Cable Lock 10mm | T1A62AA |
| | HP 15.6 NB Privacy Filter (For Jaguars and Lions only) | J7H71AA |
| UCC | HP 14.0" Notebook Privacy Filter (For Colts and Rams only) | J6E65AA |
| | HP Conferencing Keyboard | K8P74AA#xxx |
| | HP UC Speaker Phone | K7V16AA |
| | HP UC Wired Headset | K7V17AA |
| | HP Stereo USB Headset | T1A67AA |
| Displays | HP Stereo 3.5mm Headset | T1A66AA |
| | HP S140u 14-inch Portable Display | G8R65AA |
| | HP ProDisplay P223 21-5 inch Monitor | X7R61AA |
| | HP ProDisplay P232 23-inch Monitor | K7X31AA |
| | HP ProDisplay P240va 23.8-inch Monitor | N3H14AA |

Summary of Changes

| Date of change: | Version History: | | Description of change: |
|------------------------|-------------------------|--------|---|
| April 24, 2017 | From v1 to v2 | Update | Graphics Section Updated |
| May 02, 2017 | From v2 to v3 | Update | Tech specs and accessories added |
| July 27, 2017 | From v3 to v4 | Update | Software and security section updated |
| September 29, 2017 | From v4 to v5 | Update | Maximum memory updated |
| November 28, 2017 | From v5 to v6 | Update | McAfee LiveSafe added to Software and security section Environmental data added |
| February 1, 2018 | From v6 to v7 | Update | 3 new processors added to Processor section and 3 new SSD added to Storage and drives section |
| April 9, 2018 | From v7 to v8 | Update | Graphics and Processors Section |
| June 13, 2018 | From v8 to v9 | Update | Processor |

Copyright © 2018 Hewlett Packard Development Company, L.P.

The only warranties for HP products are set forth in the express limited warranty statements accompanying such products. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Intel, Core and Celeron are trademarks of Intel Corporation in the U.S. and/or other countries. Bluetooth is a trademark of its proprietor used by HP Inc. under license. ENERGY STAR is a registered trademark owned by the U.S. Environmental Protection Agency. For DTS patents, see <http://patents.dts.com>. Manufactured under license from DTS Licensing Limited. DTS, the Symbol, & DTS and the Symbol together are registered trademarks, and DTS Studio Sound is a trademark of DTS, Inc. © DTS, Inc. All Rights Reserved.