

### Overview

### HP 255 G6 Notebook PC



#### Left

- |                            |                               |
|----------------------------|-------------------------------|
| 1. Webcam LED              | 8. USB 3.1 (Gen 1) port       |
| 2. Webcam                  | 9. HDMI port                  |
| 3. Microphone              | 10. RJ-45/Ethernet port       |
| 4. Touchpad                | 11. VGA port                  |
| 5. Touchpad buttons        | 12. AC plug LED               |
| 6. Audio in/out combo jack | 13. AC Smart Pin adapter plug |
| 7. USB 3.1 (Gen 1) port    | 14. Power button              |

### Overview



#### Right

- |   |                             |
|---|-----------------------------|
| 1. Webcam LED                                 | 7. SD Card slot             |
| 2. Webcam                                     | 8. Hard drive indicator LED |
| 3. Microphone                                 | 9. Power indicator LED      |
| 4. Security lock slot (Locks sold separately) | 10. Touchpad buttons        |
| 5. Optical drive (optional)                   | 11. Touchpad                |
| 6. USB 2.0 port                               | 12. Power button            |

### Overview

### AT A GLANCE

- Windows 10 versions, FreeDOS 2.0
- Accelerated Processing Unit and graphics from AMD choose from
  - AMD A6-9220 APU with Radeon™ R4 Graphics
  - AMD E2-9000e APU with Radeon™ R2 Graphics Intel® HD Graphics or AMD Radeon™ 520 (up to 2 GB of dedicated video memory)
- New Dark Ash Silver color with a fresh woven texture
- Display choices include: 15.6" diagonal HD or FHD
- Choice of hard drives up to 1 TB or M.2 SATA solid state drives up to 256 GB
- Weight starting at: 4.1 lbs (1.86 kg)
- Security features including FW TPM 2.0 and security lock slot (Lock not included)
- Keyboard
  - Full size textured island-style keyboard with numeric pad on the HP 255 G6
- Touchpad with gestures support
- HP webcam with single digital microphone and HD (supporting WDR- Wide Dynamic Range) or VGA camera
- Two USB 3.1 (Gen 1) ports and One USB 2.0 port
- Wireless LAN (WLAN) up to 1x1 802.11ac to help keep you connected

**NOTE: See important legal disclosures for all listed specs in their respective features sections.**

---

### Features

## PRODUCT NAME

HP 255 G6 Notebook PC

---

## OPERATING SYSTEM

<b>Preinstalled OS</b>	Windows 10 Pro 64 <sup>1</sup> Windows 10 Pro 64 (National Academic only) <sup>1</sup> Windows 10 Home 64 <sup>1</sup> Windows 10 Home Single Language 64 <sup>1</sup> FreeDOS 2.0
------------------------	--

**NOTE 1:** Not all features are available in all editions or versions of Windows. Systems may require upgraded and/or separately purchased hardware, drivers, software or BIOS update to take full advantage of Windows functionality. Windows 10 is automatically updated, which is always enabled. ISP fees may apply and additional requirements may apply over time for updates. See <http://www.windows.com/>.

---

## PROCESSOR

- AMD A6-9220 APU with Radeon™ R4 Graphics (2.5 GHz, up to 2.9 GHz, 1 MB cache, 2 cores) <sup>2,3</sup>
- AMD E2-9000e APU with AMD Radeon™ R2 Graphics (1.5 GHz, up to 2 GHz, 1 MB cache, 2 cores) <sup>2,3</sup>
- AMD A10-9620 APU with Radeon™ R5 Graphics (2.5 GHz, up to 3.4 GHz, 2 MB cache, 4 cores) <sup>2,3</sup>

### Processor Family

- 7<sup>th</sup> Generation AMD A6 APU Processor (9220 model)<sup>3</sup>
- 7<sup>th</sup> Generation AMD A10 APU Processor (9220 model)<sup>3</sup>
- 7<sup>th</sup> Generation AMD E2 APU Processor (9000e model)<sup>3</sup>

**NOTE 2:** Multicore is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload and your hardware and software configurations. Intel's numbering is not a measurement of higher performance.

**NOTE 3:** In accordance with Microsoft's support policy, HP does not support the Windows 8 or Windows 7 operating system on products configured with Intel and AMD 7th generation and forward processors or provide any Windows 8 or Windows 7 drivers on <http://www.support.hp.com>.

---

## CHIPSET

AMD SoC (chipset is integrated with processor)

---

## GRAPHICS

**Integrated**  
AMD Radeon™ R4 Graphics

### Features

AMD Radeon™ R2 Graphics

#### Supports

HD Decode, DX12, and HDMI<sup>5</sup>

**NOTE 5:** Cables sold separately

---

### DISPLAY

#### Internal

39.6 cm (15.6") diagonal HD SVA eDP anti-glare slim WLED (1366 x 768) <sup>4,6</sup>  
39.6 cm (15.6") diagonal FHD SVA eDP anti-glare slim WLED (1920 x 1080) <sup>4,6</sup>

#### VGA

Port supports resolutions up to 1920 x 1200 external resolution @ 60 Hz

#### HDMI

Port supports resolutions up to 1920 x 1080 external resolution @ 60 Hz

**NOTE 4:** HD content required to view HD images.

**NOTE 6:** Resolutions are dependent upon monitor capability, and resolution and color depth settings.

---

### STORAGE AND DRIVES

#### Primary Storage

Support all 7.2mm/9.5mm, SATA 2.5" Hard Drives

1 TB SATA 5400 rpm SATA (7.2/9.5 mm) <sup>7</sup>

500 GB SATA 5400 rpm SATA (7 mm) <sup>7</sup>

500 GB SATA 7200 rpm SATA (7 mm) <sup>7</sup>

#### M.2 SATA-3 Solid State Drives

128 GB M.2 SATA SSD <sup>7</sup>

256 GB M.2 SATA SSD <sup>7</sup>

128 GB eMMC <sup>9</sup>

#### Optical Drive

Optional DVD+/-RW Double-Layer Writer <sup>8,9</sup>

**NOTE 7:** For storage drives, GB = 1 billion bytes. TB = 1 trillion bytes. Actual formatted capacity is less. Up to 30 GB (for Windows 10) is reserved for system recovery software.

**NOTE 8:** HD-DVD disks cannot be played on this drive. No support for DVDRAM. Actual speeds may vary. Don't copy copyright-protected materials. Double Layer discs can store more data than single layer discs; discs burned with this drive may not be compatible with many existing single-layer DVD drives and players.

**NOTE 9:** Sold separately or as an optional feature.

---

### Features

## MEMORY

### DDR4

DDR4-1866 (Transfer rates up to 1866 MT/s) (DDR4-2400 downgrade to DDR4-1866)

Single channel support

No customer accessible / upgradeable

### Configurations

4096 MB Total System Memory (4096 MB x 1)

6144 MB Total System Memory (2048 MB x 1 + 4096 MB x 1)

8192 MB Total System Memory (8192 MB x 1)

### Maximum

Up to 8 GB DDR4-1866 SDRAM

## NETWORKING/COMMUNICATIONS

### Wireless LAN (WLAN)

Intel® Dual Band Wireless-AC 3168 802.11ac (1x1) Wi-Fi and Bluetooth® 4.2 Combo (non-vPro™)<sup>10</sup>

### Ethernet

Integrated 10/100/1000 NIC

Communications

Compatible with Miracast-certified devices<sup>11</sup>

**NOTE 10:** Wireless access point and Internet service required and sold separately. Availability of public wireless access points limited. The specifications for the 802.11ac WLAN are draft specifications and are not final. If the final specifications differ from the draft specifications, it may affect the ability of the notebook to communicate with other 802.11ac WLAN devices.

**NOTE 11:** Miracast is a wireless technology your PC can use to project your screen to TVs, projectors, and streaming media players that also support Miracast. You can use Miracast to share what you're doing on your PC and present a slide show. For more information: <http://windows.microsoft.com/en-us/windows-8/project-wireless-screen-miracast>.

## AUDIO/MULTIMEDIA

### Audio

(2) Integrated stereo speakers

### Camera

HP TrueVision HD Camera<sup>4</sup>

Indicator LED, USB2.0, HD BSI sensor, f2.0, WDR

720p by 30 frames per second

Single digital microphone

### Webcam

HP Webcam<sup>12</sup>

VGA camera, indicator LED, USB 2.0, f2.4

480p by 30 frames per second

Single digital microphone

**NOTE 4:** HD content required to view HD images.

### Features

**NOTE 12:** Internet access required.

---

## KEYBOARDS/POINTING DEVICES/BUTTONS & FUNCTION KEYS

### Keyboard

Full size textured island-style keyboard with numeric keypad

Jet black

Touchpad

Multitouch gestures enabled

Support Modern Trackpad Gestures

Taps enabled as default

---

## SOFTWARE AND SECURITY

### Preinstalled Software

Buy Office

HP JumpStart

Windows 10 Redstone1 Recovery Manager Installer - CPS

Windows 10 Redstone1 Push Button Reset Recovery - CPS

HP Support Assistant

HP PC Hardware Diagnostics UEFI

HP ePrint <sup>13</sup>

HP System Event Utility

CyberLink Power Media Player

Bing Search for IE11

Security lock slot (Locks sold separately)

McAfee LiveSafe

**NOTE 13:** Requires an Internet connection to HP web-enabled printer and HP ePrint account registration (for a list of eligible printers, supported documents and image types and other HP ePrint details, see [www.hp.com/go/eprintcenter](http://www.hp.com/go/eprintcenter)). Requires optional broadband module. Broadband use requires separately purchased service contract. Check with service provider for coverage and availability in your area. Separately purchased data plans or usage fees may apply. Print times and connection speeds may vary.

---

## POWER

### Power Supply

45 W Smart AC adapter <sup>15</sup>

65 W EM Smart AC adapter <sup>15</sup>

### Primary Battery

HP 3-cell battery, 31 Whr Li-ion

HP 4 cell battery, 41 Whr Li-ion

### Power Cord

1 M (3.28 feet) length power cord with sticker label

### Battery life

Up to 7 hours and 30 minutes (4 cell battery)<sup>16</sup>

### Features

**Fast Charge (90 mins, 90% charged)**

Supports battery fast charge

**NOTE 15:** Availability may vary by country.

**NOTE 16:** Windows 10 MM14 battery life will vary depending on various factors including product model, configuration, loaded applications, features, use, wireless functionality, and power management settings. The maximum capacity of the battery will naturally decrease with time and usage. See [www.bapco.com](http://www.bapco.com) for additional details.

---

### WEIGHTS & DIMENSIONS

**Weight**

Starting at 1.86 kg (4.1 lb) <sup>17</sup>

**NOTE 17:** Weight varies by configuration and components.

**Dimensions (W x D x H)**

38 x 25.38 x 2.38 cm

14.96 x 9.99 x 0.93 in

---

### PORTS/SLOTS

**Ports/Connectors**

USB 3.1 (Gen 1) ports - Two (Left)

USB 2.0 port - One (Right)

HDMI 1.4b - One <sup>18</sup>

VGA port - One <sup>18</sup>

RJ-45 / Ethernet - One <sup>18</sup>

Headphone / microphone combo jack - One

AC Smart adapter port - One

**Slots**

HP Multi-Format Digital Media Card Reader

Supports SD/SDHC/SDXC

**NOTE 18:** All cables are sold separately.

---



### Technical Specifications

## CERTIFICATION AND COMPLIANCE

### Energy Efficiency Compliance

UL  
FCC Compliance  
ENERGY STAR<sup>®20</sup>  
EPEAT<sup>®</sup> Silver<sup>20</sup>  
ICES  
CCC  
Japan VCCI Compliance  
MIC / KCC  
CE Marking Compliance  
GOST  
Saudi Arabian Compliance (ICCP)  
SABS

**NOTE 20:** EPEAT<sup>®</sup> registered where applicable. EPEAT registration varies by country. See <http://www.epeat.net> for registration status by country.

## SERVICE AND SUPPORT

HP Services offers limited 1-year warranty; 1-year limited warranty on primary battery. On-site service is also available with optional HP Care Services, which extend protection beyond the standard limited warranty. To choose the right level of service for your HP product, use the HP Care Services Lookup Tool at: <http://www.hp.com/go/lookuptool>. Additional HP Care Services, information by product is available at: <http://www.hp.com/go/cpc>.<sup>21</sup>

**NOTE 19:** HP Care Packs are sold separately. Service levels and response times for HP Care Packs may vary depending on your geographic location. Service starts on date of hardware purchase. Restrictions and limitations apply. For details, visit [www.hp.com/go/cpc](http://www.hp.com/go/cpc). HP services are governed by the applicable HP terms and conditions of service provided or indicated to Customer at the time of purchase. Customer may have additional statutory rights according to applicable local laws, and such rights are not in any way affected by the HP terms and conditions of service or the HP Limited Warranty provided with your HP Product.

### Technical Specifications

#### DISPLAYS

<b>15.6" FHD WLED AntiGlare (1920x1080) slim (3.2mm) SVA, eDP</b>	<b>Outline Dimensions (W x H x D)</b>	360 x 224.3 x 3.2 (max)		
	<b>Active Area</b>	344.26 x 193.69 mm		
	<b>Weight</b>	360g max		
	<b>Diagonal Size</b>	15.6"		
	<b>Surface Treatment</b>	AG		
	<b>Contrast Ratio</b>	500:1 (typ. AG)		
	<b>Refresh Rate</b>	60Hz		
	<b>Pixel Per Inch (PPI)</b>	141		
	<b>Brightness</b>	220 nit typ.		
	<b>Pixel Resolution</b>	<b>Format</b>	1920 x 1080 (FHD)	
	<b>Interface</b>	<b>Configuration</b>	RGB	
	<b>LCD Mode</b>	eDP 1.2		
	<b>Viewing Angle</b>	TN		
		45/45/20/45		

<b>15.6" HD WLED AntiGlare (1366x768) slim (3.2mm) SVA, eDP</b>	<b>Outline Dimensions (W x H x D)</b>	359.5 x 223.8 x 3.2 (max)		
	<b>Active Area</b>	344.23 x 193.54		
	<b>Weight</b>	370g max		
	<b>Diagonal Size</b>	15.6"		
	<b>Surface Treatment</b>	AG		
	<b>Contrast Ratio</b>	500:1 (typ. AG)		
	<b>Refresh Rate</b>	60Hz		
	<b>Pixel Per Inch (PPI)</b>	100		
	<b>Brightness</b>	220 nit typ.		
	<b>Pixel Resolution</b>	<b>Format</b>	1366 x 768 (HD)	
	<b>Interface</b>	<b>Configuration</b>	RGB	
	<b>LCD Mode</b>	eDP 1.2		
	<b>Viewing Angle</b>	TN		
		45/45/20/40		

#### STORAGE AND DRIVES

<b>500 GB 5400 rpm SATA Hard Drive</b>	<b>Drive Weight</b>	<95g (0.209lb)
	<b>Capacity</b>	500 GB
	<b>Height</b>	6.8 +/- 0.2 mm (0.268 +/- .008 in)

### Technical Specifications

<b>Width</b>	69.85 +/- 0.25 mm (2.750 +/- 0.010 in)
<b>Interface</b>	SATA 6Gb/s
<b>Performance</b>	<b>Maximum Sequential Read</b> 600 MB/s max
	<b>Maximum Sequential Write</b> 600 MB/s max
<b>Logical Blocks</b>	976,773,168
<b>Operating Temperature</b>	32° to 140° F (0° to 60° C)
<b>Features</b>	DIPM

#### 500 GB 7200 rpm SATA Drive Weight Hard Drive

<95g (0.209lb)

<b>Capacity</b>	500 GB
<b>Height</b>	6.8 +/- 0.2 mm (0.268 +/- .008 in)
<b>Width</b>	69.85 +/- 0.25 mm (2.750 +/- 0.010 in)
<b>Interface</b>	SATA 6Gb/s
<b>Performance</b>	<b>Maximum Sequential Read</b> 600 MB/s max
	<b>Maximum Sequential Write</b> 600 MB/s max
<b>Logical Blocks</b>	976,773,168
<b>Operating Temperature</b>	32° to 140° F (0° to 60° C)
<b>Features</b>	DIPM

#### 1 TB 5400 rpm SATA Hard Drive Weight Drive

90g(0.198lb)

<b>Capacity</b>	1TB
<b>Height</b>	7.0 (± 0.2) mm / 0.276 (± 008) in

### Technical Specifications

<b>Width</b>	69.85 (± 0.25) mm / 2.750 (± 0.010) in	
<b>Interface</b>	SATA 6Gb/s	
<b>Performance</b>	<b>Maximum Sequential Read</b>	600 MB/s max
	<b>Maximum Sequential Write</b>	600 MB/s max
<b>Logical Blocks</b>	1,953,525,168	
<b>Operating Temperature</b>	32° to 140° F (0° to 60° C)	
<b>Features</b>	DIPM	

<b>128 GB SATA-3 Value Drive Weight</b>	0.01 lb (6 g) ~ 0.02 lb (10 g)	
<b>Solid State Drive</b>		
<b>Capacity</b>	128 GB	
<b>Height</b>	0.09 in (2.3 mm)	
<b>Width</b>	0.87 in (22 mm)	
<b>Interface</b>	ATA-8, SATA 3.0	
<b>Logical Blocks</b>	250,069,680	
<b>Operating Temperature</b>	32° to 158°F (0° to 70°C) [ambient temp]	
<b>Features</b>	DIPM; TRIM; DEVSLP	

<b>256 GB SATA-3 Value Drive Weight</b>	0.01 lb (6 g) ~ 0.02 lb (10 g)	
<b>Solid State Drive</b>		
<b>Capacity</b>	256 GB	
<b>Height</b>	0.09 in (2.3 mm)	
<b>Width</b>	0.87 in (22 mm)	
<b>Interface</b>	ATA-8, SATA 3.0	
<b>Logical Blocks</b>	500,118,192	
<b>Operating Temperature</b>	32° to 158°F (0° to 70°C) [ambient temp]	

### Technical Specifications

**Features** DIPM; TRIM; DEVSLP

**128 GB SATA TLC Solid Drive Weight  
State Drive**

0.01 lb (6 g) ~ 0.02 lb (10 g)

**Capacity** 128 GB

**Height** 0.09 in (2.3 mm)

**Width** 0.87 in (22 mm)

**Interface** ATA-8, SATA 3.0

**Logical Blocks** 250,069,680

**Operating Temperature** 32° to 158°F (0° to 70°C) [ambient temp]

**Features** DIPM; TRIM; DEVSLP

**256 GB SATA TLC Solid Drive Weight  
State Drive**

0.01 lb (6 g) ~ 0.02 lb (10 g)

**Capacity** 256 GB

**Height** 0.09 in (2.3 mm)

**Width** 0.87 in (22 mm)

**Interface** ATA-8, SATA 3.0

**Logical Blocks** 500,118,192

**Operating Temperature** 32° to 158°F (0° to 70°C) [ambient temp]

**Features** DIPM; TRIM; DEVSLP

### Technical Specifications

#### NETWORKING/COMMUNICATIONS

##### WWAN

**Intel Dual band wireless-AC 3168 802.11AC 1x1 WiFi + BT 4.2 Combo Adaptor (non-vPro)**

<b>Technology/Operating bands</b>	2.4G/5G
<b>Wireless protocol standards</b>	11ac
<b>Maximum data rates</b>	433Mbps
<b>Maximum output power</b>	16.25dBm in 2.4G 17.25dBm in 5G
<b>Maximum power consumption</b>	1250 mW in 11ac 1x1 HB/80 Or 11n 1x1 HB/40
<b>Form Factor</b>	M2 2230
<b>Weight</b>	3 g
<b>Dimensions</b> (Length x Width x Thickness)	22 mm X 30 mm x 2.4 mm

#### POWER

<b>45 W Smart AC adapter</b>	<b>Dimensions (H x W x D)</b>	95.0 x 40.0 x 26.5 mm	
	<b>Weight</b>	200g +/-10%	
	<b>Input</b>	<b>Input Efficiency</b>	87.74 % at 115 Vac and 88.4 % at 230Vac
		<b>Input frequency range</b>	47 to 63 Hz
	<b>Output</b>	<b>Input AC current</b>	Max. 1.4 A at 90 VAC
		<b>Output power</b>	45W
		<b>DC output</b>	19.5V
		<b>Hold-up time</b>	5ms at 115 Vac input
		<b>Output current limit</b>	<8.0A
	<b>Connector</b>	C6 (3pin/with grounded, with Smart ID DC connector)	
	<b>Environmental Design</b>	<b>Operating temperature</b>	32° to 95° F (0° to 35° C)
		<b>Non-operating (storage) temperature</b>	-4° to 185° F (-20° to 85° C)
		<b>Altitude</b>	0 to 16,400 ft (0 to 5,000 m)
<b>Humidity</b>		20% to 95%	

### Technical Specifications

<b>EMI and Safety Certifications</b>	<p><b>Storage Humidity</b> 10% to 95%</p> <p>*CE Mark - full compliance with LVD and EMC directives</p> <p>* Worldwide safety standards - IEC60950, EN60950, UL60950, Class1, SELV;</p> <p>Agency approvals - C-UL-US, NORDICS, DENAN, EN55022 Class B, FCC Class B,</p> <p>CISPR22 Class B, CCC, NOM-1 NYCE.</p> <p>* MTBF - over 200,000 hours at 25°C ambient condition.</p>
--------------------------------------	---

<b>HP 3-cell Li-Ion (31 WHr)</b>	<p><b>Dimensions</b> 274.15mm x 35.25mm x 21.1mm</p> <p><b>Weight</b> 185g</p> <p><b>Cells/Type</b> 3cell Lithium-Ion cylindrical cell / 18650</p> <p><b>Voltage</b> LGC: 10.95V; SDI/Sanyo: 11.1V</p> <p><b>Amp-hour capacity</b> LGC: 2850mAh;SDI/Sanyo:2800mAh</p> <p><b>Watt-hour capacity</b> LGC: 31.2Wh; SDI/Sanyo:31.08Wh</p> <p><b>Operating (Charging)</b> 0~45°C</p> <p><b>Operating (Discharging)</b> -10~60°C</p> <p><b>Fuel Gauge LED</b> No</p> <p><b>Warranty</b> 300 cycles&gt;80%(at 23 °C)</p> <p><b>Optional Travel Battery Available</b> No</p>
----------------------------------	--

<b>HP 4-cell Li-Ion (41 WHr)</b>	<p><b>Dimensions</b> 274.15mm x 35.25mm x 21.1mm</p> <p><b>Weight</b> 230g</p> <p><b>Cells/Type</b> 4cell Lithium-Ion cylindrical cell / 18650</p> <p><b>Voltage</b> LGC: 14.6V; SDI/Sanyo:14.8V</p> <p><b>Amp-hour capacity</b> LGC: 2850mAh; SDI/Sanyo: 2800mAh</p> <p><b>Watt-hour capacity</b> LGC: 41.6Wh;SDI/Sanyo41.44Wh</p> <p><b>Operating (Charging)</b> 0~45°C</p> <p><b>Operating (Discharging)</b> -10~60°C</p> <p><b>Fuel Gauge LED</b> No</p> <p><b>Warranty</b> 300 cycles&gt;80%(at 23 °C)</p> <p><b>Optional Travel Battery Available</b> No</p>
----------------------------------	--

### Technical Specifications

#### Environmental Data    Eco-Label Certifications & declarations

This product has received or is in the process of being certified to the following approvals and may be labeled with one or more of these marks:

- IT ECO declaration
- US ENERGY STAR®
- EPEAT<sup>®</sup> Gold registered in the United States. See <http://www.epeat.net> for registration status in your country. Search keyword *generator* on HP's 3rd party option store for solar energy accessory at <http://www.hp.com/go/options>.

#### System Configuration

The configuration used for the Energy Consumption and Declared Noise Emissions data for the Notebook model is based on a "Typically Configured Notebook".

#### Energy Consumption (in accordance with US ENERGY STAR® test method)

	115VAC, 60Hz	230VAC, 50Hz	100VAC, 50Hz
Normal Operation (Short idle)	9.40 W	9.26 W	9.34 W
Normal Operation (Long idle)	5.56 W	5.46 W	5.78 W
Sleep	0.53 W	0.56 W	0.52 W
Off	0.12 W	0.16 W	0.11 W

#### Note:

Energy efficiency data listed is for an ENERGY STAR® compliant product if offered within the model family. HP computers marked with the ENERGY STAR® Logo are compliant with the applicable U.S. Environmental Protection Agency (EPA) ENERGY STAR® specifications for computers. If a model family does not offer ENERGY STAR® compliant configurations, then energy efficiency data listed is for a typically configured PC featuring a hard disk drive, a high efficiency power supply, and a Microsoft Windows® operating system.

#### Heat Dissipation\*

	115VAC, 60Hz	230VAC, 50Hz	100VAC, 50Hz
Normal Operation (Short idle)	32 BTU/hr	32 BTU/hr	32 BTU/hr
Normal Operation (Long idle)	19 BTU/hr	19 BTU/hr	20 BTU/hr
Sleep	2 BTU/hr	2 BTU/hr	2 BTU/hr
Off	0.4 BTU/hr	1 BTU/hr	0.4 BTU/hr



### Technical Specifications

\*NOTE: Heat dissipation is calculated based on the measured watts, assuming the service level is attained for one hour.

Declared Noise Emissions (in accordance with ISO 7779 and ISO 9296)	Sound Power (L <sub>WA</sub> d, bels)	Sound Pressure (L <sub>pAm</sub> , decibels)
Typically Configured – Idle	3.3	25
Fixed Disk – Random writes	3.4	27

This product can be upgraded, possibly extending its useful life by several years. Upgradeable features and/or components contained in the product may include:

#### Longevity and Upgrading

- 3 USB ports
- 1 PC card slot (type I/II)
- 1 ExpressCard/54 slot
- 1 IEEE 1394 Port
- 2 SODIMM memory slots
- Optional expansion base docking station
- 1 multi-bay II storage port
- Interchangeable HDD??

Spare parts are available throughout the warranty period and or for up to “5” years after the end of production.

#### Batteries

This battery(s) in this product comply with EU Directive 2006/66/EC

Batteries used in the product do not contain:

Mercury greater the 1ppm by weight

Cadmium greater than 20ppm by weight

Battery description: CR2032 (coin cell)

Battery type: Lithium

### Technical Specifications

#### Additional Information

- This product is in compliance with the Restrictions of Hazardous Substances (RoHS) directive - 2011/65/EC.
- This HP product is designed to comply with the Waste Electrical and Electronic Equipment (WEEE) Directive – 2002/96/EC.
- This product is in compliance with California Proposition 65 (State of California; Safe Drinking Water and Toxic Enforcement Act of 1986).
- This product is in compliance with the IEEE 1680 (EPEAT) standard at the <Gold> level, see [www.epeat.net](http://www.epeat.net)
- Plastics parts weighing over 25 grams used in the product are marked per ISO11469 and ISO1043.
- This product contains 0.0% post-consumer recycled plastic (by wt.)
- This product is 96.3% recycle-able when properly disposed of at end of life.

#### Packaging Materials

<b>External:</b>	PAPER/Corrugated	350 g
<b>Internal:</b>	PLASTIC/Polyethylene Expanded - EPE	50 g
	PLASTIC/Polyethylene low density - LDPE	10 g
	PLASTIC/Polypropylene - PP	1 g

The plastic packaging material contains at least 0.0% recycled content.  
The corrugated paper packaging materials contains at least 0% recycled content.

#### Material Usage

This product does not contain any of the following substances in excess of regulatory limits (refer to the HP General Specification for the Environment at <http://www.hp.com/hpinfo/globalcitizenship/environment/pdf/gse.pdf>):

- Asbestos
- Certain Azo Colorants
- Certain Brominated Flame Retardants – may not be used as flame retardants in plastics
- Cadmium
- Chlorinated Hydrocarbons
- Chlorinated Paraffins
- Formaldehyde
- Halogenated Diphenyl Methanes
- Lead carbonates and sulfates
- Lead and Lead compounds
- Mercuric Oxide Batteries
- Nickel – finishes must not be used on the external surface designed to be frequently handled or carried by the user.
- Ozone Depleting Substances
- Polybrominated Biphenyls (PBBs)
- Polybrominated Biphenyl Ethers (PBBEs)
- Polybrominated Biphenyl Oxides (PBBOs)
- Polychlorinated Biphenyl (PCB)
- Polychlorinated Terphenyls (PCT)
- Polyvinyl Chloride (PVC) – except for wires and cables, has been voluntarily removed from most applications.
- Radioactive Substances
- Tributyl Tin (TBT), Triphenyl Tin (TPT), Tributyl Tin Oxide (TBTO)

### Technical Specifications

#### Packaging Usage

HP follows these guidelines to decrease the environmental impact of product packaging:

- Eliminate the use of heavy metals such as lead, chromium, mercury and cadmium in packaging materials.
- Eliminate the use of ozone-depleting substances (ODS) in packaging materials.
- Design packaging materials for ease of disassembly.
- Maximize the use of post-consumer recycled content materials in packaging materials.
- Use readily recyclable packaging materials such as paper and corrugated materials.
- Reduce size and weight of packages to improve transportation fuel efficiency.
- Plastic packaging materials are marked according to ISO 11469 and DIN 6120 standards.

#### End-of-life Management and Recycling

Hewlett-Packard offers end-of-life HP product return and recycling programs in many geographic areas. To recycle your product, please go to: <http://www.hp.com/go/reuse-recycle> or contact your nearest HP sales office. Products returned to HP will be recycled, recovered or disposed of in a responsible manner.

The EU WEEE directive (2002/95/EC) requires manufacturers to provide treatment information for each product type for use by treatment facilities. This information (product disassembly instructions) is posted on the Hewlett Packard web site at: <http://www.hp.com/go/recyclers>. These instructions may be used by recyclers and other WEEE treatment facilities as well as HP OEM customers who integrate and re-sell HP equipment.

#### HP, Inc. Corporate Environmental Information

For more information about HP's commitment to the environment:

Global Citizenship Report

<http://www.hp.com/hpinfo/globalcitizenship/gcreport/index.html>

Eco-label certifications

<http://www8.hp.com/us/en/hp-information/environment/ecolabels.html>

ISO 14001 certificates:

<http://h20195.www2.hp.com/V2/GetDocument.aspx?docname=c04755842>

and

<http://www.hp.com/hpinfo/globalcitizenship/environment/pdf/cert.pdf>

Options and Accessories (sold separately and availability may vary by country)

Category	Description	Part Number
<b>Cases</b>	HP Essential Backpack (up to 15.6")	H1D24AA
	HP Essential Messenger Case (up to 17.3")	H1D25AA
<b>Docking</b>	HP 3005PR USB3 Port Replicator	Y4H06AA
	HP USB Travel Dock	TOK30AA
<b>Input Devices</b>	HP 3001pr USB 3.0 Port Replicator	F3S42AA
	HP Slim USB Keyboard and Mouse	H4B81AA
	HP Slim Wireless Keyboard and Mouse	H6F25AA
	HP 3-Button USB Laser Mouse	G1K28AA
	HP USB Travel Mouse	N9K77AA
	HP Comfort Grip Wireless Mouse	N9K78AA
	HP Ultra Mobile Wireless Mouse	N2Z63AAA
<b>Power</b>	HP HDMI to DVI Adapter	V7W66AA
	HP 45W Smart AC Adapter 4.5mm	H6Y88AA#xxx
	HP 65W Smart AC Adapter	H6Y89AA#xxx
	HP 65W Slim AC Adapter	H6Y82AA#xxx
<b>Storage</b>	HP Power Bank	N9F71AA#xxx
	HP External USB Optical Drive	F2B56AA
<b>Memory</b>	HP 4GB DDR3L-1600 1.35V SODIMM	H6Y75AA#XXX
	HP 8GB DDR3L-1600 1.35V SODIMM	H6Y77AA#XXX
<b>Security</b>	HP Essential Combination Lock	TOY16AA
	HP Combination Lock	TOY15AA
	HP Keyed Cable lock	TOY14AA
	HP Keyed Cable Lock 10mm	T1A62AA
	HP 15.6 NB Privacy Filter (For Jaguars and Lions only)	J7H71AA
	HP 14.0" Notebook Privacy Filter (For Colts and Rams only)	J6E65AA
<b>UCC</b>	HP Conferencing Keyboard	K8P74AA#xxx
	HP UC Speaker Phone	K7V16AA
	HP UC Wired Headset	K7V17AA
	HP Stereo USB Headset	T1A67AA
<b>Displays</b>	HP Stereo 3.5mm Headset	T1A66AA
	HP S140u 14-inch Portable Display	G8R65AA
	HP ProDisplay P223 21-5 inch Monitor	X7R61AA
	HP ProDisplay P232 23-inch Monitor	K7X31AA
<b>Type</b>	HP ProDisplay P240va 23.8-inch Monitor	N3H14AA
<b>Accessories</b>	<b>Description</b>	<b>Part Number</b>
	HP USB3.0 Port Replicator	Y4H06AA
	HP Conferencing Keyboard	K8P74AA#xxx
	HP Wireless Display Adapter	J1V25AA#xxx
	HP Essential Backpack	H1D24AA

### Summary of Changes

<b>Date of change:</b>	<b>Version History:</b>		<b>Description of change:</b>
April 24, 2017	From v1 to v2	Update	Features section updated
May 5, 2017	From v2 to v3	Update	Technical specifications added
July 27, 2017	From v3 to v4	Update	Software and security section updated
November 28, 2017	From v4 to v5	Update	McAfee LiveSafe added to Software and security section Environmental data added
February 1, 2018	From v5 to v6	Update	Processor AMD A6-9225 added to processors section
June 13, 2018	From v6 to v7	Update	Processor

Copyright © 2018 HP Development Company, L.P.

The only warranties for HP products are set forth in the express limited warranty statements accompanying such products. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

AMD and Radeon are Registered trademarks of AMD Corporation in the U.S. and/or other countries. Bluetooth is a trademark of its proprietor used by HP Inc. under license.

ENERGY STAR is a registered trademark owned by the U.S. Environmental Protection Agency. All Rights Reserved.