

THIS HIGHLY EFFICIENT PRINTER HELPS RAISE PRODUCTIVITY TO A NEW LEVEL

PROXPRESS M4025NX

Elevate office performance affordably with superior print productivity.

With Samsung ProXpress M4025NX, businesses can stay productive without negatively impacting their budgets. ProXpress M4025NX is easy to use, offer reliable quality and security, and help companies cut costs.

These printers provide simple operation with impactful results. Samsung XOA Web platform enables customized, server-based access to diverse productivity-enhancing solutions. Plus, wide printer touch screens offer direct access to preinstalled solutions.

In addition, users can count on prints that are fast and clear. Print speeds up to 40 ppm, 1 GHz dual core processors and 1 GB of memory ensure users can enjoy consistently fast print operations. ReCP technology and high resolution yield professional quality output with every print.

This superior functionality also helps keep costs in line. Diverse toner options meet various business needs for lower CPP, and award-winning Easy Eco Driver software further reduces costs with toner, paper and energy-saving options. Finally, job accounting with SyncThru Admin saves resources by enabling management to control printer use.

Configurations & Options



Specifications

		M4025NX
General	Functions	Standard: Print Optional: Eco Print, Secure Print, 4.3" Color Touch Screen
	Processor	1GHz
	Memory	Standard / Max: 1GB / 1GB
	Interface	Standard: Hi-Speed USB 2.0, Ethernet 10/100/1000 Base TX, Direct USB, Host USB (Rear) Optional: IEEE 1284B Parallel Connector
	Power Consumption	700W (Active) / 15W (Ready) / 3.5W (Sleep)
	Noise Level	Less than 54 dBA (Printing) / Less than 26 dBA (Standby)
	Dimension (WxDxH)	366 x 368 x 278 mm (14.4 x 14.5 x 10.9 inch)
Print	Weight	10.43kg (22.99lbs)
	Max. Monthly Duty Cycle	Up to 100,000 pages
	Speed (Mono)	Up to 40 ppm in A4 (42 ppm in Letter)
	First Print Out Time (Mono)	As fast as 6.5 seconds (From Ready Mode)
	Resolution	Up to 1200 x 1200 dpi effective output
	Emulation	SPL, PostScript3, PCL6/5e, IBM ProPrinter, EPSON
	Duplex Print	Built-in
Paper Handling	Operating System	Windows 8 / 7 / Vista / XP / 2008R2 / 2008 / 2003, Mac OS X 10.5 - 10.8, Various Linux/Unix
	Direct Print Support	Direct USB
	Print Features	Automatic Double Sided Print, Barcode Print, Secure Print
	Input Capacity	Cassette: 250-Sheet Cassette Tray Multipurpose tray: 50-Sheet Other Options: 520-Sheet Second Cassette Feeder Maximum: 820 Sheets
	Media Type	Cassette: Plain, Thin, Recycled, Thick, Archive, Bond, Cardstock Multipurpose tray: Plain, Thin, Bond, Punched, Pre-printed, Recycled, Envelope, Transparency, Label, Cardstock, Letterhead, Thick, Cotton, Colored, Archive, Thicker Other Options: Plain, Thin, Recycled, Thick, Archive, Bond, Cardstock
	Media Size	Cassette: A4, A5, A6, ISO B5, JIS B5, Executive, Letter, Oficio, Folio, Legal, Statement, Custom Multipurpose tray: A4, A5, A6, ISO B5, JIS B5, Statement, Letter, Oficio, Folio, Legal, Envelope(No 10, Monarch, DL, C5, C6, No 9) Postcard, Index card, Executive, Custom Other Options: A4, A5, A6, ISO B5, JIS B5, Executive, Letter, Oficio, Folio, Legal, Statement, Custom
	Media Weights	Cassette: 60 ~ 163g/m ² (16 ~ 43 lbs) Multipurpose tray: 60 ~ 220g/m ² (16 ~ 58 lbs) Other Options: 60 ~ 163g/m ² (16 ~ 43 lbs)
Consumables	Output Capacity	150-sheet Face-Down, 1-sheet Face-Up
	Toner (Black)	Yield: Standard : Average Cartridge Yield 3,000 standard pages, High yield : Average Cartridge Yield 5,000 standard page, Extra High yield : Average Cartridge Yield 10,000 standard pages, Ultra High yield : Average Cartridge Yield 15,000 standard pages (Ships with 3,000 pages Starter Toner Cartridge) Declared cartridge yield in accordance with ISO/IEC 19752
	Imaging Unit / Drum (Black)	Average Yield 30,000 standard pages
Option	Model Code	3K/MLT-D204S, 5K/MLT-D204L, 10K/MLT-D204E, 15K/MLT-D204U 520-sheet Cassette Tray / IEEE 1284B Parallel Connector