

CUSTOMIZE YOUR MFP WITH FLEXIBLE OPTIONS

Configurations & Options

Optional

Paper Output

Inner Finisher
(SL-FIN001M)



Staples
(SCX-STP000 (50sh.))

* 2-BIN finisher(SL-FIN002M) and Mail box (SL-MBT040I) have reached end of life and will not be manufactured from December 2016. Please check the inventory availability in your region.

Kit

Foreign Device Interface
(SCX-KIT20F)



Fax Kit
(SL-FAX100I)



Wireless LAN/NFC Kit
(SL-NWE001X)



Wireless LAN/NFC/BLE Kit
(SL-NWE002X)



* M5360 VAP is same as M5370's



Table

Working Table
(CLX-WKT001)



Paper Input

High-Capacity Feeder
(SL-HCF001B)



Second Cassette Feeder
(SL-SCF5300)



Cabinet Stand
(SL-OSK001I)

* Cabinet must come with SCF



Short Stand
(SL-BSK002S)



GENUINE SAMSUNG SUPPLIES

Real Savings, Certified Eco-Technology.
Always make the right impression by using genuine Samsung supplies.



www.tuv.com
ID 0000049078

For more information about genuine Samsung supplies, visit <http://www8.hp.com/us/en/products/samsung-oas/index.html>

SAMSUNG

© Copyright 2018 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing shall be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. All other trademarks are property of their respective owners.

AirPrint is a trademark of Apple Inc. registered in the U.S. and other countries. Android and Google Cloud Print are trademarks of Google Inc. Samsung Cloud Print is either a trademark or registered trademark of Samsung Electronics Co., Ltd. Microsoft and Windows are registered trademarks of Microsoft Corporation in the United States and/or other countries.

Mopria®, the Mopria® Logo and the Mopria® Alliance logo are registered trademarks and service marks of Mopria Alliance, Inc. in the United States and other countries.



smartmultiXpress

Fully Customizable,
Made to Perform

Multifunction

M5360RX



HEAVY DOCUMENT PRINTING MADE SMARTER, FASTER AND MOST COST-EFFICIENT

Overview

Modern offices facing heavy document workloads, such as public organizations and financial firms, have a growing need for fast, reliable, and cost-efficient printers. They can't afford slow printing or inferior print quality. They also need advanced features and powerful customizability to streamline operations so staff can focus on what is truly important. Finally, there is a printer that satisfies all these needs at a reasonable price point. Meet the SMART MultiXpress M5360RX from Samsung.

Samsung's new SMART MultiXpress M5360RX provides full customizability, fast professional-quality prints, and high cost-efficiency. Companies can tailor the M5360RX to meet their needs precisely with Samsung's innovative SMART UX Center, a customizable and easy-to-use interface. The unit comes with an interactive 7-inch IR type touch screen which boasts outstanding touch sensitivity that even recognizes the tap of a pen or a gloved hand. The M5360RX also ensures higher productivity with exceptionally fast printing speeds for heavy mono documents. Users can also count on Samsung's unique ReCP technology to give them high-quality prints and copy showing everything to the finest detail. It even helps reduce Total Cost of Ownership, with a large toner yield and low power consumption.

SL-M5360RX :



Second Cassette Feeder+ Short Stand



Inner Finisher (1-Bin) + Second Cassette Feeder+ Short Stand

Key benefits

Work smarter, with customized workflows that meet your needs

- Smart UX Center streamlines your workflows
- Easy-to-use touch panel with exceptional responsiveness
- Work smarter and more efficiently with a wide variety of apps
- XOA-E support for better productivity

Print more in less time with exceptional precision and speed needs

- Print heavy documents faster with a Quad-core CPU (1.5GHz)
- Sharpen text and images with ReCP technology
- Enhance productivity with variable options

Reduce expenses with long-lasting supplies and money saving technology

- Get a TCO advantage with high yield toner and long-life drum
- Exceptionally low power consumption in sleep mode

WORK SMARTER, WITH CUSTOMIZED WORKFLOWS THAT MEET YOUR NEEDS



Smart UX Center streamlines your workflows

Smart UX Center is the industry's first Android-based printing user interface, complete with an open and steadily growing ecosystem of apps and widgets designed to enhance work productivity. The Smart UX Center offers exceptional extensibility that continues to evolve and improve printer performance, creating a smarter working environment.



Awarded for Smart UX Center's Unique and Innovative Possibilities

Easy-to-use touch panel with exceptional responsiveness

The SMART MultiXpress M5360RX comes equipped with an interactive 7-inch IR type touch screen panel to access the Smart UX Center. It provides a high degree of smart functionality, ease-of-use, and customizability. It also boasts exceptional sensitivity, letting users easily take advantage of all the features even when operating with a pen or gloved hand.



Pen or gloved hand



Work smarter and more efficiently with a wide variety of apps

Improve work productivity by customizing the user interface to suit your company's needs. Finding the right apps and widgets in the App Center can enhance workflows by automating frequently performed tasks, or remotely diagnosing printer failures to cut maintenance costs. For more information about our apps, please visit printingapps.samsung.com/apps.



XOA-E support for better productivity

The XOA-E platform supports Samsung in-house solutions and ISV solutions for all your business requirements. Enjoy access to a variety of Samsung in-house solutions and secure in-house print operations—all without a server—and manage devices conveniently. XOA-E makes it possible to boost productivity and efficiency at the same time.




Enhance productivity with variable options

Boost productivity with various paper feeding options including a cabinet stand, short stand, and a 500-sheet finisher that automatically staples up to 50 sheets. Print up to 3,240 pages with a High-Capacity Feeder (HCF) and second cassette feeder (SCF).

PRINT MORE IN LESS TIME WITH EXCEPTIONAL PRECISION AND SPEED

Print heavy documents faster with a Quad-core CPU (1.5GHz)

The SMART MultiXpress M5360RX is equipped with the quad-core 1.5GHz CPU, which delivers high-performance interpreting and rendering emulation to enable even faster printing speeds for heavy documents.



Sharpen your text and images with ReCP technology



What do your prints say about your business? Samsung's Rendering Engine for Clean Page (ReCP) technology delivers brilliant, professional-caliber prints. Enhanced to 1,200 x 1200 dpi effective output, it ensures that everything you print stands out. With the SMART MultiXpress M5360RX, even the smallest letters in heavy documents will have crisp details.



REDUCE EXPENSES WITH LONG-LASTING SUPPLIES AND MONEY SAVING TECHNOLOGY

Get a TCO advantage with high yield toner and long-life drum

Reduces labor costs for heavy printing with ultra-high-yield toner cartridges and drums. Samsung genuine toner lowers your TCO with a yield of 30,000 standard B&W pages and drums that yield 100,000. Made for Samsung printers, Samsung genuine toner delivers exceptional print quality and less paper waste.

Toner Cartridge
(Max 30,000 pages)



Exceptionally low power consumption in sleep mode

Cut down on electrical costs with the highly energy-efficient SMART MultiXpress M5360RX. It has significantly low power consumption even in sleep mode.



SAMSUNG MULTIFUNCTION PRINTER

smartmultiXpress M5360RX

Specifications

General	M5360RX
Standard Functions	Print, Copy, Scan
Processor	1.5 GHz (Quad Core)
Operational Panel	7" Color Touch Screen Panel
Memory (Standard)	4 GB
Memory (Maximum)	4 GB
Hard Disk Drive	320 GB (User Available Space : 279 GB)
Interface (Standard)	USB Device, USB Host x 3, Ethernet 10/100/1000 Base TX
Interface (Optional)	IEEE 802.11 b/g/n (NFC Active Type), IEEE 802.11 b/g/n/ac (NFC Active Type, BLE)
Warm-up Time (From Power On)	35 sec
Warm-up Time (From Sleep)	26 sec
Power Requirements	AC 220 - 240 V, 50 / 60 Hz, AC 110 - 127 V, 50 / 60 Hz (Not dual voltage, power supply varies by country)
Power Consumption	900 W (Printing), 900 W (Copying), 30 W (Ready), 2.0 W (Sleep), 3.9 kWh (TEC)
Noise Level	Less than 56 dBA (Printing), Less than 59 dBA (Copying), Less than 37 dBA (Ready)
Dimension (WxDxH)	630 x 501 x 645 mm (24.8" x 19.7" x 25.4")
Weight (SET Only / SET with Supplies)	Set Only : 42.8 kg (94.4 lb) Set with Supplies : 46.2 kg (101.9 lb)
Max. Monthly Duty Cycle	300,000 pages
Recommended Monthly Print Volume	12,500 - 25,000 pages
Security	SSL/TLS, IPv6, IPsec, SNMPv3, IEEE 802.1x, Kerberos, SMB, LDAP, Protocol&Port Management, IP/MAC Filtering, HDD Overwrite, HDD Encryption, Common Criteria Certification (ISO 15408), Audit Log, Access Control
Client OS Support	Windows : XP (32/64 bit), 2003 Server (32/64 bit), Vista (32/64 bit), 2008 Server (32/64 bit), Windows 7 (32/64 bit), 2008 Server R2 (64 bit), Windows 8 (32/64 bit), Windows 8.1 (32/64 bit), Windows Server 2012 (64 bit), Windows Server 2012 R2 (64 bit), Windows 10 (32/64 bit) Linux : RedHat Enterprise Linux 5, 6, Fedora 12, 13, 14, 15, 16, 17, 18, 19, 20, OpenSUSE 11.2, 11.3, 11.4, 12.1, 12.2, 12.3, 13.1, Ubuntu 10.04, 11.04, 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, SuSE Linux Enterprise Desktop 10, 11, Debian 6, 7, Mint 13, 14, 15, 16 Unix : Sun Solaris 9, 10, 11 (x86, SPARC), HP-LUX 11.0, 11i v1, 11i v2, 11i v3 (PA-RISC, Itanium), IBM AIX 5.1, 5.2, 5.3, 5.4, 6.1, 7.1 (PowerPC)
Network Protocols	TCP/IPv4, IPv6, DHCP, BOOTP, AutoIP, DNS, DDNS, WINS, Standard TCP/IP, LPR/LPD, IPP, ThinPrint, Google Cloud Print, AirPrint, WSD print, FTP print, HTTP, SNMP (v1/2c/3), Telnet, SLP, Bonjour, UPnP (SSDP), WSD Discovery, SMTP, FTP, I-Fax (T.37), LDAP, SMB, Kerberos, WSD Scan
Print	M5360RX
Speed (Mono)	Up to 53 ppm in A4 (53 ppm in Letter)
First Print Out Time (Mono)	As fast as 7.5 sec
Resolution	Up to 1,200 x 1,200 dpi Effective Output
Print Languages	PCL5, PCL6, PS3, PDF V1.7
Duplex Print	Built-in
Direct Print Support	JPEG, PDF, PRN, TIFF, XPS
Print Features	WSD Print, Secure Print, Stored Print, Booklet Print, N-up, Cover Page Print, Barcode Print, Eco Print, Skip Blank Pages, Poster Print, Watermark, Tray Priority Settings, Auto Tray Switching, Tray Protection, Direct Print from USB, Secure PDF Print
Mobile Print Feature	Apple AirPrint, Mopria-certified, Google Cloud Print, Samsung Cloud Print, PrinterOn Cloud Print, Samsung Mobile Print, Samsung Print Plugin
Copy	M5360RX
Speed (Mono)	Up to 53 cpm in A4 (Up to 55 cpm in Letter)
First Copy Out Time (Mono)	As fast as 4.5 sec
Resolution	Up to 1,200 x 1,200 dpi Effective Output
Reduce / Enlarge Range	25 - 400 %
Multi Copy	9,999 pages
Duplex Copy	Built-in
Copy Features	ID Copy, N-Up, Booklet, Image Repeat, Auto Fit, Book Copy, Poster Copy, Watermark, Overlay, Stamp, Covers, Build Job, Preview, Edge Erase, Image Shift, Background Adjustment, Preview, Program, Proof Copy, Mixed Size Original, Copy to Edge
Scan	M5360RX
Scan Speed (Mono)	Simplex 53 ipm (300 dpi), Duplex 35 ipm (300 dpi)
Scan Speed (Color)	Simplex 53 ipm (300 dpi), Duplex 35 ipm (300 dpi)
Compatibility	Windows : TWAIN Mac : TWAIN, ICDM Linux : SANE
Method	Color CCD
File Format	PDF, Searchable PDF, Compact PDF/ PDF Encryption, Digital Signature in PDF, PDF/A, TIFF, XPS, JPEG
Resolution (Optical)	Up to 600 x 600 dpi
Resolution (Enhanced)	Up to 4,800 x 4,800 dpi
Scan Destinations	Email, FTP, SMB, BOX, USB, WSD, PC, I-Fax
Scan Document Weight	50 - 105 g/m ²
Paper Handling	M5360RX
Input Capacity (Cassette)	520 sheets
Input Capacity (Multipurpose Tray)	100 sheets
Input Capacity (Maximum)	3,240 sheets (Standard 620 sheets + Optional 520-sheet Second Cassette Feeder + Optional 2,100-sheet High Capacity Feeder)
Media Type (Cassette)	Plain, Thin, Thick, Cotton, Colored, Pre-Printed, Recycled, Bond, Archive, Letterhead, Hole Punched, Cardstock, Envelope, Label
Media Type (Multipurpose Tray)	Plain, Thin, Thick, Cotton, Colored, Pre-Printed, Recycled, Bond, Archive, Letterhead, Hole Punched, Cardstock, Envelope, Label
Media Size (Cassette)	A4, A5, A6, B5(JS), B5(ISO), Legal, Letter, Executive, Statement, Office, Folio, Envelope Monarch, Envelope DL, Envelope C5, Envelope C6, Envelope No.10, Envelope No.9, Postcard 4x6, Custom (98 x 148 mm - 216 x 356 mm (3.86" x 5.85" - 8.5" x 14"))

Paper Handling	M5360RX
Media Size (Multipurpose Tray)	A4, A5, A6, B5(JS), B5(ISO), Legal, Letter, Executive, Statement, Office, Folio, Envelope Monarch, Envelope DL, Envelope C5, Envelope C6, Envelope No.10, Envelope No.9, Postcard 4x6, Custom (98 x 148 mm - 216 x 356 mm (3.86" x 5.85" - 8.5" x 14"))
Media Weights (Cassette)	60 - 163 g/m ²
Media Weights (Multipurpose Tray)	60 - 163 g/m ²
ADF Type	RADF
ADF Document Capacity	100 sheets
Output Capacity	500 sheets

Supplies	M5360RX
Toner (Black)	MLT-D3585 (30,000 pages) *Declared Yield Value in accordance with ISO/IEC 19752
Imaging Unit/Drum (Black)	MLT-R3558 (100,000 pages) *Based on simplex 3 average letter/A4-size pages per job

Options

Second Cassette Feeder	SL-SCF5300
Capacity	520 sheets
Media Sizes	A4, A5, A6, B5(JS), B5(ISO), Legal, Letter, Executive, Statement, Office, Folio, Envelope Monarch, Envelope DL, Envelope C5, Envelope C6, Envelope No.10, Custom (98 x 152 mm - 216 x 356 mm (3.86" x 6" - 8.5" x 14"))
Media types	Plain, Thin, Thick, Cotton, Colored, Pre-Printed, Recycled, Bond, Archive, Letterhead, Hole Punched, CardStock, Envelope, Label
Media weight	60 - 120 g/m ²
Sensing	H/W Install Detect, Paper Empty Detect, Paper Low Level Detect, Paper Size Detect
Dimension (WxDxH)	554 x 454 x 138 mm (21.8" x 17.9" x 5.4")
Weight	11.8 kg (26.1 lb)

High-Capacity Feeder	SL-HCF001B
Capacity	2,100 sheets
Media Sizes	A4, A5, B5(JS), Legal, Letter, Executive, Statement, Office, Folio
Media types	Plain, Thin, Thick, Cotton, Colored, Pre-Printed, Recycled, Bond, Archive, Letterhead, Hole Punched, CardStock
Media weight	60 - 120 g/m ²
Sensing	H/W Install Detect, Paper Empty Detect, Paper Low Level Detect, Paper Size Detect
Dimension (WxDxH)	554 x 454 x 387 mm (21.8" x 17.9" x 15.2")
Weight	28 kg (61.7 lb)

Inner Finisher	SL-FIN001M
Capacity	500 sheets
Sensing	Paper Jam, Tray Sensing, Stapler, Cover Open
Media Sizes	98 x 148 - 216 x 357 mm (3.9" x 5.8" - 8.5" x 14.1")
Media Types	Plain, Thin, Thick, Cotton, Pre-Printed, Recycled, Bond, Letterhead, Hole Punched
Media Weight	60 - 163 g/m ²
Number of Bin	1
Dimension (WxDxH)	435 x 386 x 282 mm (17.1" x 15.2" x 11.1")
Weight	10.4 kg (23 lb)
Top Tray Finishing Mode	N/A
Top Tray Finishing Capacity	N/A
Main Tray Finishing Mode	Stacking, Offsetting, Stapling
Main Tray Finishing Capacity	500 Sheets (Offset, Stacked), 50-sheet x 10 Sets (Offset, Stapled)

Fax Kit	SL-FAX1001
Type	Fax Kit
Compatibility	ITU-T G3, Super G3
Modem Speed	33.6 Kbps
Memory	HDD Stored
Resolution	Up to 300 x 300 dpi (Mono)
Auto Dial	Yes
Fax Features	Speed Dial, Group Dial, ECM, Caller ID, Auto Redial, On Hook Dial, Delay Send, Multi Send, Redial, Background Adjustment, Cover Page, Job Build, Quick Start, Preview, Secure Reception, Forwarding to Fax/Email/SMB/FTP/Box, Dual Line(Opt), etc.
Dimension (WxDxH)	142 x 65 x 30 mm (5.6" x 2.6" x 1.2")
Weight	0.11 kg (0.23 lb)

* 2-BIN Finisher(SL-FIN002M) and Mail box (SL-MBT0401) have reached end of life and will not be manufactured from December 2016. Please check the inventory availability in your region.