

SAMSUNG

MultiXpress3

Multifunction
K3300NR / K3250NR

Performance
and savings
you need
**Reliability you
can trust**



SMART PRINTING.
BUSINESS INNOVATION.

EXPERIENCE EFFICIENCY STREAMLINED AND RELIABLE

Overview

Samsung's K3300 Series A3 mono multifunction printer (MFP) delivers exceptional business performance, reliability and savings for SMBs. Its fast 1 GHz dual-core processor, high scan speed and superb print quality keep your business ready. And its 7" capacitive touchscreen and NFC Pro make printing smarter and easier, both in the office and on the go. It also features robust security and industry-leading monthly duty cycle for top-notch reliability, plus the performance of Samsung MultiXpress X4300 Series but at a lower cost.

For dealers, K3300 Series offers an ideal business model. NFC Pro helps you effectively support your customers' business mobility performance and Bring Your Own Device (BYOD) needs with anywhere mobile printing. You can also quickly respond to your customers' service requests using the Samsung Smart Printer Diagnostic System (SPDS) application to maintain reliable print operations. Most importantly, K3300 Series shares service parts with K4350 series to help lower your management and maintenance costs.

Key benefits

Boost productivity with fast, high-quality prints and scans

- Faster printing speed with powerful CPU
- Crisper, clearer results with Samsung technology
- Industry-best monthly duty cycle

Smart device management with more solutions on a highly sensitive touchscreen

- Print from anywhere and share with others
- Tap to print with NFC technology
- Easy user interface

Stay worry-free from security risk, high operational costs and more

- Stay worry-free from failure, security risk and downtime
- Cut operational costs with shared options and parts
- Lower costs with high durability


NFC Pro function is available with a **wireless/NFC kit (option)**




BOOST PRODUCTIVITY WITH FAST, HIGH-QUALITY PRINTS AND SCANS

Faster printing speed with powerful CPU

The 1 GHz dual core processor and 1.5 GB memory guarantee faster printing, speedy scanning and enhanced productivity.



1GHz Dual-Core CPU
Fast print speed
Up to 30 ppm



Crisper, clearer results with Samsung technology



Samsung's unique Rendering Engine for Clean Page (ReCP) technology improves the quality and vibrancy of your printing by sharpening both graphics and text automatically.



Industry-best monthly duty cycle

With a best-in-class monthly duty cycle of up to 80,000 pages, the Samsung K3300 Series combines low operating expenses with reliable performance.



Up to
80,000
pages



SMART DEVICE MANAGEMENT WITH MORE SOLUTIONS ON A HIGHLY SENSITIVE TOUCHSCREEN

Print from anywhere and share with others

Print documents on the go and share them with anyone. Save and share to the cloud without a PC or printer driver with convenient mobile printing solutions such as Google Cloud Print™, AirPrint™, Mopria® and Samsung Cloud Print™.



Tap to print with NFC technology

Simply tap to print, scan or fax documents from any NFC-supported mobile device using advanced NFC technology. The wireless option with NFC Pro provides user authentication through a mobile device.



Easy user interface

Operating a printer has never been easier with a 7-inch capacitive touchscreen for intuitive, smartphone-like usability.



STAY WORRY-FREE FROM SECURITY RISK, HIGH OPERATIONAL COSTS AND MORE

Stay worry-free from failure, security risk and downtime

The Samsung K3300 Series offers industry-best control of user, document and network access at the enterprise security level. It supports authentication, print job protection, network security and protocols and hard disk protection, while enabling administrators to manage the control panel and printing privileges.



Cut operational costs with shared options and parts



Enjoy cost-efficient printing operations by sharing options and service parts with the K4350 Series. These options include the Inner Finisher, Punch Kit, Fax, Dual Cassette Feeder, Stand, Wireless/NFC Kit, Tray and Roller.



Lower costs with high durability

Best-in-class maximum monthly duty means high durability, reducing costs and eliminating the tedious changing of toner cartridges, drums and developer.



Up to 80K
maximum monthly duty

Toner Capacity
(Max 25,000 pages)



* Estimated Yield at 6% Coverage

SAMSUNG MULTIFUNCTION PRINTER

multiXpress3

K3300NR | K3250NR

Specifications

| General | K3300NR | K3250NR |
|---------------------------------------|--|--|
| Standard Functions | Print, Copy, Scan | |
| Processor | 1 GHz (Dual Core) | |
| Operational Panel | 7" Colour Touch Screen Panel | |
| Memory (Standard) | 1.5 GB | |
| Memory (Maximum) | 1.5 GB | |
| Hard Disk Drive | Optional, 320 GB (User Available Space : 300 GB) | |
| Interface (Standard) | USB Device, USB Host x 3, Ethernet 10/100/1000 Base TX | |
| Interface (Optional) | IEEE 802.11 b/g/n (NFC Active Type) | |
| Warm-up Time (From Power On) | 25 sec | |
| Warm-up Time (From Sleep) | 23 sec | |
| Power Requirements | AC 220 - 240 V, 50 / 60 Hz, AC110 - 127 V, 50 / 60 Hz (Not dual voltage, power supply varies by country) | |
| Power Consumption | 590 W (Printing), 590 W (Copying), 100 W (Ready), 1.5 W (Sleep), 2.107kWh (TEC) | 590 W (Printing), 590 W (Copying), 100 W (Ready), 1.5 W (Sleep), 1.656 kWh (TEC) |
| Noise Level | Less than 51 dBA (Printing), Less than 55 dBA (Copying), Less than 30 dBA (Ready) | Less than 50 dBA (Printing), Less than 53 dBA (Copying), Less than 30 dBA (Ready) |
| Dimension (WxDxH) | 566 x 620 x 820 mm (22.3" x 24.4" x 32.3") | |
| Weight (SET Only / SET with Supplies) | Set Only : 59 kg (130.1 lb) Set with Supplies : 60.20 kg (132.7 lb) | Set Only : 58.3 kg (128.5 lb) Set with Supplies : 59.50 kg (131.2 lb) |
| Max. Monthly Duty Cycle | 80,000 pages | 60,000 pages |
| Recommended Monthly Print Volume | 5,000 - 15,000 pages | 3,500 - 15,000 pages |
| Security | SSL/TLS, IPv6, IPSec, SNMPv3, IEEE 802.1x, Kerberos, SMB, LDAP, Protocol&Port Management, IP/MAC Filtering, HDD Encryption, Common Criteria Certification (ISO 15408), Audit Log, Access Control | |
| Client OS Support | Windows : XP (32/64 bit), 2003 Server (32/64 bit), Vista (32/64 bit), 2008 Server (32/64 bit), Windows 7 (32/64 bit), 2008 Server R2 (64 bit), Windows 8 (32/64 bit), Windows 8.1 (32/64 bit), Windows Server 2012 (64 bit), Windows Server 2012 R2 (64 bit), Windows 10 (32/64 bit) Linux : RedHat Enterprise Linux 5, 6, Fedora 12, 13, 14, 15, 16, 17, 18, 19, 20, OpenSuSE 11.2, 11.3, 11.4, 12.1, 12.2, 12.3, 13.1, Ubuntu 10.04, 11.04, 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, SuSE Linux Enterprise Desktop 10, 11, Debian 6, 7, Mint 13, 14, 15, 16 Unix : Sun Solaris 9, 10, 11 (x86, SPARC), HP-UX 11.0, 11i v1, 11i v2, 11i v3 (PA-RISC, Itanium), IBM AIX 5.1, 5.2, 5.3, 5.4, 6.1, 7.1 (PowerPC) Mac : OS 10.5 - 10.11 | |
| Network Protocols | TCP/IPv4, IPv6, DHCP, BOOTP, AutoIP, DNS, DDNS, WINS, Standard TCP/IP, LPR/LPD, IPP, ThinPrint, Google Cloud Print, AirPrint, WSD print, FTP print, HTTP, SNMP (v1/2c/3), Telnet, SLP, Bonjour, UPnP (SSDP), WSD Discovery, SMTP, FTP, LDAP, SMB, Kerberos | |

| Print | K3300NR | K3250NR |
|-----------------------------|---|-----------------------------|
| Speed (Mono) | Up to 30 ppm in A4 / Letter | Up to 25 ppm in A4 / Letter |
| First Print Out Time (Mono) | As fast as 8.0 sec | As fast as 8.5 sec |
| Resolution | Up to 1,200 x 1,200 dpi with Reduced Speed | |
| Print Languages | PCL5, PCL6, PS3, PDF V1.7 | |
| Duplex Print | Built-in | |
| Direct Print Support | JPEG, PDF, PRN, TIFF, XPS | |
| Print Features | WSD Print, Proof Print, Secure Print, Booklet Print, N-up, Cover Page Print, Barcode Print, Eco Print, Skip Blank Pages, Poster Print, Watermark, Tray Priority Settings, Auto Tray Switching, Tray Protection, Direct Print from USB, Secure PDF Print | |
| Mobile Print Feature | Apple AirPrint, Mopria-certified, Google Cloud Print, Samsung Cloud Print, PrinterOn Cloud Print, Samsung Mobile Print, Samsung Print Plugin | |

| Copy | K3300NR | K3250NR |
|----------------------------|---|-----------------------------|
| Speed (Mono) | Up to 30 cpm in A4 / Letter | Up to 25 cpm in A4 / Letter |
| First Copy Out Time (Mono) | As fast as 5.5 sec | As fast as 6.2 sec |
| Resolution | Up to 600 x 600 dpi | |
| Reduce, Enlarge Range | 25 - 400% | |
| Multi Copy | 9,999 pages | |
| Duplex Copy | Built-in | |
| Copy Features | ID Copy, N-Up, Booklet, Auto Fit, Book Copy, Watermark, Stamp, Build Job, Edge Erase, Image Shift, Image Adjustment, Background Adjustment, Program Ahead | |

| Scan | K3300NR | K3250NR |
|-----------------------|--|---------|
| Scan Speed (Mono) | 45 ipm (300 dpi) | |
| Scan Speed (Colour) | 45 ipm (300 dpi) | |
| Compatibility | Windows : TWAIN Mac : TWAIN, ICDM Linux : SANE | |
| Method | Colour CCD | |
| File Format | PDF, Compact PDF, PDF Encryption, PDF/A, TIFF, JPEG | |
| Resolution (Optical) | Up to 600 x 600 dpi | |
| Resolution (Enhanced) | Up to 4,800 x 4,800 dpi | |
| Scan Destinations | Email, FTP, SMB, USB, WSD, PC, Samsung Cloud | |
| Scan Document Weight | 42 - 163 g/m ² | |

| Paper Handling | K3300NR | K3250NR |
|------------------------------------|---|---------|
| Input Capacity (Cassette) | 520-sheet Tray x 2 | |
| Input Capacity (Multipurpose Tray) | 100 sheets | |
| Input Capacity (Maximum) | 2,180 Sheets (Standard 1,140 sheets + Optional 1,040-sheet Dual Cassette Feeder) | |
| Media Type (Cassette) | Plain, Thin, Thick, Heavy weight, Extra Heavy weight, Cotton, Coloured, Pre-Printed, Recycled, Bond, Archive, LetterHead, Hole Punched, Thin Cardstock, Thin Glossy | |
| Media Type (Multipurpose Tray) | Plain, Thin, Thick, Heavy weight, Cotton, Coloured, Pre-Printed, Recycled, Bond, Archive, LetterHead, Hole Punched, Thin Cardstock, Thin Glossy, Envelope, Label | |
| Media Size (Cassette) | Cassette 1 : B4, A4, B5(JIS), B5(ISO), A5, Legal, Letter, Executive, Statement, Oficio, Folio, 16K, Custom(148.5 x 210 mm - 297 x 354 mm (5.8" x 8.3" - 11.7" x 14.3")) Cassette 2 : A3, B4, A4, B5(JIS), B5(ISO), A5, Ledger, Legal, Letter, Executive, Statement, Oficio, Folio, 8K, 16K, Custom (148.5 x 210 mm - 297 x 432 mm (5.8" x 8.3" - 11.7" x 17")) | |
| Media Size (Multipurpose Tray) | A3, B4, A4, B5(JIS), B5(ISO), A5, A6, Ledger, Legal, Letter, Executive, Statement, Oficio, Folio, 8K, 16K, Envelope Monarch, Envelope DL, Envelope C4, Envelope C5, Envelope C6, Envelope No. 10, Envelope No. 9, Post Card 4 x 6, Custom (98 x 148 mm - 297 x 432 mm (3.9" x 5.8" - 11.7" x 17")) | |
| Media Weights (Cassette) | 60 - 220 g/m ² | |
| Media Weights (Multipurpose Tray) | 60 - 176 g/m ² | |
| ADF Type | RADF | |
| ADF Document Capacity | 100 sheets | |
| Output Capacity | 500 sheets | |

| Supplies | K3300NR | K3250NR |
|---------------|--|---------|
| Toner (Black) | MLT-D704S (25,000 pages) *Estimated Yield at 6% Coverage | |
| Drum Waste | MLT-R704 (Approx. 100,000 pages) | |
| Toner Bottle | MLT-W708 (Approx. 100,000 pages) | |

Options

| Dual Cassette Feeder | SL-PFP502D |
|----------------------|---|
| Capacity | 1,040 Sheets |
| Media Sizes | A3, B4, A4, B5(JIS), B5(ISO), A5, Ledger, Legal, Letter, Executive, Statement, 8K, 16K, Oficio, Folio, Custom (148.5 x 210 mm - 297 x 432 mm) |
| Media types | Plain, Thin, Bond, Hole Punched, Pre-Printed, Recycled, Thin CardStock, Letterhead, Thick, Cotton, Coloured, Archive, Thin Glossy, Heavy weight, Extra heavy weight |
| Media weight | 60 - 220 g/m ² |
| Sensing | H/W Install Detect, Paper Empty Detect, Paper Low Level Detect, Paper Size Detect, Cover Open Detect |
| Dimension (WxDxH) | 566 x 610 x 265 mm (22.3" x 24" x 10.4") |
| Weight | 20 kg (44.1 lb) |

| Stand | SL-DSK502T |
|-------------------|--|
| Dimension (WxDxH) | 566 x 610 x 265 mm (22.3" x 24" x 10.4") |
| Weight | 15 kg (33.1 lb) |

| Inner Finisher | SL-FIN501L |
|--------------------|---|
| Capacity | 550 Sheets (Main Tray 500 Sheets, Top Tray 50 Sheets) |
| Sensing | Paper Jam, Tray Sensing, Stapler, Cover Open |
| Media Sizes | Main Tray : 148 x 140 mm - 320 x 1,200 mm (5.9" x 5.5" - 12.6" x 47.2") Top Tray : 98 x 140 mm - 297 x 1,200 mm (3.9" x 5.5" - 11.7" x 47.2") |
| Media types | Main Tray: Plain, Thin, Thick, Heavy Weight, Extra Heavy Weight 1, Extra Heavy Weight 2, Cotton, Coloured, Pre-Printed, Recycled, Bond, Archive, Letterhead, Pre-Punched, Thin Cardstock, Thick Cardstock, Heavy Cardstock, Thin Glossy, Heavy Glossy, Thick Envelope, Transparency, Labels Top Tray: Plain, Thin, Thick, Heavy Weight, Extra Heavy Weight 1, Extra Heavy Weight 2, Extra Heavy Weight 3, Extra Heavy Weight 4, Cotton, Coloured, Pre-Printed, Recycled, Bond, Archive, Letterhead, Pre-Punched, Thin Cardstock, Thick Cardstock, Heavy Cardstock, Thin Glossy, Thick Glossy, Envelope |
| Media Weight | Main Tray : 52 - 256 g/m ² (14 lb Bond - 140 lb Index) Top Tray : 52 - 325 g/m ² (14 lb Bond - 120 lb Cover) |
| Number of Bin | 2 (Main Tray, Top Tray) |
| Dimension (WxDxH) | 458 x 491 x 173 mm (18" x 19.3" x 6.8") |
| Weight | 15.0 kg (33.1 lb) |
| Finishing Mode | - Top Tray: Stacking - Main Tray: Stacking, Offsetting, Stapling |
| Finishing Capacity | - Top Tray: 50 Sheets - Main Tray: 500 Sheets (Offset, Stacked), 50-sheet x 5 Sets (Offset, Stapled) |

* SL-FIN501L is only compatible with K3300NR.

* Supported paper specifications ranges are of all supported range of this option, but actual paper specifications ranges may vary depending on the mainframe that this option is configured with.

| Fax Kit | CLX-FAX160 |
|---------------|--|
| Type | Fax Kit |
| Compatibility | ITU-T G3, Super G3 |
| Modem Speed | 33.6 kbps |
| Memory | HDD Shared |
| Resolution | Up to 600 x 600 dpi (Mono) |
| Auto Dial | Yes |
| Fax Features | Auto Redial, Caller ID, Secure Reception, Fax forwarding to Fax/Email/SMB/FTP, Job Build, etc. |

CUSTOMISE YOUR MFP WITH FLEXIBLE OPTIONS

Configurations & Options



Paper Output

Inner Finisher
(SL-FIN501L)

Job Separator
(SL-JSP500S)

Inner Finisher Punch Kit
(SL-HPU501T 2/3 holes, SL-HPU501F 2/4 holes)

Staples
(SCX-STP000 (50sh.))

Paper Input

Stand
(SL-DSK502T)

Dual Cassette Feeder
(SL-PFP502D)

* SL-FIN501L is only compatible with K3300

Kit

- **Wireless LAN/NFC Kit**
(SL-NWE001X)
- **Foreign Device Interface**
(CLX-KIT10F)
- **Fax Kit**
(CLX-FAX160)
- **HDD Kit**
(SL-HDK471)

GENUINE SAMSUNG SUPPLIES

Real Savings, Certified Eco-Technology.
Always make the right impression by using genuine Samsung supplies.



For more information about genuine Samsung supplies, visit www.samsung.com/GenuineSupplies



SAMSUNG

About Samsung Electronics Co., Ltd.

Samsung Electronics Co., Ltd. inspires the world and shapes the future with transformative ideas and technologies, redefining the worlds of TVs, smartphones, wearable devices, tablets, cameras, digital appliances, printers, medical equipment, network systems and semiconductors. We are also leading in the Internet of Things space through, among others, our Digital Health and Smart Home initiatives. We employ 307,000 people across 84 countries. To discover more, please visit our official website at www.samsung.com and our official blog at global.samsungtomorrow.com.

Copyright © 2016 Samsung Electronics Co., Ltd. All rights reserved. Specifications and designs are subject to change without notice. Nonmetric weights and measurements are approximate. All data were deemed correct at time of creation. Samsung is not liable for errors or omissions. All brand, product, service names and logos are trademarks and/or registered trademarks of their respective owners and are hereby recognised and acknowledged.

AirPrint is a trademark of Apple Inc. registered in the U.S. and other countries. Android and Google Cloud Print are trademarks of Google Inc. Samsung Cloud Print is either a trademark or registered trademark of Samsung Electronics Co., Ltd. Microsoft and Windows are registered trademarks of Microsoft Corporation in the United States and/or other countries.

Mopria®, the Mopria® Logo and the Mopria® Alliance logo are registered trademarks and service marks of Mopria Alliance, Inc. in the United States and other countries.

Samsung Electronics UK Ltd
Samsung House, 1000 Hillwood Drive, Chertsey, Surrey, KT16 0PS

