

SAMSUNG

smartmultiXpress7

Office
Transformation
Innovated for You

Multifunction



K7600 | K7500 | K7400 Series



SMART PRINTING.
BUSINESS INNOVATION.

EXPERIENCE EXCELLENCE UNPARALLELED POWER AND PERFORMANCE

Overview

Powerful Samsung K7600 Series MFPs are specifically designed for the growing A3 printer market. They offer smart usability that enables businesses to work faster and more efficiently with intuitive, user-friendly controls. Equipped with high-performance, cost-efficient features and embedded security, Samsung K7600 Series MFPs deliver low total cost of ownership (TCO) for businesses that depend on high-volume printing.

SL-K7600GX Series:



K7600GX (60 ppm)



K7500GX (50 ppm)



K7400GX (40 ppm)

SL-K7600LX Series:



K7600LX (60 ppm)



K7500LX (50 ppm)



K7400LX (40 ppm)

Key benefits

Complete your jobs 2x faster in super-fine quality

- Leverage a powerful quad-core CPU
- Experience 2X faster dual scanning
- Technology that ensures crisper, clearer results

Work smarter with an intuitive Smart UX Center

- Work smart, just like on a tablet
- Do more with productivity-boosting features
- Tap to print with NFC technology


Stay worry-free from high operational costs, security risks and more

- Lower costs with high durability
- Enhance productivity with variable options
- Get an advanced security tray with an Electronic-type Cassette Locking Kit

COMPLETE YOUR JOBS 2X FASTER IN SUPER-FINE QUALITY

Leverage a powerful quad-core CPU

The industry's first quad-core 1.5 GHz CPU with System-on-Chip technology delivers high-performance interpreting and rendering emulation, making these powerful printers twice as fast as conventional dual-core-based MFPs.



Quad-core
1.5 GHz CPU



Experience 2X faster dual scanning



The Dual-Scan Document Feeder scans both sides of a document simultaneously. The feeder can scan up to 240 ipm, which is twice the scanning speed of Samsung MultiXpress K7600 Series.



Ultra-fast Dual Scan
Up to 240 ipm

Technology that ensures crisper, clearer results

A Laser Beam Scanning Unit (LSU) produces a 1,200 x 1,200 dpi resolution while a next-generation toner ensures superior finishes. Rendering Engine for Clean Page (ReCP) technology sharpens graphics and text.



WORK SMARTER WITH AN INTUITIVE SMART UX CENTER

Work smart, just like on a tablet

The industry first open UX system powered by Android™, the Samsung Smart UX Center functions like a tablet with an intuitive touch-to-print 960 x 600 dpi resolution display with a 90-degree pivot.



Samsung Smart UX Center
Powered by Android™



Awarded for Smart UX Center's
Unique and Innovative Possibilities

Do more with productivity-boosting features

Easily set up printers by downloading essential apps from the Printing App Center. Productivity tools include Remote Fax, Dynamic Workflow with Smart Scan, with more to be added. <http://printingapps.samsung.com>



Tap to print with NFC technology

Simply tap to print, scan or fax documents from any NFC-supported mobile device using advanced NFC technology. The wireless option with NFC Pro provides user authentication through a mobile device.



STAY WORRY-FREE FROM HIGH OPERATIONAL COSTS, SECURITY RISK AND MORE


Lower costs with high durability

Best-in-class maximum monthly duty means high durability, reducing costs and eliminating the tedious changing of toner cartridges, drums and developer.



Up to 300K
maximum monthly duty

Toner Capacity
(Max 45,000 pages)



Enhance productivity with variable options



Boost productivity with a 2,250-sheet booklet finisher and a 3,250-sheet high-volume finisher that automatically staples up to 65 sheets. Print up to 6,140 pages with a side and bottom High-Capacity Feeder (HCF).



Up to
6,140
pages

Get an advanced security tray with an Electronic-type Cassette Locking Kit

The analog-type cassette locking system of conventional printers is unreliable due to potential loss or duplication of the key. Samsung K7600 Series solves this problem with a new electronic-type Cassette Locking Kit that activates easily and securely with a pin code on the panel.



* Cassette Locking Kit option is only available to default tray 1,2 and DCF.

* You need to buy 2 kits of SL-CLK501 to install at both default tray(1,2) + DCF(3,4 tray).



* SL-CLK501(OPTION)

SAMSUNG MULTIFUNCTION PRINTER

smartmultiXpress7

K7600 | K7500 | K7400 Series

Specifications

General	K7600	K7500	K7400
Standard Functions	Print, Copy, Scan		
Processor	1.5 GHz (Quad-Core)		
Operational Panel	10.1" Colour Touch Screen Panel (Pivoting)		
Memory (Standard)	6 GB (2 GB for Android OS)		
Memory (Maximum)	6 GB (2 GB for Android OS)		
Hard Disk Drive	320 GB (User Available Space : 279 GB)		
Interface (Standard)	USB 3.0 Device, USB 3.0 Host x 3, Ethernet 10/100/1000 Base TX		
Interface (Optional)	IEEE 802.11 b/g/n (NFC Active Type), IEEE 802.11 b/g/n/ac (NFC Active Type, BLE)		
Warm-up Time (From Power On)	23 sec		
Warm-up Time (From Sleep)	12 sec		
Power Requirements	AC 220 - 240 V, 50 / 60 Hz, AC 110 - 127 V, 50 / 60 Hz (Not dual voltage, power supply varies by country)		
Power Consumption	1300 W (Printing), 1300 W (Copying), 60 W (Ready), 2 W (Sleep), 3.1 kWh (TEC)	1300 W (Printing), 1300 W (Copying), 60 W (Ready), 2 W (Sleep), 2.717 kWh (TEC)	1300 W (Printing), 1300 W (Copying), 60 W (Ready), 2 W (Sleep), 2.1 kWh (TEC)
Noise Level	Less than 56 dBA (Printing), Less than 59 dBA (Copying), Less than 30 dBA (Ready)	Less than 54 dBA (Printing), Less than 59 dBA (Copying), Less than 30 dBA (Ready)	Less than 54 dBA (Printing), Less than 58 dBA (Copying), Less than 30 dBA (Ready)
Dimension (WxDxH)	- GX Series 585 x 706.8 x 932 mm (23" x 27.8" x 36.7") - LX Series 585 x 670 x 883.7 mm (23" x 26.4" x 34.8")	GX Series 585 x 706.8 x 932 mm (23" x 27.8" x 36.7") - LX Series 585 x 670 x 883.7 mm (23" x 26.4" x 34.8")	GX Series 585 x 706.8 x 932 mm (23" x 27.8" x 36.7") - LX Series 585 x 670 x 883.7 mm (23" x 26.4" x 34.8")
Weight (SET Only / SET with Supplies)	- GX Series Set Only : 94.7 kg (208.8 lb) Set with Supplies : 97.3 kg (214.5 lb) - LX Series Set Only : 80.6 kg (177.7 lb) Set with Supplies : 84.3 kg (185.8 lb)	GX Series Set Only : 94.7 kg (208.8 lb) Set with Supplies : 97.3 kg (214.5 lb) - LX Series Set Only : 80.6 kg (177.7 lb) Set with Supplies : 84.3 kg (185.8 lb)	GX Series Set Only : 94.7 kg (208.8 lb) Set with Supplies : 97.3 kg (214.5 lb) - LX Series Set Only : 80.6 kg (177.7 lb) Set with Supplies : 84.3 kg (185.8 lb)
Max. Monthly Duty Cycle	300,000 pages	250,000 pages	200,000 pages
Recommended Monthly Print Volume	30,000 - 60,000 pages	25,000 - 50,000 pages	20,000 - 40,000 pages
Security	SSL/TLS, IPv6, IPSec, SNMPv3, IEEE 802.1x, Kerberos, SMB, LDAP, Protocol&Port Management, IP/MAC Filtering HDD Overwrite, HDD Encryption, Common Criteria Certification (ISO 15408), Audit Log, Access Control, Trusted Platform Module		
Client OS Support	Windows : XP (32/64 bit), 2003 Server (32/64 bit), Vista (32/64 bit), 2008 Server (32/64 bit), Windows 7 (32/64 bit), 2008 Server R2 (64 bit), Windows 8 (32/64 bit), Windows 8.1 (32/64 bit), Windows Server 2012 (64 bit), Windows Server 2012 R2 (64 bit), Windows 10 (32/64 bit) Linux : RedHat Enterprise Linux 5, 6, Fedora 12, 13, 14, 15, 16, 17, 18, 19, 20, OpenSuSE 11.2, 11.3, 11.4, 12.1, 12.2, 12.3, 13.1, Ubuntu 10.04, 11.04, 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, SuSE Linux Enterprise Desktop 10, 11, Debian 6, 7, Mint 13, 14, 15, 16 Unix : Sun Solaris 9, 10, 11 (x86, SPARC), HP-UX 11.0, 11i v1, 11i v2, 11i v3 (PA-RISC, Itanium), IBM AIX 5.1, 5.2, 5.3, 5.4, 6.1, 7.1 (PowerPC) Mac : OS 10.5 - 10.11		
Network Protocols	TCP/IPv4, IPv6, DHCP, BOOTP, AutoIP, DNS, DDNS, WINS, Standard TCP/IP, LPR/LPD, IPP, ThinPrint, Google Cloud Print, AirPrint, WSD print, FTP print, HTTP, SNMP (v1/2c/3), Telnet, SLP, Bonjour, UPnP (SSDP), WSD Discovery, SMTP, FTP, I-Fax (T.37), LDAP, SMB, Kerberos		

Print	K7600	K7500	K7400
Speed (Mono)	Up to 60 ppm in A4 / Letter	Up to 50 ppm in A4 / Letter	Up to 40 ppm in A4 / Letter
First Print Out Time (Mono)	As fast as 6.9 sec	As fast as 7.5 sec	As fast as 8.4 sec
Resolution	Up to 1,200 x 1,200 dpi		
Print Languages	PCL5, PCL6, PS3, PDF V1.7, XPS		
Duplex Print	Built-in		
Direct Print Support	JPEG, PDF, PRN, TIFF, XPS		
Print Features	WSD Print, Proof Print, Secure Print, Stored Print, Booklet Print, N-up, Cover Page Print, Barcode Print, Eco Print, Skip Blank Pages, Banner page by OS, Poster Print, Watermark, Glossy Print, Tray Priority Settings, Auto Tray Switching, Tray Protection, Tray Lock, Direct Print from USB, Secure PDF Print, Insert Page, Except Page		
Mobile Print Feature	Apple AirPrint, Mopria-certified, Google Cloud Print, Samsung Cloud Print, PrinterOn Cloud Print, Samsung Mobile Print, Samsung Print Plugin		

Copy	K7600	K7500	K7400
Speed (Mono)	Up to 60 cpm in A4 / Letter	Up to 50 cpm in A4 / Letter	Up to 40 cpm in A4 / Letter
First Copy Out Time (Mono)	As fast as 3.1 sec	As fast as 3.7 sec	As fast as 4.6 sec
Resolution	Up to 600 x 600 dpi		
Reduce, Enlarge Range	25 - 400%		
Multi Copy	9,999 pages		
Duplex Copy	Built-in		
Copy Features	ID Copy, N-Up, Booklet, Image Repeat, Auto Fit, Book Copy, Poster Copy, Watermark, Overlay, Stamp, Covers, Build Job, Preview, Edge Erase, Image Shift, Image Adjustment, Background Adjustment, Program Ahead, Proof Copy, Mixed Size Original, Hard Copy Security, Transparency, Copy to Edge		

Scan	K7600	K7500	K7400
Scan Speed (Mono)		- GX Series Simplex 120 ipm (300 dpi), Duplex 240 ipm (300 dpi) - LX Series Simplex 80 ipm (300 dpi), Duplex 160 ipm (300 dpi)	
Scan Speed (Colour)		- GX Series Simplex 120 ipm (300 dpi), Duplex 240 ipm (300 dpi) - LX Series Simplex 80 ipm (300 dpi), Duplex 160 ipm (300 dpi)	
Compatibility		Windows : TWAIN Mac : TWAIN, ICDM Linux : SANE	
Method		Colour CCD	
File Format		PDF, Searchable PDF, Compact PDF, Digital Signature in PDF, PDF/A, Outline PDF, PDF Encryption, TIFF, XPS, JPEG	
Resolution (Optical)		Up to 600 x 600 dpi	
Resolution (Enhanced)		Up to 4,800 x 4,800 dpi	
Scan Destinations		Email, FTP, SMB, BOX, USB, WSD, PC, I-Fax	
Scan Document Weight		42 - 163 g/m ²	

Paper Handling	K7600	K7500	K7400
Input Capacity (Cassette)		520-sheet Tray x 2	
Input Capacity (Multipurpose Tray)		100 sheets	
Input Capacity (Maximum)		6,140 sheets (Standard 1,140 sheets + Optional 2,000-sheet High Capacity Feeder - Bottom + Optional 3,000-sheet High Capacity Feeder - Side)	
Media Type (Cassette)		Plain, Thin, Bond, Hole Punched, Pre-Printed, Recycled, Thin CardStock, Thick CardStock, Heavy Cardstock, Extra Heavy Cardstock 1, Letterhead, Thick, Cotton, Coloured, Archive, Thin Glossy, Thick Glossy, Heavy Glossy, Heavy weight, Extra Heavy weight 1,2,3, Label, Transparency, Envelope(Cassette1 Only), Thick Envelope(Cassette1 Only)	
Media Type (Multipurpose Tray)		Plain, Thin, Bond, Hole Punched, Pre-Printed, Recycled, Thin CardStock, Thick CardStock, Heavy Cardstock, Extra Heavy Cardstock 1,2, Letterhead, Thick, Cotton, Coloured, Archive, Thin Glossy, Thick Glossy, Heavy Glossy, Heavy weight, Extra Heavy weight 1,2,3,4, Envelope, Thick Envelope, Transparency, Label	
Media Size (Cassette)		Cassette 1 : B4, A4, B5 (JIS), B5 (ISO), A5, B6, A6, Legal, Letter, Executive, Statement, 8K, 16K, Oficio, Folio, Envelope Monarch, Envelope DL, Envelope C4, Envelope C5, Envelope C6, Envelope No. 10, Envelope No. 9, Custom (98 x 139.7 mm - 297 x 390 mm (3.9" x 5.5" - 11.7" x 15.4")) Cassette 2 : SRA3, A3, B4, A4, B5 (JIS), B5 (ISO), A5, B6, A6, Tabloid extra, Ledger, Legal, Letter, Executive, Statement, Oficio, Folio, 8K, 16K, Custom (139.7 x 182 mm - 320 x 457 mm (5.5" x 7.2" - 12.6" x 18"))	
Media Size (Multipurpose Tray)		SRA3, A3, B4, A4, B5 (JIS), B5 (ISO), A5, B6, A6, Tabloid extra, Ledger, Legal, Letter, Executive, Statement, Oficio, Folio, 8K, 16K, Envelope Monarch, Envelope DL, Envelope C4, Envelope C5, Envelope C6, Envelope No. 10, Envelope No. 9, Postcard 4x6, Custom (98 x 139.7mm - 320 x 1200mm (3.9" x 5.5" - 12.6" x 47.2"))	
Media Weights (Cassette)		60 - 300 g/m ²	
Media Weights (Multipurpose Tray)		60 - 325 g/m ²	
ADF Type		DSDF	
ADF Document Capacity		- GX Series 250 sheets - LX Series 100 sheets	
Output Capacity		500 sheets	

Supplies	K7600	K7500	K7400
Toner (Black)		MLT-K706S (45,000 pages) *Estimated Yield at 6% Coverage	
Drum		MLT-R706 (Approx. 450,000 pages)	
Waste Toner		MLT-W760 (Approx. 300,000 pages)	

Options

Dual Cassette Feeder	SL-PFP501D
Capacity	1,040 Sheets
Media Sizes	SRA3, A3, B4, A4, B5(JIS), B5(ISO), A5, Tabloid extra, Ledger, Legal, Letter, Executive, Statement, Oficio, Folio, 8K, 16K, Custom (139.7 x 182 mm - 320 x 457 mm)
Media types	Plain, Thin, Thick, Heavy Weight, Extra Heavy Weight 1, Extra Heavy Weight 2, Extra Heavy Weight 3, Cotton, Coloured, Pre-printed, Recycled, Bond, Archive, Letterhead, Hole-Punched, Thin Cardstock, Thick Cardstock, Heavy Cardstock, Extra Heavy Cardstock 1, Thin Glossy, Thick Glossy, Heavy Glossy
Media weight	60 - 300 g/m ²
Sensing	H/W Install Detect, Paper Empty Detect, Paper Low Level Detect, Paper Size Detect
Dimension (WxDxH)	585 x 670 x 261 mm (23" x 26.4" x 10.3")
Weight	28.4 kg (62.6 lb)

High-Capacity Feeder - Bottom	SL-HCF501B
Capacity	2,000 Sheets
Media Sizes	A4, Letter (8.5" x 11")
Media types	Plain, Thin, Thick, Heavy Weight, Extra Heavy Weight 1, Extra Heavy Weight 2, Extra Heavy Weight 3, Cotton, Coloured, Pre-printed, Recycled, Bond, Archive, Letterhead, Hole-Punched, Thin Cardstock, Thick Cardstock, Heavy Cardstock, Extra Heavy Cardstock 1
Media weight	60 - 300 g/m ²
Sensing	H/W Install Detect, Paper Empty Detect, Paper Low Level Detect
Dimension (WxDxH)	585 x 670 x 261 mm (23" x 26.4" x 10.3")
Weight	29.3 kg (64.6 lb)

High-Capacity Feeder - Side	SL-HCF501S
Capacity	3,000 Sheets (80 gsm/21 lb Bond)
Media Sizes	A4, Letter (8.5" x 11")
Media types	Plain, Thin, Thick, Heavy Weight, Extra Heavy Weight 1, Extra Heavy Weight 2, Extra Heavy Weight 3, Cotton, Coloured, Pre-printed, Recycled, Bond, Archive, Letterhead, Hole-Punched, Thin Cardstock, Thick Cardstock, Heavy Cardstock, Extra Heavy Cardstock 1
Media weight	60 - 300 g/m ²
Sensing	H/W Install Detect, Paper Empty Detect, Paper Low Level Detect
Dimension (WxDxH)	364 x 533 x 410 mm (13.9" x 21.0" x 16.1")
Weight	19.2 kg (42.3 lb)

Stand	SL-DSK501T
Dimension (WxDxH)	585 x 670 x 261 mm (23" x 26.4" x 10.3")
Weight	18.0 kg (39.7 lb)

Inner Finisher	SL-FIN502L
Capacity	550 Sheets (Main Tray 500 Sheets, Top Tray 50 Sheets)
Sensing	Paper Jam, Tray Sensing, Stapler, Cover Open
Media Sizes	Main Tray : 148 x 140 mm - 320 x 1,200 mm (5.9" x 5.5" - 12.6" x 47.2") Top Tray : 98 x 140 mm - 297 x 1,200 mm (3.9" x 5.5" - 11.7" x 47.2")
Media types	Main Tray: Plain, Thin, Thick, Heavy Weight, Extra Heavy Weight 1, Extra Heavy Weight 2, Cotton, Coloured, Pre-Printed, Recycled, Bond, Archive, Letterhead, Pre-Punched, Thin Cardstock, Thick Cardstock, Heavy Cardstock, Thin Glossy, Thick Glossy, Heavy Glossy, Thick Envelope, Transparency, Labels Top Tray: Plain, Thin, Thick, Heavy Weight, Extra Heavy Weight 1, Extra Heavy Weight 2, Extra Heavy Weight 3, Extra Heavy Weight 4, Cotton, Coloured, Pre-Printed, Recycled, Bond, Archive, Letterhead, Pre-Punched, Thin Cardstock, Thick Cardstock, Heavy Cardstock, Thin Glossy, Thick Glossy, Envelope
Media Weight	Main Tray : 52 - 256 g/m ² (14 lb Bond - 140 lb Index) Top Tray : 52 - 325 g/m ² (14 lb Bond - 120 lb Cover)
Number of Bin	2 (Main Tray, Top Tray)
Dimension (WxDxH)	458 x 491 x 173 mm (18" x 19.3" x 6.8")
Weight	15.0 kg (33.1 lb)
Top Tray Finishing Mode	Stacking
Top Tray Finishing Capacity	50 Sheets
Main Tray Finishing Mode	Stacking, Offsetting, Stapling
Main Tray Finishing Capacity	500 Sheets (Offset, Stacked), 50-sheet x 5 Sets (Offset, Stapled)

Booklet Finisher	SL-FIN701B
Capacity	2,250 Sheets (Main Tray 2,000 Sheets, Top Tray 250 Sheets), 25-sheet X 5 Sets (Booklet Tray)
Sensing	Paper Jam, Tray Sensing, Stapler, Cover Open
Media Sizes	Main Tray : 216 x 140 mm - 320 x 457 mm (8.5" x 5.5" - 12.6" x 18.0") Top Tray : 98 x 148 mm - 330 x 1200 mm (3.9" x 5.8" - 13.0" x 47.2") Booklet Tray : 182 x 257 - 305 x 457 mm (7.2" x 10.1" - 12" x 18")

Booklet Finisher	SL-FIN701B
Media types	Main Tray : Plain, Thin, Thick, Heavy Weight, Extra Heavy Weight 1, Extra Heavy Weight 2, Extra Heavy Weight 3, Extra Heavy Weight 4, Cotton, Coloured, Pre-Printed, Recycled, Bond, Archive, Letterhead, Pre-Punched, Thin Cardstock, Thick Cardstock, Heavy Cardstock, Extra Heavy Cardstock 1, Extra Heavy Cardstock 2, Thin Glossy, Thick Glossy, Heavy Glossy, Transparency, Tab Top Tray : Plain, Thin, Thick, Heavy Weight, Extra Heavy Weight 1, Extra Heavy Weight 2, Extra Heavy Weight 3, Cotton, Coloured, Pre-Printed, Recycled, Bond, Archive, Letterhead, Pre-Punched, Thin Cardstock, Thick Cardstock, Heavy Cardstock, Extra HeavyCard Stock 1, Thin Glossy, Thick Glossy, Heavy Glossy, Envelope, Thick Envelope, Transparency, Labels, Tab Booklet Tray : Plain, Thin, Thick, Heavy Weight, Extra Heavy Weight 1, Extra Heavy Weight 2, Extra Heavy Weight 3, Extra Heavy Weight 4, Cotton, Coloured, Pre-Printed, Recycled, Bond, Archive, Letterhead, Thin Cardstock, Thick Cardstock, Heavy Cardstock, Extra HeavyCard Stock 1, Extra HeavyCard Stock 2, Thin Glossy, Thick Glossy, Heavy Glossy
Media Weight	Main Tray : 52 - 325 g/m ² (14 lb Bond - 120 lb Cover) Top Tray : 52 - 300 g/m ² (14 lb Bond - 110 lb Cover) Booklet Tray : 60 - 120 g/m ² (16 lb Bond - 32 lb Bond)
Number of Bin	3 (Main Tray/Top Tray/Booklet Tray)
Dimension (WxDxH)	751.7 x 610 x 1,016.4 mm (29.6" x 24.0" x 40")
Weight	62.0 kg (136.7 lb)
Top Tray Finishing Mode	Stacking
Top Tray Finishing Capacity	250 Sheets
Main Tray Finishing Mode	Stacking, Offsetting, Stapling
Main Tray Finishing Capacity	2,000 sheets (Offset, Stacked), 65-sheet x 15 Sets (Offset, Stapled)
Booklet Tray Finishing Mode	Booklet Making, V/C-folding
Booklet Tray Finishing Capacity	25-sheet X 5 Sets (Booklet) 5-sheet x 10 Sets (V-Folded) 3-sheet X 10 Sets (C-Folded)

High Volume Finisher	SL-FIN701H
Capacity	3,250 Sheets (Main Tray: 3,000 Sheets, Top Tray: 250 Sheets)
Sensing	Paper Jam, Tray Sensing, Stapler, Cover Open
Media Sizes	Main Tray : 210 x 140 mm - 320 x 457 mm (8.5" x 5.5" - 12.6" x 18.0") Top Tray : 98 x 148 mm - 330 x 1200 mm (3.9" x 5.8" - 13.0" x 47.2")
Media types	Main Tray : Plain, Thin, Thick, Heavy Weight, Extra Heavy Weight 1, Extra Heavy Weight 2, Extra Heavy Weight 3, Extra Heavy Weight 4, Cotton, Coloured, Pre-Printed, Recycled, Bond, Archive, Letterhead, Pre-Punched, Thin Cardstock, Thick Cardstock, Heavy Cardstock, Extra Heavy Cardstock 1, Extra Heavy Cardstock 2, Thin Glossy, Thick Glossy, Heavy Glossy, Transparency, Tab Top Tray : Plain, Thin, Thick, Heavy Weight, Extra Heavy Weight 1, Extra Heavy Weight 2, Extra Heavy Weight 3, Cotton, Coloured, Pre-Printed, Recycled, Bond, Archive, Letterhead, Pre-Punched, Thin Cardstock, Thick Cardstock, Heavy Cardstock, Extra HeavyCard Stock 1, Thin Glossy, Thick Glossy, Heavy Glossy, Envelope, Thick Envelope, Transparency, Labels, Tab
Media Weight	Main Tray : 52 - 325 g/m ² (14 lb Bond - 120 lb Cover) Top Tray : 52 - 300 g/m ² (14 lb Bond - 110 lb Cover)
Number of Bin	2 (Main Tray, Top Tray)
Dimension (WxDxH)	751.7 x 610 x 1,016.4 mm (29.6" x 24.0" x 40")
Weight	40 kg (88.2 lb)
Top Tray Finishing Mode	Stacking
Top Tray Finishing Capacity	250 Sheets
Main Tray Finishing Mode	Stacking, Offsetting, Stapling
Main Tray Finishing Capacity	3,000 sheets (Offset, Stacked), 65-sheet x 15 Sets (Offset, Stapled)





Fax Kit	CLX-FAX160
Type	Fax Kit
Compatibility	ITU-T G3, Super G3
Modem Speed	33.6 kbps
Memory	HDD Shared
Resolution	Up to 600 x 600 dpi (Mono)
Auto Dial	Yes
Fax Features	Auto Redial, Caller ID, Secure Reception, Fax forwarding to Fax/Email/SMB/FTP/Box, Job Build, Preview, etc.

Dual-Line Fax Kit	SL-FAX2501
Type	Dual Fax Kit
Compatibility	ITU-T G3, Super G3
Modem Speed	33.6 kbps
Memory	HDD Shared
Resolution	Up to 600 x 600 dpi (Mono)
Auto Dial	Yes
Fax Features	Auto Redial, Caller ID, Secure Reception, Fax forwarding to Fax/Email/SMB/FTP/Box, Job Build, Preview, Dual line, etc.

CUSTOMISE YOUR MFP WITH FLEXIBLE OPTIONS

Configurations & Options

Paper Output

 <p>Job Separator (SL-JST501S)</p>	 <p>Inner Finisher (SL-FIN502L)</p>
OR	
 <p>High-volume Finisher (SL-FIN701H)</p>	 <p>Booklet Finisher (SL-FIN701B)</p>
<p>Inner Finisher Punch Kit (SL-HPU501T 2/3 holes, SL-HPU501F 2/4 holes)</p>	<p>Booklet/High-volume Finisher Punch Kit (SL-HPU701T 2/3 holes, SL-HPU701F 2/4 holes)</p>
<p>Inner/Booklet Finisher Staples (SCX-STP000 (50sh.))</p>	<p>Booklet/High-volume Finisher Staples (SL-STP000 (65sh.))</p>

80/160 IPM DSDF
(LX model)



Paper Input

 <p>Stand (SL-DSK501T)</p>	OR	 <p>Dual Cassette Feeder (SL-PFP501D)</p>	OR	 <p>High-capacity Feeder - Bottom (SL-HCF501B)</p>	OR	 <p>High-capacity Feeder - Side (SL-HCF501S)</p>
--	----	---	----	--	----	---

*SL-HCF501S is not compatible with the SL-DSK501T.



120/240 IPM DSDF
(GX model)

Table

Working Table (CLX-WKT001)	
Multi-purpose Table (SL-WKT101)	

Kit

Wireless LAN/NFC Kit (SL-NWE001X)	
Wireless LAN/NFC/BLE Kit (SL-NWE002X)	
Additional LAN Kit (SL-NWA001N)	
Foreign Device Interface (CLX-KIT10F)	
Fax Kit (CLX-FAX160)	
Dual-Line Fax Kit (SL-FAX2501)	
Cassette Locking Kit (SL-CLK501)	

Factory Configured

Optional

NEXT GENERATION MX FAMILY

Your business, powered by **NEXT-GENERATION** printing solutions

MX3



Experience Efficiency
Streamlined and reliable

PRACTICAL

Industry-best monthly duty cycle



Up to **80,000** pages

MX4



Experience Possibilities
Expandable and customisable

EXTENSIBLE

Work smarter with an intuitive user experience and various powerful apps



MX7



Experience Excellence
Unparalleled power and performance

ULTIMATE

Complete your job 2X faster



Quad-core
1.5GHz CPU



Ultra-fast Dual Scan
Up to 240 ipm

GENUINE SAMSUNG SUPPLIES

Real Savings, Certified Eco-Technology.

Always make the right impression by using genuine Samsung supplies.



www.tuv.com
ID 000049079

For more information about genuine Samsung supplies, visit

<http://www8.hp.com/us/en/products/samsung-oas/index.html>

SAMSUNG

© Copyright 2018 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing shall be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. All other trademarks are property of their respective owners.

AirPrint is a trademark of Apple Inc. registered in the U.S. and other countries. Android and Google Cloud are trademarks of Google Inc. Samsung Cloud Print Print is either a trademark or registered trademark of Samsung Electronics Co., Ltd. Microsoft and Windows are registered trademarks of Microsoft Corporation in the United States and/or other countries.

Mopria®, the Mopria® Logo and the Mopria® Alliance logo are registered trademarks and service marks of Mopria Alliance, Inc. in the United States and other countries.