

## Legal and additional information

© Copyright 2018 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing shall be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. All other trademarks are property of their respective owners.

# The new way of printing, innovated for smarter business

## Samsung A4 Laser Printers

**SAMSUNG**



Visit: <http://www.hp.com/go/Samsung>

117/EBT

**SAMSUNG**


High-performing printers with improved print quality and speed.

Control costs and save toner and paper expenses.

**Print with exceptional speed and superior quality**


**Twice the power delivers more performance**

Office productivity increases dramatically with fast printing and scanning capabilities, thanks to a fully integrated Samsung 1GHz Dual Core processor. Handling of large print/copy jobs is faster, and scan throughput is swifter. In fact, you can spend more time working and less time waiting around.



**High compression of scanned files**

Samsung's MRC (Mixed Raster Content) technology compresses the scanned file size significantly without any reduction in quality. So, you can save storage space and working time. Creating and sending scanned files is much easier and faster.



• MRC (Mixed Raster Content) : extracted text and image for PDF format scan.  
• Evaluation from internal test lab.

**Higher-quality print output**

Samsung unique ReCP (Rendering Engine for Clean Page) technology improves readability of printed documents by enhancing thin lines and sharpening the edges of negative text. The Samsung Laser Printers deliver sharp, solid prints with effective output print resolutions.

Conventional	New
	Colour Trapping 
	Composite Colour Reduction 
	Edge Enhancement 
	De-Screening 

**Additional printing choices for professional documents**

The printers' multipurpose tray supports media of higher gsm (grams per square meter) in weight, which offers more printing choices for professional documents. Numerous labels, cards and envelopes can be printed using the multi-purpose tray with ease. This ability virtually eliminates the time it takes to feed sheets one at a time.



**Cut costs while lowering energy and toner usage**

**Professional eco solution**

Samsung Laser Printers are equipped with Eco Solution, a suite of energy-reducing features, including the One Touch Eco Button with the Samsung Easy Eco Driver.

**One Touch Eco Button**

Businesses can lower toner and paper usage with the One Touch Eco Button. The One Touch Eco Button automatically activates 2-up printing (two pages on the same side) and duplex printing (printing on both sides). Users can also choose the option to skip blank pages in toner saving mode. These eco settings can be adjusted using Easy Printer Manager.



**Easy Eco Driver**

Easy Eco Driver software, granted the 2012 Outstanding Achievement in Innovation award from Buyers Laboratory Inc. (BLI), saves users up to 20 percent on toner. The software also reduces energy consumption. Users have the option of removing images, converting them from bitmap to sketch, and removing text to save toner using the toner saving mode.



**Convenient mobile printing optimized for various business environment**

Samsung MobilePrint application helps employees wirelessly print from their mobile devices. Users do not need to install a new driver. Office workers can simply download the MobilePrint application from the Google® Play store for Android™ and the Apple Store® for iOS®. After downloading the application, the mobile device automatically detects nearby, compatible Samsung Printers.

Users can also access printers from a Google account using the Google Cloud Print™. Emails, photos, PDF files and SNS messages, such as Facebook® and Twitter® posts, can be printed or shared. Google Cloud Print works on smartphones, tablets, notebooks, PCs and other web-connected devices.



**With Samsung wireless connectivity, users can print directly from mobile devices without the need to connect through a PC.**

High-performing printers with improved print quality and speed.

For Small Office and Home Office

**Central print usage control to save more resources**

Central Print Usage Control, activated through the SyncThru™ Admin Job Accounting feature, enables managers to assign users to specific printers. Users can also be assigned quotas for the number of pages or copies they can make per printer.



**More laser toner cartridge options, more choices for cost reduction**

Samsung Laser Printers offers diverse laser toner cartridge options from standard-yield laser toner cartridges that typically yield up to 3,000 standard pages to ultra-high yield laser toner cartridges that can yield up to 15,000 standard pages, which meets every businesses' needs for reducing cost per page.



**Leading the revolution in printing.**

Samsung is a recognised market leader in the core electronics that make up modern printing, including touch screens, processors and smart UIs. Deploying technology built using the latest advanced robotics and manufacturing techniques, Samsung has won dozens of awards from Buyers Laboratory Inc. (BLI) and independent organisations for the quality and reliability of our printing.



**Samsung A4 Mono Single Function Printers**



Model Code		ML-1676P/XIP	SL-M2021W/XIP
General	Functions	Standard	Print
	Processor	300 MHz	400 MHz
	Memory	Standard	8 MB
	Interface	Standard	Hi-Speed USB 2.0 / Wireless 802.11 b/g/n
	Power Consumption	270 W (Printing)	310 W (Printing)
	Noise Level	within 49 dBA (Printing)	within 50 dBA (Printing)
	Dimension (WxDxH)	341 x 224 x 184 mm	331 x 215 x 178 mm
	Weight	4.03 kg	3.97 kg
	Max. Monthly Duty Cycle	Up to 5,000 pages	Up to 10,000 Pages
	Print	Speed	Speed (Mono)
First Print Out Time		First Print Out Time (Mono)	within 8.5 seconds (From Ready Mode)
Resolution			Up to 1,200 x 1,200 dpi effective output
Emulation			SPL (Samsung Printer Language) / GDI
Duplex Print			Manual
Operating System			Windows 2000 / XP / Vista / 7 / 2003 Server / 2008 Server, Mac OS X 10.3 ~ 10.6, Various Linux OS
Paper Handling	Input Capacity	Cassette	Up to 150-sheet
	Output Capacity		Up to 100-sheet Face Down
Consumables	Toner	Black	Average Cartridge Yield Up to 1,500 standard pages (Ships with 2,000 pages Starter Toner Cartridge) Declared cartridge yield in accordance with ISO/IEC 19752 Model: MLTD 1043S
			Up to 1,000 -page Standard Cartridge, Up to 1800 Pages High Yield Cartridge (Ships with Up to 1,000 pages Starter Toner Cartridge) Average standard page yield value declared in accordance with ISO/IEC 19752, Model: MLTD 111L



Real Value. True Performance.  
Always make the right impression by using genuine Samsung supplies.

For more information about genuine Samsung supplies, visit <http://www8.hp.com/us/en/products/samsung-oas/index.html>



For Small Office and Medium Office

Samsung A4 Mono Single Function Printers



Model Code		SL-M2626/XIP	SL-M2826ND/XIP
General	Standard Functions	Print	
	Processor	600 MHz	
	Memory (Standard)	128 MB	
	Interface (Standard)	Hi-Speed USB 2.0	Hi-Speed USB 2.0 / Ethernet 10/100 Base TX
	Power Consumption	400 W (Printing)	
	Weight	7.2 kg	7.4 kg
	Max. Monthly Duty Cycle	Up to 12000 Pages	
	Print	Speed (Mono)	Up to 26 ppm in A4
First Print Out Time (Mono)		within 8.5 seconds (From Ready Mode)	
Resolution		4,800 x 600 dpi effective	
Print Languages		SPL (Samsung Printer Language)	PCL6 / PCL5e / SPL
Duplex Print		Manual	Built-in
Client OS Support		Windows 8.1 / 8 / 7 / Vista / XP / 2008R2 / 2008 / 2003 / 2012, Mac OS X 10.5 - 10.10, Various Linux	
Paper Handling	Input Capacity (Cassette)	Up to 250-sheet	
	Input Capacity (Multipurpose Tray)	1-sheet	
	Output Capacity	Up to 150-sheet Face Down, 1-sheet Face Up	
Supplies	Toner (Black)	Standard: Average Cartridge Yield Up to 1,200 standard pages / High: Average Cartridge Yield Up to 3,000 standard pages (Ships with Up to 1,500 pages Starter Toner Cartridge) Declared cartridge yield in accordance with ISO/IEC 19752, Model: MLTD 116L	
	Imaging Unit/Drum (Black)	Average Yield Up to 9,000 standard pages, Model: MLTD R116	



For Small Office and Medium Office

Samsung A4 Mono Single Function Printers



Model Code		SL-M3320ND/XIP	SL-M3820ND/XIP	SL-M4020ND/XIP	
General	Standard Functions	Print			
	Value Added Functions	Eco Print	Eco Print, Secure Print		
	Processor	600 MHz			
	Operational Panel	LED	2-Line LCD, Numeric Keyboard		
	Memory (Standard)	128 MB		256 MB	
	Memory (Maximum)	128 MB	512 MB		
	Interface (Standard)	Ethernet 10/100 Base TX / High Speed USB 2.0			
	Interface (Optional)	IEEE 1284B Parallel Connector			
	Power Consumption	700W(Active)			
	Dimension (WxDxH)	366 x 365.6 x 262.5 mm			
	Weight	9.86kg	10.18kg		
	Max. Monthly Duty Cycle	Up to 50000 Pages	Up to 80000 Pages	Up to 100000 Pages	
	Print	Speed (Mono)	Up to 33 ppm in A4	Up to 38 ppm in A4	Up to 40 ppm in A4
		First Print Out Time (Mono)	within 6.5 sec (From Ready Mode)		
Resolution		Up to 1200 x 1200 dpi effective output			
Print Languages		SPL / PostScript3 / PCL6 / PCL5e / IBM ProPrinter / EPSON			
Duplex Print		Built-in			
Client OS Support		Windows 8 / 7 / Vista / XP / 2008R2 / 2008 / 2003, Mac OS X 10.5 - 10.8, Various Linux/Unix			
Print Features		Automatic Double Sided Print, Barcode Print, Secure Print			
Paper Handling		Input Capacity (Cassette)	Up to 250 Sheets		
	Input Capacity (Maximum)	Up to 771 Sheets (Std 250 + MP 1+ SCF 520)	Up to 820 Sheets (Std 250 + MP 50 + SCF 520)		
	Input Capacity (Multipurpose Tray)	1 Sheets	Up to 50 Sheets		
	Input Capacity (Other Options)	Up to 520 Sheets			
	Output Capacity	Up to 150-sheet Face-Down, 1-sheet Face-Up			
Supplies	Toner (Black)	Standard Yield: Average Cartridge Yield Up to 3K standard pages. High Yield: Average Cartridge Yield Up to 5K standard pages (Ships with Up to 3K pages Starter Toner Cartridge) Declared Cartridge Yield in accordance with ISO/IEC 19752. Model: MLTD 2035	Standard Yield: Average Cartridge Yield Up to 3K standard pages. High Yield: Average Cartridge Yield Up to 5K standard pages. Extra high Yield: Average Cartridge Yield Up to 10K standard pages (Ships with Up to 3K pages Starter Toner Cartridge) Declared Cartridge Yield in accordance with ISO/IEC 19752. Model: MLTD 2035	Standard Yield: Average Cartridge Yield Up to 3K standard pages. High Yield: Average Cartridge Yield Up to 5K standard pages. Extra high Yield: Average Cartridge Yield Up to 10K standard pages. Ultra high Yield: Average Cartridge Yield Up to 15K standard pages (Ships with Up to 3K pages Starter Toner Cartridge) Declared Cartridge Yield in accordance with ISO/IEC 19752. Model: MLTD 2035	
Solution	Device Management	Yes			
	Output Management	Yes			



For Large Enterprise

For Small Office and Home Office

Samsung A4 Mono Single Function Printers



Model Code		ML-4510ND/XIP	ML-5010ND/XIP	ML-5510ND/XIP	ML-6510ND/XIP	
General	Functions	Standard	Print			
		Optional	Low CPP (2-piece toner cartridge system)			
	Processor	Samsung Dual Core 600 MHz		Samsung 700 MHz		
	Operational Panel	4-Line LCD				
	Memory	Standard	128 MB	256 MB		
		Maximum	640 MB	768 MB		
	Interface	Standard	Ethernet 10/100/1000 Base TX / High Speed USB 2.0 / Host USB 1 Port (Rear 1 Port)	Ethernet 10/100/1000 Base TX / High Speed USB 2.0 / Host USB 2 Ports (Rear 1 Port & Front 1 Port)		
		Optional	IEEE 1284B Parallel connector			
	Power Consumption		850W(Active)	900W(Active)	850W(Active)	950W(Active)
	Weight		26.45kg (Inc. Imaging Unit/Toner/WTB) / 22.96kg (exc. Imaging Unit/Toner/WTB)		34.8kg (Inc. Imaging Unit/Toner/WTB), 31.2kg (exc. Imaging Unit/Toner/WTB)	
Max. Monthly Duty Cycle		Up to 200,000 sheets		Up to 275,000 sheets		
Print	Speed	Speed (Mono)	Up to 43 ppm in A4 (45 ppm in Letter)	Up to 48 ppm in A4	Up to 52 ppm in A4	Up to 62 ppm in A4
	First Print Out Time	First Print Out Time (Mono)	Within 7 sec		Within 7.8 sec	
	Resolution		Optical: 600 x 600 / Enhanced: Up to 1,200 x 1,200 dpi effective output		Up to 1,200 x 1,200 dpi effective output	
	Emulation		PCL5e / PCL6 / IBM ProPrinter / EPSON / PostScript3 / PDF Direct V1.7 / XPS v1.0			
	Operating System		Windows 8 / 7 / Vista / XP / 2000 / 2008R2 / 2008 / 2003, Mac OS X 10.4 - 10.8, Various Linux / Unix			
	Print Features		Automatic Double Sided Print			
	Paper Handling	Input Capacity	Cassette	Up to 520-Sheet Standard Cassette		
Multipurpose tray			Up to 100-Sheet Multi Purpose Tray			
Other Options			520-Sheet Option Cassette Feeder	520-Sheet Option Cassette Tray x 4	520-Sheet Option Cassette Tray, 2,000-Sheet High Capacity Cassette Tray	
Maximum		Up to 1,140 Sheets	Up to 2,700 Sheets	Up to 3,660 Sheets		
Output Capacity		Up to 500-sheet Face-Down				
Consumables	Toner	Black	Standard: Average Cartridge Yield Up to 10K standard pages, High Yield: Average Cartridge Yield Up to 30K standard pages, Extra High Yield: Average Cartridge Yield Up to 40K standard pages, (Ships with 10,000 pages Starter Toner Cartridge) Declared cartridge yield in accordance with ISO/IEC 19752.			
			Model: MLTD 307S	Model: MLTD 307S	Model: MLTD 309S	Model: MLTD 309S
	Imaging Unit/ Drum	Black	Model: MLTR 307 Average Yield Up to 60K standard pages	Model: MLTR 307 Average Yield Up to 60K standard pages	Model: MLTR 309 Average Yield Up to 80K standard pages	Model: MLTR 309 Average Yield Up to 80K standard pages
Solution	Device Management		Yes			
	Output Management		Yes			

Samsung A4 Colour Laser Single Function Printers



Model Code		SL-C430W/XIP			
General	Functions	Standard	Print		
		Optional	NFC, Mobile Print, WPS		
	Processor		300 MHz		
	Memory	Standard	32 MB		
	Interface	Standard	Hi-Speed USB 2.0 / 10/100 Base Tx / Wireless 802.11 b/g/n		
	Power Consumption		290 W (Printing)		
	Weight		9.85 kg		
	Max. Monthly Duty Cycle		Up to 20,000 images		
	Print	Speed	Speed (Mono)	Up to 18 ppm in A4	
			Speed (Color)	Up to 4 ppm in A4	
First Print Out Time		First Print Out Time (Mono)	Within 14 seconds (From Ready Mode)		
		First Print Out Time (Color)	Within 26 seconds (From Ready Mode)		
Resolution			Up to 2,400 x 600 dpi effective output (600 x 600 x2 bit)		
Emulation			SPL-C (Samsung Printer Language)		
Duplex Print		Manual			
Operating System		Windows 8 / 7 / Vista / XP / 2008R2 / 2008 / 2003, Mac OS X 10.5 - 10.8, Various Linux			
Paper Handling	Input Capacity	Cassette	Up to 150-sheet Cassette		
	Output Capacity		Up to 50-sheet Face Down		
Consumables	Toner	Black	Average Cartridge Yield Up to 1,500 Standard pages (Ships with Up to 700 pages Starter Toner Cartridge) Declared cartridge yield in accordance with ISO/IEC 19798, Model: CLT-K-406S		
		Color (C/M/Y)	Average Cartridge Yield Up to 1,000 Standard pages (Ships with Up to 500 pages Starter Toner Cartridge) Declared cartridge yield in accordance with ISO/IEC 19798		
			Model: CLT-C-406S	Model: CLT-M-406S	Model: CLT-Y-406S
	Imaging Unit/Drum		Up to 16,000 pages (Black), Up to 4,000 pages (Colour)		
Waste Toner Container		Model: CLTR 406			
		Approx. 7,000 images/1750 Colour			

For Small Office and Medium Office

Samsung A4 Colour Laser Single Function Printers



Model Code		CLP-680ND/XIP	CLP-775ND/XIP	
General	Functions	Standard	Color Print	
		Optional	One-touch Eco Mode / Direct USB / Mobile Print	
	Processor	Dual CPU (Main: 533 MHz / Sub: 150 MHz)	600 MHz Dual Core	
	Operational Panel	2-Line LCD	4-Line LCD	
	Memory	Standard	256 MB	384 MB
		Maximum	512 MB	896 MB (256 GB optional)
	Interface	Standard	High-Speed USB 2.0 / USB Host / Ethernet 10/100/1000 Base-TX	High Speed USB 2.0 / Host USB 1 Port (Rear 1 Port for 3rd party solution) / Ethernet 10/100/1000 Base TX
		Optional	IEEE 1284B Parallel Connector	
	Power Consumption	450 W (Average)	750 W (Average)	
	Weight	20.15 kg	30.4 kg	
Max. Monthly Duty Cycle	Up to 60,000 Pages	Up to 120,000 Pages		
Print	Speed	Speed (Mono)	Up to 24 ppm in A4 (25 ppm in Letter)	
		Speed (Color)	Up to 24 ppm in A4 (25 ppm in Letter)	
	First Print Out Time	First Print Out Time (Mono)	Within 17 sec (From Ready Mode)	Within 10 sec (from Ready Mode)
		First Print Out Time (Color)	Within 17 sec (From Ready Mode)	Within 11 sec (from Ready Mode)
	Resolution	Up to 9,600 x 600 dpi Effective Output (600 x 600 x 4 bit)		
	Emulation	PCL5Ce / PCL6C / PS3 / PDF V1.7 / SPL-C (Samsung Printer Language Color)	PostScript3 / PCL5e / PCL6 / PDF 1.7	
	Duplex Print	Built-In		
	Operating System	Windows 8 / 7 / Vista / XP / 2008R2 / 2008 / 2003, Mac OS X 10.4 - 10.8, Various Linux / Unix		
	Direct Print Support	PDF V1.7		
	Print Features	Automatic Double Sided Print / Direct Print / Secure Print	Automatic Double Sided Print	
Paper Handling	Input Capacity	Cassette	Up to 250-Sheet Standard Cassette	
		Multipurpose tray	Up to 50-Sheet MP Tray	
	Output Capacity	Up to 150-Sheet Face Down	Up to 350-Sheet Face Down	
Consumables	Toner	Black	Standard Toner Cartridge Yield: Up to 2,000 Standard Pages (Ships with Up to 2,000 Pages Starter Toner Cartridge) / High Toner Cartridge Yield: Up to 6,000 Standard Pages Declared Yield Value in accordance with ISO/IEC 19798	
		Color (C/M/Y)	Standard Toner Cartridge Yield: Up to 1,500 Standard Pages (Ships with Up to 1,500 Pages Starter Toner Cartridge) / High Toner Cartridge Yield: Up to 3,500 Standard Pages Declared Yield Value in accordance with ISO/IEC 19798	
	Transfer Belt	Approx. 100,000 Pages	Approx. 50,000 pages	
	Waste Toner Container	Approx. 14,000 Pages (Black) / 3,500 Pages (Color)		
Solution	Device Management	Yes		
	Output Management	Yes		
	Mobility	Yes		

For Small Office and Medium Office

Samsung A4 Mono Multi Function Printers



Model Code		SCX-3401/XIP	
General	Functions	Standard	Print, Copy, Scan
		Optional	One-touch Screen Print, Eco Mode
	Processor	433 MHz	
	Operational Panel	2-line LED	
	Memory	Standard	64 MB
	Interface	Standard	Hi-Speed USB 2.0
	Power Consumption	310 W (Printing)	
	Weight	6.7 kg	
	Max. Monthly Duty Cycle	Up to 10,000 pages	
	Print	Speed	Speed (Mono)
First Print Out Time		First Print Out Time (Mono)	Within 8.5 seconds (From Ready Mode)
Resolution		Up to 1,200 x 1,200 dpi effective output	
Emulation		SPL (Samsung Printer Language)	
Duplex Print		Manual	
Operating System	Windows 8 / 7 / Vista / XP / 2000 / 2008R2 / 2008 / 2003, Mac OS X 10.4 - 10.8, Various Linux		
Copy	Speed	Speed (Mono)	Up to 20 cpm in A4
	First Copy Out Time	First Copy Out Time (Mono)	Within 14 sec
	Reduce / Enlarge Range	25 - 400 %	
	Multi Copy	1 - 99 pages	
	Copy Features	ID Copy	
Scan	Compatibility	TWAIN Standard / WIA Standard	
	Method	Color CIS	
	Resolution (Optical)	Up to 600 x 600 dpi	
	Resolution (Enhanced)	Up to 4,800 x 4,800 dpi	
Paper Handling	Input Capacity	Cassette	Up to 150-Sheet Standard Tray
	Output Capacity	Up to 100-Sheet Face Down	
Consumables	Toner	Black	Average Cartridge Yield Up to 1,500 Standard pages (Ships with Up to 1,500 pages Starter Toner Cartridge) Declared cartridge yield in accordance with ISO/IEC 19752 Model: MLTD 101S

For Small Office and Medium Office

Samsung A4 Mono Multi Function Printers



Model Code	SCX-4521FS/XIP	SCX-4321NS/XIP	SCX-4021S/XIP	
General	Standard Functions	Print, Copy, Scan, Fax	Print, Copy, Scan	
	Value Added Functions	One-touch Screen Print, Eco Mode		
	Processor	433 MHz		
	Operational Panel	2-line LCD		
	Memory (Standard)	64 MB		
	Interface (Standard)	Hi-Speed USB 2.0		
	Power Consumption	450 W (Printing)		
	Weight	9.7 kg	8.6 kg	
	Max. Monthly Duty Cycle	Up to 12000 Pages		
	Print	Speed (Mono)	Up to 16 ppm in A4	
First Print Out Time (Mono)		Within 10 seconds (From Ready Mode)		
Resolution		Up to 1,200 x1,200 dpi effective output		
Print Languages		SPL (Samsung Printer Language)		
Duplex Print		Manual		
Copy	Client OS Support	Windows 8 / 7 / Vista / XP / 2000 / 2008R2 / 2008 / 2003, Mac OS X 10.4 - 10.8, Various Linux		
	Speed (Mono)	Up to 16 cpm in A4		
	First Copy Out Time (Mono)	Within 15 sec (ADF) / With in 14 sec (Platen)	Within 14 sec	
	Reduce / Enlarge Range	25 - 400 %		
Scan	Multi Copy	Up to 99 Pages		
	Copy Features	ID Copy / 2-up / 4-up / Collation Copy / Auto-fit		
	Compatibility	TWAIN Standard / WIA Standard		
	Method	Color CIS		
FAX	Resolution (Optical)	Up to 600 x 600 dpi		
	Resolution (Enhanced)	Up to 4,800 x 4,800 dpi		
	Compatibility	ITU-T G3 / ECM	-	-
	Modem Speed	33.6 kbps	-	-
	Resolution	Up to 300 x 300 dpi	-	-
	Memory	7 MB (500 Pages)	-	-
	Auto Dial	Yes	-	-
Paper Handling	Fax Feature	Multi Send / Delayed Send / Priority Send / Secure Receive / Fax Forwarding	-	
	Input Capacity (Cassette)	Up to 250 Sheets		
	Input Capacity (Multipurpose Tray)	1 Sheet		
	ADF Type	ADF	-	
	ADF Document Capacity	Up to 40 Sheets	-	
Supplies	Output Capacity	Up to 100-sheet Face Down		
	Toner (Black)	Average Cartridge Yield Up to 3,000 Standard pages (Ships with Up to 3,000 pages Starter Toner Cartridge) Declared cartridge yield in accordance with ISO/IEC 19752, Model: MLTD 4725A (Up to 3000 pages), MLTD 1193 (Up to 2000 pages)		

For Small Office and Medium Office

Samsung A4 Mono Multi Function Printers



Model Code	SL-M2071/XIP	SL-M2071W/XIP	
General	Standard Functions	Print, Copy, Scan	
	Value Added Functions	One-touch Screen Print, Eco Mode	One-touch Screen Print, Eco Mode, Mobile Print
	Processor	600 MHz	
	Operational Panel	2 x 16 Line LCD	
	Memory (Standard)	128 MB	
	Interface (Standard)	Hi-Speed USB 2.0	
	Power Consumption	310 W (Printing)	
	Weight	7.32 kg	
	Max. Monthly Duty Cycle	Up to 10000 Pages	
	Print	Speed (Mono)	Up to 20 ppm in A4
First Print Out Time (Mono)		Within 8.5 seconds (From Ready Mode)	
Resolution		Up to 1,200 x1,200 dpi effective output	
Print Languages		GDI	
Duplex Print		Manual	
Copy	Client OS Support	Windows 8.1 / 8 / 7 / Vista / XP / 2008R2 / 2008 / 2003 / 2012, Mac OS X 10.5 - 10.9, Various Linux	
	Speed (Mono)	Up to 20 cpm in A4	
	First Copy Out Time (Mono)	Within 14 sec	
	Reduce / Enlarge Range	25 - 400 %	
Scan	Multi Copy	Up to 99 Pages	
	Copy Features	ID Copy / N-UP Copy	
	Compatibility	TWAIN Standard / WIA Standard	
	Method	Color CIS	
Paper Handling	Resolution (Optical)	Up to 1,200 x 1,200 dpi	
	Resolution (Enhanced)	Up to 4,800 x 4,800 dpi	
	Scan Destinations	PC	
Supplies	Input Capacity (Cassette)	Up to 150-sheet Standard Tray	
	Output Capacity	Up to 100-sheet Face Down	
Supplies	Toner (Black)	Average Cartridge Yield Up to 1,000 Standard pages, Up to 1800 Pages Cartridge (Ships with Up to 1,000 pages Starter Toner Cartridge) Declared cartridge yield in accordance with ISO/IEC 19752 Model: MLTD 111L (Up to 1800 pages)	

• Wireless and Fax model available SL-M2071FW/XIP

For Small Office and Medium Office

For Large Enterprise

Samsung A4 Mono Multi Function Printers



Model Code	SL-M2876ND/XIP	SL-M2876FD/XIP		
General	Standard Functions	Print, Scan, Copy	Print, Scan, Copy & Fax	
	Processor	600 MHz		
	Operational Panel	2-line LCD		
	Memory (Standard)	128 MB		
	Interface (Standard)	Hi-Speed USB 2.0 / Ethernet 10/100 Base TX	Hi-Speed USB 2.0 / Ethernet 10/100 Base TX	
	Power Consumption	400 W (Printing)	400 W (Printing)	
	Weight	11.2 kg		
	Max. Monthly Duty Cycle	Up to 12000 Pages		
	Print	Speed (Mono)	Up to 28 ppm in A4	
		First Print Out Time (Mono)	Less than 8.5 seconds (From Ready Mode)	
Resolution		4,800 x 600 dpi effective		
Print Languages		PCL6 / PCL5e / SPL		
Duplex Print		Built-in		
Client OS Support		Windows 8.1 / 8 / 7 / Vista / XP / 2008R2 / 2008 / 2003 / 2012, Mac OS X 10.5 - 10.10, Various Linux		
Copy		Speed (Mono)	Up to 28 cpm in A4 (29 cpm in Letter)	Up to 28 cpm in A4
	First Copy Out Time (Mono)	Within 15 sec (ADF) / Less than 14 sec (Platen)		
	Reduce / Enlarge Range	25 - 400% (ADF, Platen)		
	Multi Copy	Up to 99 Pages		
	Copy Features	ID Copy / 2-up / 4-up / Collation Copy / Auto-fit		
Scan	Compatibility	TWAIN Standard / WIA Standard		
	Method	Color CIS		
	Resolution (Optical)	Up to 1,200 x 1,200 dpi		
	Resolution (Enhanced)	Up to 4,800 x 4,800 dpi		
FAX	Compatibility	-	ITU-T G3 / ECM	
	Modem Speed	-	33.6 kbps	
	Memory	-	8MB (Up to 600 pages)	
	Auto Dial	-	Yes	
	Fax Feature	-	On Hook Dial / Auto Redial / Last Number Redial / Auto Reduction / Multi-send / Delayed Send / Fax Forwarding / Broadcasting up to 209 locations	
Paper Handling	Input Capacity (Cassette)	Up to 250-sheet		
	Input Capacity (Multipurpose Tray)	1-sheet		
	ADF Document Capacity	Up to 40 Sheets		
	Output Capacity	Up to 120-sheet Face Down, 1-sheet Face Up		
Supplies	Toner (Black)	Standard: Average Cartridge Yield Up to 1,200 standard pages / High: Average Cartridge Yield Up to 3,000 standard pages (Ships with Up to 1,500 pages Starter Toner Cartridge) Declared cartridge yield in accordance with ISO/IEC 19752. Model: MLTD116L (Up to 3000 Pages)		
	Imaging Unit/Drum (Black)	Average Yield Up to 9,000 standard pages Model: MLTR116		

Samsung A4 Mono Multi Function Printers



Model Code	SL-M3370FD/XIP	SL-M3870FD/XIP	SL-M4070FR/XIP		
General	Functions	Standard	Print, Scan, Copy, Fax	Optional	Eco Button, Secure Print
	Processor	600 MHz			
	Operational Panel	4-Line LCD			
	Memory	Standard	256MB		
	Interface	Standard	Hi-Speed USB 2.0 / Ethernet 10/100 Base TX	Hi-Speed USB 2.0 / Ethernet 10/100 Base TX / Direct USB	4 GB Internal Flash Drive / Hi-Speed USB 2.0 / Ethernet 10/100/1000 Base TX / Direct USB
	Power Consumption	700W(Active)			
	Max. Monthly Duty Cycle	Up to 50,000 pages	Up to 80,000 pages	Up to 100,000 pages	
	Speed	Speed (Mono)	Up to 33 ppm in A4	Up to 38 ppm in A4	Up to 40 ppm in A4
	Resolution	Up to 1,200 x 1,200 dpi effective output			
	Emulation	SPL / PostScript3 / PCL6 / PCL5e / IBM ProPrinter / EPSON / PDF			
Operating System	Windows 8 / 7 / Vista / XP / 2008R2 / 2008 / 2003, Mac OS X 10.5 - 10.8, Various Linux/Unix				
Direct Print Support	Direct USB				
Print Features	Automatic Double Sided Print, Secure Print				
Copy	Speed (Mono)	Up to 33 cpm in A4 (35 cpm in Letter)	Up to 38 cpm in A4 (40 cpm in Letter)	Up to 40 cpm in A4 (42 cpm in Letter)	
	First Copy Out Time (Mono)	Within 10 sec			
	Resolution	Up to 600 x 600 dpi effective output			
	Duplex Copy	Built-in			
	Copy Features	ID Copy / 2-up / 4-up / Collation Copy / Auto-fit			
Scan	Speed (Mono)	Up to 20ipm		Up to 24ipm	
	Compatibility	TWAIN Standard, WIA Standard			
	Resolution (Optical) / (Enhanced)	Up to 1,200 x 1,200 dpi / Up to 4,800 x 4,800 dpi			
	Scan Destinations	Client (PC), Email, FTP, SMB	Client (PC), Email, FTP, SMB, USB		
FAX	Duplex Scan	Built-in			
	Compatibility	ITU-T G3, ECM			
	Modem Speed	Up to 33.6Kbps			
	Resolution	Standard : 203 x 98 dpi / Fine,Photo : 203 x 196 dpiSuper Fine : 300 x 300 dpi / Color: 200 x 200 dpi			
Paper Handling	Memory	6 MB (Max. 500 pages)			
	Input Capacity	Cassette	250-Sheet Standard Cassette		
	Multipurpose tray	1-Sheet Manual Feeder	Up to 50-Sheet Multi Purpose Tray		
Consumables	ADF	Type	ADF	RADF	
	Document Capacity	Up to 50-sheet			
	Toner	Black	Standard Yield: Average Cartridge Yield Up to 3K standard pages. High Yield: Average Cartridge Yield Up to 5K standard pages (Ships with Up to 3K pages Starter Toner Cartridge) Declared Cartridge Yield in accordance with ISO/IEC 19752.	Standard Yield: Average Cartridge Yield Up to 3K standard pages. High Yield: Average Cartridge Yield Up to 5K standard pages. Extra high Yield: Average Cartridge Yield Up to 10K standard pages (Ships with Up to 3K pages Starter Toner Cartridge) Declared Cartridge Yield in accordance with ISO/IEC 19752.	Standard Yield: Average Cartridge Yield Up to 3K standard pages. High Yield: Average Cartridge Yield Up to 5K standard pages. Extra high Yield: Average Cartridge Yield Up to 10K standard pages. Ultra high Yield: Average Cartridge Yield Up to 15K standard pages (Ships with Up to 3K pages Starter Toner Cartridge) Declared Cartridge Yield in accordance with ISO/IEC 19752.
Solution	Device Management	Yes			
	Output Management	Yes			
	Mobility	Yes			



For Small Office and Medium Office

Samsung A4 Colour Multi Function Printers



Model Code			SL-C480W/XIP	SL-C480FW/XIP
General	Functions	Standard	Print, Copy, Scan	Print, Copy, Scan & Fax
		Optional	NFC, Mobile Print, WPS	
	Processor		Dual CPU (Main: 533 MHz, Sub: 150MHz)	
	Operational Panel		2-Line LCD	
	Memory	Standard	128 MB	
	Interface	Standard	Hi-Speed USB 2.0 / 10/100 Base Tx / Wireless 802.11 b/g/n	
	Power Consumption		290 W (Printing)	
	Weight		12.82 kg	
	Max. Monthly Duty Cycle		Up to 20,000 images	
	Print	Speed	Speed (Mono)	Up to 18 ppm in A4
Speed (Color)			Up to 4 ppm in A4	
First Print Out Time		First Print Out Time (Mono)	Within 14 seconds (From Ready Mode)	
		First Print Out Time (Color)	Within 26 seconds (From Ready Mode)	
Resolution		Up to 2,400 x 600 dpi effective output (600 x 600 x 2bit)		
Emulation		SPL-C (Samsung Printer Language), PCL-5c, PCL-6c, PS3, URF		
Duplex Print		Manual		
Operating System		Windows 8 / 7 / Vista / XP / 2008R2 / 2008 / 2003, Mac OS X 10.5 - 10.8, Various Linux		
Copy	Speed	Speed (Mono)	Up to 18 cpm in A4	
		Speed (Color)	Up to 4 cpm in A4	
	First Copy Out Time	First Copy Out Time (Mono)	Within 14 sec (Platen)	
		First Copy Out Time (Color)	Within 36 sec (Platen)	
	Reduce / Enlarge Range		25 - 400 % (Platen)	
Multi Copy		1 - 99 pages		
Duplex Copy		Auto-fit Copy, N-up Copy, ID Copy		
Scan	Compatibility		TWAIN Standard / WIA Standard	
	Method		Color CIS	
	Resolution (Optical)		Up to 600 x 600 dpi	
	Resolution (Enhanced)		Up to 4,800 x 4,800 dpi	
	Scan Destinations		PC, USB, Application	
Paper Handling	Input Capacity	Cassette	Up to 150-sheet Cassette	
	Output Capacity		Up to 50-sheet Face Down	
Consumables	Toner	Black	Average Cartridge Yield Up to 1,500 Standard pages (Ships with Up to 700 pages Starter Toner Cartridge) Declared cartridge yield in accordance with ISO/IEC 19798, Model: CLT-K-406S	
		Color (C/M/Y)	Average Cartridge Yield Up to 1,000 Standard pages (Ships with Up to 500 pages Starter Toner Cartridge) Declared cartridge yield in accordance with ISO/IEC 19798 Model: CLT-C-406S, CLT-M-406S, CLT-Y-406S,	
	Imaging Unit/ Drum	Black	Up to 16,000 pages	
		Color	Up to 4,000 pages	
Waste Toner Container		Approx. 7,000 images/1750 Colour		



For Small Office and Medium Office

Samsung A4 Colour Multi Function Printers



Model Code			CLX-6260FR/XIP	
General	Functions	Standard	Print / Copy / Scan / Fax	
		Optional	One-touch Eco Mode / Direct USB / Mobile Print	
	Processor		Dual CPU (Main: 533 MHz / Sub: 150 MHz)	
	Operational Panel		4-Line LCD	
	Memory	Standard	512 MB	
	Interface	Standard	High-Speed USB 2.0 / USB Host / Ethernet 10/100/1000 Base-TX	
	Power Consumption		450 W (Average)	
	Max. Monthly Duty Cycle		Up to 60,000 Images	
	Print	Speed	Speed (Mono)/ Color	Up to 24 ppm in A4
		First Print Out Time	(Mono)/Color	Within 17 sec
Resolution		Up to 9,600 x 600 dpi Effective Output (600 x 600 x 4 bit)		
Emulation		PCL5Ce / PCL6C / PS3 / PDF V1.7 / SPL-C (Samsung Printer Language Color)		
Duplex Print		Built-In		
Operating System		Windows 8 / 7 / Vista / XP / 2008R2 / 2008 / 2003, Mac OS X 10.4 - 10.8, Various Linux / Unix		
Copy	Speed	Speed (Mono)/Color	Up to 24 cpm in A4	
	First Print Out Time	(Mono)/Color	Within 17 sec	
	Resolution		Optical: Up to 600 x600 dpi / Enhanced: Up to 1,200 x1,200 dpi Effective Output	
	Reduce / Enlarge Range		25 - 400 % (ADF / Platen)	
	Multi Copy		1 - 999 Pages	
Copy Features		ID Copy / N-UP Copy / Book Copy / Watermark Copy / Collated Copy		
Scan	Speed	Speed (Mono)	Lineart/Hartone: Approx. 24 ipm (@ 300 dpi) / Gray: Approx. 10 ipm (@ 300 dpi)	
		Speed (Color)	Approx. 10 ipm (@ 300 dpi)	
	Method		Color CIS	
	Resolution (Optical) / (Enhanced)		Up to 1,200 x 1,200 dpi / Up to 4,800 x 4,800 dpi	
	Scan Destinations		USB / Email / SMB / FTP / PC / WSD	
Fax	Modem Speed		Up to 33.6 Kbps	
	Resolution		Up to 300 x 300 dpi (Mono) / Up to 200 x 200 dpi (Color)	
	Memory		6 MB	
	Auto Dial		Yes	
	Fax Feature		Multi-Send / Delayed Send / Secure Receive / Fax Forwarding	
Paper Handling	Input Capacity	Cassette	Up to 250-Sheet Standard Cassette	
	Output Capacity		Up to 150-Sheet Face Down	
	ADF	Type	RADF	
		Document Capacity	Up to 50 Sheets	
Consumables	Toner	Black	Standard Toner Cartridge Yield: Up to 2,000 Standard Pages (Ships with Up to 2,000 Pages Starter Toner Cartridge) / High Toner Cartridge Yield : Up to 6,000 Standard Pages Declared Yield Value in accordance with ISO/IEC 19798	
		Color (C/M/Y)	Standard Toner Cartridge Yield: Up to 1,500 Standard Pages (Ships with Up to 1,500 Pages Starter Toner Cartridge) / High Toner Cartridge Yield: Up to 3,500 Standard Pages Declared Yield Value in accordance with ISO/IEC 19798	
	Transfer Belt		Approx. 100,000 Pages	
	Waste Toner Container		Approx. 14,000 Pages (Black) / 3,500 Pages (Color)	



