

# Samsung Printers and MFPs

## A solution for every situation.

Samsung is the fastest-growing printer and MFP manufacturer, and number two laser printer company worldwide. Our innovations and designs have won us more than 100 awards for performance, innovation and eco-friendliness. All of which is combined with Samsung reliability, for solutions customers can grow with.



### Global leadership

- Fastest-growing printer and MFP manufacturer
- #1 laser printer company in 20 countries
- #2 laser printer company worldwide



### Design innovations

- Samsung has won more than 100 awards for performance, innovation and eco-friendliness
- Easy-to-install accessories and toner
- Easy-to-navigate color touchscreens and intuitive menus
- Smaller, lighter and quieter
- Android based UI\*



### Eco-friendly leadership

- Eco Mode and Easy Eco Driver save toner, paper and money
- Low power consumption.



### Samsung value

- More features and higher performance
- Increased toner yields offer best CPP by far and lowest TCO
- Samsung reliability reduces downtime



### Enterprise-level security

Samsung's enterprise-level encryption and hard disk overwrites (up to 7) ensure end-to-end security, even when working remotely.



### Warranty

Original Samsung parts are available to your service department. Samsung offers extended maintenance contracts covering parts and labor.



### Smart user experience

As part of the SMART UX Center,\* Samsung's Printing App Center enables users to easily set up printers by downloading essential apps from a web portal. Other convenient options include the Workbook Composer, which gives users the ability to crop desired content, automatically scan it, and save it for final formatting and editing without needing a PC. Many more apps including workflow, serviceability, and connectivity enhancements are available through the App Center.



### Seamless manageability and flexibility with a secure platform

The eXtensible Open Architecture (XOA) and Android platforms empower your business to seamlessly run Samsung Solutions (BCPS\*, PrinterOn\*) or independent software vendor (ISV) server-based productivity solutions that meet your specific business needs. XOA and Android\* can make printing output comply with your account policies, integrate with your Document Management System, set and enforce printing rules, and more.



### Wireless option with active NFC and BLE\* (Bluetooth)

Users can connect and print with ease using Samsung MFPs with advanced NFC and BLE\* technology. Simply tap to print, scan or fax documents with any NFC-supported mobile device. The wireless option with active NFC and BLE\* provides easy Wi-Fi setup, cloning, authentication, and management through a mobile device, while Samsung Mobile Print Pro provides user authentication and job accounting.



### Dealer support

- Front- and back-end incentive programs
- Marketing materials and lead generation
- Sales training and demo machines for customer evaluations
- Special bid and volume pricing
- Dedicated Account Managers



MultiXpress CLX-8650  
Outstanding A4 Color MFP  
for Large Workgroups



MultiXpress X4300LX  
Outstanding 21- to 30-ppm A3 Color MFP

MultiXpress M5370LX  
Outstanding A4 Monochrome MFP for Large Workgroups

ProXpress M4580  
Outstanding A4 MFP for Mid-Size to Large Workgroups

MultiXpress K4350LX  
Outstanding Entry-Level 31- to 40-ppm  
A3 Monochrome MFP

MultiXpress K7400 Series  
Outstanding 31- to 40-ppm A3 Monochrome MFP

MultiXpress K7500 Series  
Outstanding 41- to 50-ppm A3 Monochrome MFP

MultiXpress K7600 Series  
Outstanding 51- to 60-ppm A3 Monochrome MFP

MultiXpress X7400 Series  
Outstanding 31- to 40-ppm A3 Color MFP

MultiXpress X7500 Series  
Outstanding 41- to 50-ppm A3 Color MFP

MultiXpress X7600 Series  
Outstanding 51- to 60 ppm A3 Color MFP

### Product support

<https://support.hp.com/us-en/products/printers/samsung-printers>

Follow us <https://twitter.com/HPBizNow>



MIX  
Paper from  
responsible sources  
FSC® C019076

SAMSUNG

© Copyright 2018 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing shall be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. All other trademarks are property of their respective owners.

SAMSUNG

# Quick Reference Guide

Samsung Authorized Dealer  
Restricted Products



\*For MX Series

# Color Laser MFPs (A3)



Models	X4250LX	X4300LX	X7400GX / LX	X7500GX / LX	X7600GX / LX
<b>Functions</b>	Color Laser 4-in-1 (Print, Copy, Scan, Fax)		Color Laser 4-in-1 (Print, Copy, Scan, Fax)		
<b>Print</b>	Up to 25 ppm in Letter		Up to 30 ppm in Letter	Up to 40 ppm in Letter	Up to 50 ppm in Letter
Print Speed (Black / Color)	Up to 25 ppm in Letter	Up to 30 ppm in Letter	Up to 40 ppm in Letter	Up to 50 ppm in Letter	Up to 60 ppm in Letter
First Page Out (Black / Color) (From Ready)	<9 / 11.5 Seconds		<8.0 / 9.9 Seconds	<7.2 / 8.9 Seconds	<6.8 / 8.3 Seconds
Print Resolution	Up to 600 x 600 Effective dpi		Up to 1200 x 1200 Effective dpi		
Memory	2 GB		4 GB + 2 GB Android		
Print Language	PCL5e, PCL6, PostScript3, PDF 1.7+, XPS		PCL5, PCL6 (XL), PostScript Level3, PDF 1.7, XPS		
Max Duty Cycle	Up to 73,000 Pages Per Month	Up to 85,000 Pages Per Month	Up to 200,000 Pages Per Month	Up to 250,000 Pages Per Month	Up to 330,000 Pages Per Month
<b>Copy</b>	Up to 25 / 25 cpm		Up to 30 / 30 cpm	Up to 40 / 40 cpm	Up to 50 / 50 cpm
Copy Speed (B&W / Color) (SDMC)	Up to 25 / 25 cpm	Up to 30 / 30 cpm	Up to 40 / 40 cpm	Up to 50 / 50 cpm	Up to 60 / 60 cpm
First Copy Out Time (B&W / Color)	<6.6 / <8.2 Seconds	<5.9 / <7.6 Seconds	<4.2 / <6.1 Seconds	<3.4 / <5.1 Seconds	<3.0 / <4.5 Seconds
Copy Resolution (Optical / Enhanced)	600 x 600 dpi / 4,800 x 4,800 dpi		600 x 600 dpi / 9,600 x 9,600 dpi		
Reduction / Enlargement	25-400% Platen / 25-200% ADF		25-400% Platen		
Multicopy	Up to 9,999 Pages		Up to 9,999 Pages		
<b>Fax</b>	33.6 Kbps / ITU-T G3, Super G3		33.6 Kbps / ITU-T G3, Super G3		
Modem Speed / Compatibility	33.6 Kbps / ITU-T G3, Super G3		33.6 Kbps / ITU-T G3, Super G3		
Fax Memory	HDD Back-up		HDD Back-up		
Fax Resolution	Up to 600 x 600 dpi		Up to 600 x 600 dpi		
<b>Scan</b>	Up to 80 ipm Simplex / Up to 120 ipm Duplex		LX: Up to 160 ipm Simplex / GX: Up to 240 ipm Duplex		
Scan Speed	Up to 80 ipm Simplex / Up to 120 ipm Duplex		LX: Up to 160 ipm Simplex / GX: Up to 240 ipm Duplex		
Scan Resolution	Up to 4800 x 4800 Effective dpi (Enhanced)		Up to 4800 x 4800 Effective dpi (Enhanced)		
Scan Method / Compatibility	MMT / Network TWAIN / Network SANE		MMT / Network TWAIN / Network SANE		
Scan Size	Up to 11" x 17"		Up to 12" x 18"		
<b>Paper Handling</b>	1,140 Sheets / 2,180 Sheets		1,140 Sheets / 6,140 Sheets		
Input Capacity (Standard / Maximum)	1,140 Sheets / 2,180 Sheets		1,140 Sheets / 6,140 Sheets		
Output Capacity	500 Sheets		500 Sheets		
Duplex Printing	Built-in		Built-in		
Media Sizes	3.8" x 5.8" - 11.7" x 17"		3.8" x 5.8" - 12.6" x 18"		
Automatic Document Feeder Capacity / Type	100-Sheet / DSDf		LX: 100-Sheet / DSDf, GX: 250-Sheet / DSDf		
<b>General</b>	10.1" Touchscreen with Samsung Smart UX Powered by Android		10.1" Touchscreen with Samsung Smart UX Powered by Android		
User Interface	10.1" Touchscreen with Samsung Smart UX Powered by Android		10.1" Touchscreen with Samsung Smart UX Powered by Android		
Connectivity	Hi-Speed USB 2.0 Host, Gigabit Ethernet, IEEE 802.11b/g/n + NFC Active Type (Optional)		Hi-Speed USB 3.0, Gigabit Ethernet, IEEE 802.11b/g/n (Optional), Foreign Device Interface (FDI) Optional		
Operating System Compatibility	Windows (32/64-Bit) 8 / 7 / Vista / XP / 2008R2 / 2008 / 2003, Various Linux, Mac 10.5 and Up		Windows (32/64-Bit) 8 / 7 / Vista / XP / 2008R2 / 2008 / 2003, Various Linux, Mac 10.6 and Up		
Noise Level	Less than 50 dBA		Less than 54 / 57 dBA	Less than 54 / 57 dBA	Less than 56 / 59 dBA
Power Consumption	800W (Printing), 1.5W (Sleep) (Print), 2.0 kWh TEC		900W (Printing), 30W (Standby), 2.0W (Sleep)		
Dimensions (W x D x H) / Weight	22.3" x 25.2" x 44.8" / 197.4 lbs. (Including Document Feeder)		LX: 22.3" x 24" x 34.6" / 240 lbs. / GX: 22.3" x 24" x 36.7" / 269 lbs. (Including Document Feeder)		
Special Features	Apple AirPrint, Samsung Mobile Print, NFC Tap and Print (Optional), Smart UX Applications, Fleet Admin Pro		Apple AirPrint, Samsung Mobile Print, NFC Tap and Print (Optional), Smart UX Applications, Fleet Admin Pro		
<b>Supplies</b>	CLT-K808S / 23K Yield		CLT-K806S / 45K Yield		
Black Toner / Yield	CLT-K808S / 23K Yield		CLT-K806S / 45K Yield		
Cyan Toner / Yield	CLT-C808S / 20K Yield		CLT-C806S / 30K Yield		
Magenta Toner / Yield	CLT-M808S / 20K Yield		CLT-M806S / 30K Yield		
Yellow Toner / Yield	CLT-Y808S / 20K Yield		CLT-Y806S / 30K Yield		
Other Supplies	CLT-R808 - CMYK Imaging Unit / 100K Yield, CLT-W808 - Waste Container / 33.7K Yield		CLT-R806 - CMYK Imaging Unit / 220K Yield, CLT-R806K - Black Drum / 220K Yield, CLT-R806X - Color Drum / 180K Yield, CLT-W806 - Waste Container / 71K Yield		
<b>Accessories</b>	SL-PPF502D - Dual Cassette Feeder		SL-PPF501D - Dual Cassette Feeder		
Dual Cassette Feeder	SL-PPF502D - Dual Cassette Feeder		SL-PPF501D - Dual Cassette Feeder		
Cabinet Stand	SL-DSK502T - Cabinet Stand		SL-DSK501T - Cabinet Stand		
Cabinet Stand	SL-DSK502T - Cabinet Stand		SL-DSK501T - Cabinet Stand		
Fax Kit	SL-FAX160 - Fax Kit		CLX-FAX160 - Fax Kit		
Finisher	SL-FIN501L - Inner Finisher, SL-702B - Booklet Finisher, SL-FIN702H - High Volume Finisher		SL-FIN502L - Inner Finisher, SL-FIN701B - Booklet Finisher, SL-FIN701H - High Speed Finisher		
Finishing Staples Cartridge	SCX-STP000 - Finishing Staples Cartridge 15K Yield, SL-STP000 - Stapler for High Volume		SCX-STP000 - Finishing Staples Cartridge 15K Yield, SL-STP000 - Stapler for High Volume		
High Capacity Feeder	N/A		SL-HCF501B - High Capacity Feeder, SL-HCF501S - High Capacity Side Feeder		
WiFi NFC	SL-NWE001X		SL-NWE001X		
WiFi NFC BLE	SL-NWE002X		SL-NWE002X		
Job Separator	SL-JSP500S		SL-JST501S		

## Color Laser MFPs (A4)



Models	CLX-8640ND	CLX-8650ND
Functions	Color Laser 4-in-1 (Print, Copy, Scan, Fax)	
Technology	Color Laser 4-in-1 (Print, Copy, Scan, Fax)	
Print		
Print Speed (Black / Color)	Up to 40 ppm in Letter	Up to 51 ppm in Letter
First Page Out (Black / Color) (From Ready)	<9 Seconds / <11 Seconds	
Print Resolution	Up to 1,200 x 1,200 Effective dpi	
Processor / Memory	1 GHz Dual Core / 1 GB	
Print Language	PCL5, PCL6, PostScript, PDF 1.7	
Max Duty Cycle	Up to 200,000 Pages Per Month	
Copy		
Copy Speed (B&W / Color) (SDMC)	Up to 40 cpm	Up to 51 cpm
First Copy Out Time (B&W / Color)	<9 Seconds	
Copy Resolution (Optical / Enhanced)	600 x 600 dpi / 600 x 300 dpi	
Reduction / Enlargement	25-400% Platen / 25-200% ADF	
Multicopy	Up to 9,999 Pages	
Fax		
Modem Speed / Compatibility	33.6 Kbps / ITU-T G3, Super G3	
Fax Memory	HDD Shared (320 GB Standard)	
Fax Resolution	Up to 600 x 600 dpi	
Scan		
Scan Speed	Up to 70 ipm	
Scan Resolution	Up to 4800 x 4800 Effective dpi (Enhanced)	
Scan Method / Compatibility	Color CCD, Dual Scan / Network TWAIN	
Scan Size	Up to 8.5" x 14"	
Paper Handling		
Input Capacity (Standard / Maximum)	520 Sheets / 2,180 Sheets	
Output Capacity	500 Sheets	
Duplex Printing	Built-in	
Media Sizes / Weights	3.85" x 5.83" - 8.5" x 35.4" / 16 - 58 lbs.	
Automatic Document Feeder Capacity / Type	100-Sheet / DSDF	
General		
User Interface	800 x 480 7" WVGA Color Touch Screen	
Connectivity	Hi-Speed USB 2.0 Host (2 Ports), Hi-Speed USB 2.0 Peripheral (1 Port), Gigabit Ethernet, Foreign Device Interface (FDI) Optional	
Operating System Compatibility	Windows (32/64 Bit): Vista / XP / 7 / 8 / 8.1 / 10 / 2003 Server / 2008 Server / 2008 Server R2 / 2012 (64 Bit), Various Linux Include: Red Hat Enterprise / Fedora / openSUSE / Ubuntu / Debian / Mint, Various UNIX, MacOS 10.5 - 10.9	
Noise Level	Less than 55 dBA	
Power Consumption	1000W (Printing), 80W (Standby), 1.5W (Sleep), 3.7 kWh TEC	
Dimensions (W x D x H) / Weight	21.7" x 20.2" x 30.6" / 155.2 lbs.	
Special Features	Eco Button, Apple Airprint, Print Direct from USB Memory	
Supplies		
Black Toner / Yield	CLT-K659S / 20K Yield	
Cyan Toner / Yield	CLT-C659S / 20K Yield	
Magenta Toner / Yield	CLT-M659S / 20K Yield	
Yellow Toner / Yield	CLT-Y659S / 20K Yield	
Other Supplies	CLT-R659 - CMYK Imaging Unit / 40K Yield, CLT-W659 - Waste Container / 20K Yield	
Accessories		
Second Cassette Feeder	CLX-DSK20M - Second Cassette Feeder + Stand (520 Sheet)	
Triple Cassette Feeder	CLX-S8640T - Triple Cassette Feeder (1,560 Sheet)	
Fax Kit	CLX-FAX170 - Fax Kit	
Finisher	CLX-FIN25S - 2-Bin Finisher	
Finishing Staples Cartridge	SCX-STP000 - Finishing Staples Cartridge 15K Yield	

## Monochrome Laser Printers (A4)



Models	ProXpress M4030ND
Functions	Mono Laser Single Function
Technology	Mono Laser Single Function
Print	
Print Speed	Up to 42 ppm
First Page Out (From Ready)	<6 Seconds
Print Resolution	Up to 1200 x 1200 dpi Effective Output
Processor	1GHz Dual Core
Memory	256MB (2GB Max.)
Print Language	PCL5e, PCL6, PostScript3, PDF Direct V1.7, XPS, TIFF, URF, PWG
Max Duty Cycle	Up to 120,000 Pages Per Month
Paper Handling	
Input Capacity (Standard)	550-Sheet Cassette, 100-Sheet Multipurpose Tray
Input Capacity (Maximum)	2,850 Sheets
Output Capacity	250 Sheets
Duplex Printing	Automatic
Media Sizes / Weights	3" x 5" - 8.5" x 14" / 16 - 32 lbs.
General	
Connectivity	Hi-Speed USB 2.0, High Speed USB 2.0 Host Print, Ethernet 10/100/1000 BaseTX, IEEE 802.11 b/g/n (Option), Wireless and Active NFC (Option)
Operating Systems Compatibility	Windows (32/64 Bit): Vista / XP / 7 / 8 / 8.1 / 10 / 2003 Server / 2008 Server / 2008 Server R2 / 2012 (64 Bit), Various Linux Include: Red Hat Enterprise / Fedora / openSUSE / Ubuntu / Debian / Mint, Various UNIX, MacOS 10.5 - 10.9
Noise Level	Less than 53 dBA
Power Consumption	700W (Printing), <50W (Standby), 1.21W (Sleep), 1.9 kWh TEC
User Interface	4-Line LCD
Dimensions (W x D x H) / Weight	16.5" x 15.9" x 13.8" / 36.2 lbs.
Special Features	Easy Printer Manager, Easy Deployment Manager, Easy Eco Driver, Universal Printer Driver, XOA-Web, Apple AirPrint
Supplies	
Starter Toner / Yield	Up to 6,000 pages
Black Toner / Yield	Standard Toner: MLT-D201S / 10K Yield High Yield Toner: MLT-D201L / 20K Yield
Accessories	
Paper Handling Options	SL-SCF4000 - Second Cassette Tray (Max. 4)
Memory Upgrade Options	SL-MEM001 - Memory (2GB)
Wireless Network Options	SL-NWE001X - NFC and Wireless Adapter
Other	ML-DSK655 - Short Stand

## Monochrome Laser MFPs (A4)



Models	M4080FX	M4580FX	M5370LX
Functions	Mono Laser 4-in-1 (Print, Copy, Scan, Fax)		
Technology	Mono Laser 4-in-1 (Print, Copy, Scan, Fax)	Mono Laser 4-in-1 (Print, Copy, Scan, Fax)	Mono Laser 4-in-1 (Print, Copy, Scan, Fax)
Print			
Print Speed	Up to 42 ppm	Up to 47 ppm	Up to 55 ppm
First Page Out (From Ready)	<6 Seconds	<6.5 Seconds	<7.5 Seconds
Print Resolution	Up to 1200 x 1200 dpi Effective Output	Up to 1200 x 1200 dpi Effective Output	Up to 1200 x 600 dpi Effective Output
Processor	1GHz Dual Core	1GHz Dual Core	Dual Core 1GHz
Memory	1GB (2GB Max.)	2GB (2GB Max.)	2GB (2GB Max.)
Print Language	PCL5e, PCL6, PostScript3, PDF Direct V1.7, XPS, TIFF, URF, PWG	PCL5e, PCL6, PostScript3, PDF Direct V1.7	PCL5e, PCL6, PostScript3, PDF Direct V1.7
Max Duty Cycle	Up to 120,000 Pages Per Month	Up to 200,000 Pages Per Month	Up to 300,000 Pages Per Month
Copy			
Copy Speed (SDMC)	Up to 42 cpm	Up to 47 cpm	Up to 55 cpm
First Copy Out Time	<7 Seconds		
Output Copy Resolution	600 x 600 dpi Optical	600 x 600 dpi Optical	600 x 600 dpi Optical
Reduction / Enlargement	25-400% Platen / 25-100% ADF	25-400% Platen / 25-100% ADF	25-400% Platen / 25-200% ADF
Multiple Copies	Up to 9,999 Pages		
Fax			
Modem Speed / Compatibility	33.6 Kbps / ITU-T G3, PSTN, PABN, A	33.6 Kbps / ITU-T G3, Super G3	33.6 Kbps / ITU-T G3, Super G3
Fax Memory	HDD Shared (320 GB HDD Standard)		
Fax Resolution	Up to 600 x 600 dpi		
Scan			
Scan Speed	Up to 60 ipm Duplex, Up to 35 ipm Simplex	Up to 60 ipm Duplex, Up to 35 ipm Simplex	Up to 60 ipm
Scan Resolution	Optical: 600 x 600 ppi, Enhanced: 4800 x 4800 ppi	Optical: 600 x 600 ppi, Enhanced: 4800 x 4800 ppi	Optical: 600 x 600 ppi, Enhanced: 4800 x 4800 ppi
Scan Compatibility	TWAIN, WIA	TWAIN, WIA, ICDM, SANE (Linux)	TWAIN, WIA
Scan Size	Up to 8.5" x 14"		
Paper Handling			
Input Capacity (Standard / Maximum)	550 Sheets / 2,300 Sheets	550 Sheets / 2,300 Sheets	520 Sheets / 3,240 Sheets
Output Capacity	250 Sheets		
Duplex Printing	Automatic		
Media Size / Weights	3" x 5" - 8.5" x 14" / 16 to 43 lbs.	3" x 5" - 8.5" x 14" / 16 to 43 lbs.	3.85" x 5.83" - 8.5" x 14" / 16 to 43 lbs.
Automatic Document Feeder Capacity / Type	50-Sheet / DSDF		
General			
User Interface	7" Touchscreen	10.1" Touchscreen with Samsung Smart UX Powered by Android	10.1" Touchscreen with Samsung Smart UX Powered by Android
Connectivity	Hi-Speed USB 2.0, Hi-Speed USB 2.0 Host Print, Ethernet 10/100/1000 Base TX, IEEE 802.11 b/g/n (Option), Wireless and Active NFC (Option)	Hi-Speed USB 2.0, Ethernet 10/100/1000 Base TX, IEEE 802.11 b/g/n (Option), RJ11 Connector, NFC (Option)	Hi-Speed USB 2.0 Host (2 Ports), Hi-Speed USB 2.0 Peripheral (1 Port), Ethernet 10/100/1000 Base TX, FDI (Optional)
Operating System Compatibility	Windows (32/64 Bit): Vista / XP / 7 / 8 / 8.1 / 10 / 2003 Server / 2008 Server / 2008 Server R2 / 2012 (64 Bit), Various Linux Include: Red Hat Enterprise / Fedora / openSUSE / Ubuntu / Debian / Mint, Various UNIX, MacOS 10.5 - 10.9	Windows (32/64 Bit): Vista / XP / 7 / 8 / 8.1 / 10 / 2003 Server / 2008 Server / 2008 Server R2 / 2012 (64 Bit), Various Linux Include: Red Hat Enterprise / Fedora / openSUSE / Ubuntu / Debian / Mint, Various UNIX, MacOS 10.5 - 10.9	Windows (32/64 Bit): Vista / XP / 7 / 8 / 8.1 / 10 / 2003 Server / 2008 Server / 2008 Server R2 / 2012 (64 Bit), Various Linux Include: Red Hat Enterprise / Fedora / openSUSE / Ubuntu / Debian / Mint, Various UNIX, MacOS 10.5 - 10.9
Noise Level	Less than 53 dBA	Less than 54 dBA	Less than 56 dBA
Power Consumption	700W (Printing), <50W (Standby), 1.21W (Sleep), 2.08 kWh TEC	900W (Printing), <10W (Standby), 1.8W (Sleep), 2.9 kWh TEC	900W (Printing), <10W (Standby), 1.8W (Sleep)
Dimensions (W x D x H) / Weight	20.8" x 18.9" x 22.6" / 51.4 lbs.	20.8" x 18.9" x 25.6" / 70.5 lbs.	24.8" x 19.9" x 25.6" / 107.9 lbs.
Special Features	Eco Button, Apple Airprint, NFC Tap & Print, XOA-Web, Easy Document Creator	Samsung Mobile Print, Apple Airprint, NFC Tap & Print (Optional)	Samsung Mobile Print, Apple Airprint, NFC Tap & Print (Optional)
Supplies			
Starter Toner / Yield	Up to 6,000 Pages	Up to 7,000 Pages	N/A
Black Toner / Yield	Standard Toner: MLT-D201S / 10K Yield, High Yield Toner: MLT-D201L / 20K Yield	High Yield Toner: MLT-D303E / 40K Yield	Standard Toner: MLT-D358S / 30K Yield
Other Supplies	N/A		
Accessories	Imaging Unit: 100,000 Page Yield (MLT-R303)		
Paper Handling Options	SL-SCF4000 - Second Cassette Tray (Up to 3 Additional)	SL-SCF4500 - Second Cassette Tray (Up to 3 Additional)	SL-SCF5300 - Second Cassette Tray (Up to 3 Additional) SL-HCF01B - High Capacity Cassette Feeder SL-FIN001M - 1-Bin Finisher SL-FIN002M - 2-Bin Finisher SL-MBT0401 - Multi-Bin Mailbox
Memory Upgrade Options	SL-MEM001 - Memory (2 GB)	N/A	N/A
Wireless LAN	SL-NWE001X - NFC and Wireless Adapter	SL-NWE001X - NFC and Wireless Adapter	SL-NWE001X - NFC and Wireless Adapter
Other	ML-DSK655 - Short Stand	SL-DSK001S - Cabinet Stand	SL-DSK001T - Cabinet Stand SL-DSK002S - Short Stand SCX-STP000 - Finishing Staples Cartridge SCX-KIT20F - Foreign Device Interface Kit

# Monochrome Laser MFPs (A3)



Models	K4250LX		K4300LX		K4350LX		K7400GX / LX		K7500GX / LX		K7600GX / LX	
Functions	Mono Laser 4-in-1 (Print, Copy, Scan, Fax)						Mono Laser 4-in-1 (Print, Copy, Scan, Fax)					
Technology	Mono Laser 4-in-1 (Print, Copy, Scan, Fax)						Mono Laser 4-in-1 (Print, Copy, Scan, Fax)					
Print												
Print Speed	Up to 25 ppm		Up to 30 ppm		Up to 35 ppm		Up to 40 ppm		Up to 50 ppm		Up to 60 ppm	
First Page Out (From Ready)	<8.5 Seconds		<8.0 Seconds		<7.5 Seconds		<8.4 Seconds		<7.5 Seconds		<6.9 seconds	
Print Resolution	Up to 1200 x 1200 dpi Effective Output						Up to 1200 x 1200 dpi Effective Output					
Memory	2GB						4GB Memory + 2 GB Android					
Print Language	PCL5e, PCL6, PostScript3, PDF V1.7						PCL5, PCL6(XL), PostScript Level3, PDF 1.7, XPS					
Max Duty Cycle	Up to 65,000 Pages Per Month		Up to 76,000 Pages Per Month		Up to 85,000 Pages Per Month		Up to 200,000 Pages Per Month		Up to 250,000 Pages Per Month		Up to 300,000 pages per month	
Copy												
Copy Speed (SDMC)	Up to 25 cpm		Up to 30 cpm		Up to 35 cpm		Up to 40 cpm		Up to 50 cpm		Up to 60 cpm	
First Copy Out Time	<6.2 Seconds		<5.5 Seconds		<4.9 Seconds		<4.6 Seconds		<3.7 Seconds		<3.1 Seconds	
Copy Resolution (Optical / Extended)	600 x 600 dpi / 4,800 x 4,800 dpi						600 x 600 dpi / 9600 x 9600 dpi					
Reduction / Enlargement	25-400% / 25-200% ADF, Platen						25-400% / 25-400% ADF Platen					
Multiple Copies	Up to 9,999 Pages						Up to 9,999 Pages					
Fax												
Modem Speed / Compatibility	33.6 Kbps / ITU-T G3, Super G3						33.6 Kbps / ITU-T G3, Super G3					
Fax Memory	HDD Back Up						HDD Back Up					
Fax Resolution	Up to 600 x 600 dpi						Up to 600 x 600 dpi					
Scan												
Scan Speed	Up to 80 ipm						LX: Up to 160 ipm Simplex / GX: Up to 240 ipm Duplex					
Scan Resolution	Optical: 600 x 600 ppi, Enhanced: 4800 x 4800 ppi						Optical: 600 x 600 ppi, Enhanced: 4800 x 4800 ppi					
Scan Compatibility	MMT / Network TWAIN / Network SANE						MMT / Network TWAIN / Network SANE					
Scan Size	Up to 11" x 17"						Up to 12" x 18"					
Paper Handling												
Input Capacity (Standard / Maximum)	1,140 Sheets / 2,180 Sheets						1,140 Sheets / 6,140 Sheets					
Output Capacity	500 Sheets						520 Sheets Face Down					
Duplex Printing	Built-in						Automatic					
Media Size	3.8" x 5.8" - 11.7" x 17"						3.87" x 5.8" - 12.6" x 18"					
Automatic Document Feeder Capacity / Type	100-Sheet / DADF						LX: 100-Sheet / DSDF, GX: 250-Sheet / DSDF					
General												
User Interface	10.1" Touchscreen with Samsung Smart UX Powered by Android						10.1" Touchscreen with Samsung Smart UX Powered by Android					
Connectivity	Hi-Speed USB 2.0 Host, Std Ethernet 10/100/1G Base TX (Wired LAN), IEEE 802.11b/g/n + NFC Active Type (Optional)						Hi-Speed USB 2.0 Host, Std Ethernet 10/100/1G Base TX (Wired LAN), IEEE 802.11b/g/n + NFC Active Type (Optional)					
Operating System Compatibility	Windows (32/64-bit): 8 / 7 / Vista / XP / 2000 / 2008 Server / 2012 Server, Various Linux, Mac OS X 10.5-10.7						Windows (32/64-Bit): 8 / 7 / Vista / XP / 2000 / 2008 Server / 2012 Server, Various Linux Mac OS X 10.5-10.7					
Noise Level	Less than 50 dBA Standby		Less than 51 dBA Standby		Less than 51 dBA Standby		Less than 57 dBA Standby		Less than 57 dBA Standby		Less than 57 dBA Standby	
Power Consumption	800W (Printing), 1.5W (Sleep), 2.2W TEC						800W (Printing), <60W (Standby), 2W (Sleep)					
Dimensions (W x D x H)	22.3" x 25.2" x 42.9" (Including Document Feeder)						LX: 22.3" x 24" x 34.6" / GX: 22.3" x 24" x 36.7" (Including Document Feeder)					
Weight	145.9 lbs.		150.2 lbs.		150.2 lbs.		LX: 186 lbs. / GX: 215 lbs.		LX: 186 lbs. / GX: 215 lbs.		LX: 186 lbs. / GX: 215 lbs.	
Special Features	Apple AirPrint, Samsung Mobile Print, NFC Tap and Print (Optional), Smart UX Applications, Fleet Admin Pro						Apple AirPrint, Samsung Mobile Print, NFC Tap and Print (Optional), Smart UX Applications, Fleet Admin Pro					
Supplies												
Black Toner / Yield	Standard Toner: MLT-D708S / 25K Yield High Yield Toner: MLT-D708L / 35K Yield						Standard Toner: MLT-K706S / 45K Yield					
Other Supplies	Imaging Unit: MLT-R708 / 200K Yield Toner Waste: MLT-W708 / 100K Yield						Drum: MLT-R706 Waste Toner Box: MLT-W706					
Accessories												
Dual Cassette Feeder	SL-PFP502D - Dual Cassette Feeder						SL-PFP501D - Dual Cassette Feeder					
Cabinet Stand	SL-DSK502T - Cabinet Stand						SL-DSK501T - Cabinet Stand					
Fax Kit	SL-FAX160 - Fax Kit						CLX-FAX160 - Fax Kit					
Finisher	SL-FIN501L - Inner Finisher, SL-703B - Booklet Finisher, SL-FIN703H - High Volume Finisher						SL-FIN502L - Inner Finisher, SL-FIN701B - Booklet Finisher, SL-FIN701H - High Speed Finisher					
Finishing Staples Cartridge	SCX-STP000 - Finishing Staples Cartridge 15K Yield, SL-STP000 - Stapler for High Volume						SCX-STP000 - Finishing Staples Cartridge 15K Yield, SL-STP000 - Stapler for High Volume					
High Capacity Feeder	N/A						SL-HCF501B - High Capacity Feeder, SL-HCF501S - High Capacity Side Feeder					
WiFi NFC	SL-NWE001X						SL-NWE001X					
WiFi NFC BLE	SL-NWE002X						SL-NWE002X					
Job Separator	SL-JSP500S						SL-JST501S					