

CUSTOMIZE YOUR MFP WITH FLEXIBLE OPTIONS

Configurations & Options

Optional

Kit

- 2GB Memory (SL-MEM0020) 
- Wireless LAN/NFC Kit (SL-NWE001X) 
- Wireless LAN/NFC/BLE Kit (SL-NWE002X) 



Paper Input

- Second Cassette Tray (SL-SCF3001) 
- Short Stand (SL-DSK003S) 

GENUINE SAMSUNG SUPPLIES

Real Savings, Certified Eco-Technology.
Always make the right impression by using genuine Samsung supplies.

For more information about genuine Samsung supplies, visit www.samsung.com/GenuineSupplies



SAMSUNG

About Samsung Electronics Co., Ltd.

Samsung Electronics Co., Ltd. inspires the world and shapes the future with transformative ideas and technologies, redefining the worlds of TVs, smartphones, wearable devices, tablets, digital appliances, printers, medical equipment, network systems and semiconductors. We are also leading in the Internet of Things space through, among others, our Digital Health and Smart Home initiatives. We employ 307,000 people across 84 countries. To discover more, please visit our official website at www.samsung.com and our official blog at global.samsungtomorrow.com.

Copyright © 2017 Samsung Electronics Co., Ltd. All rights reserved. Specifications and designs are subject to change without notice. Nonmetric weights and measurements are approximate. All data were deemed correct at time of creation. Samsung is not liable for errors or omissions. All brand, product, service names and logos are trademarks and/or registered trademarks of their respective owners and are hereby recognized and acknowledged.

Samsung Electronics Co., Ltd.

129 Samsung-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do 16677, Korea

2017. 05.



proXpress

Multifunction
C4062FX



Enhanced productivity,
outstanding color quality

SMART PRINTING.
BUSINESS INNOVATION.



MAXIMIZE OFFICE PRODUCTIVITY WITH COST-EFFICIENT, PROFESSIONAL PRINTING

Overview

Medium sized businesses and enterprises today are increasingly looking to innovative printing technologies to boost staff performance and office productivity. Globally, Average Monthly Print Volumes (AMPV) are at all-time highs and there is growing demand for professional-grade color printing across a wide variety of print media. Competitive businesses operating in fast-paced environments demand reliable, all-in-one printing equipment and customizable solutions. To meet their needs, we proudly introduce the Samsung ProXpress C4062FX.

The ProXpress C4062FX puts it all together for modern offices: cost-efficiency plus exceptionally fast, professional quality printing. Samsung's innovative ReCP technology ensures picture perfect quality text and images every time, and scan speeds come in at 60 images per minute (ipm). Staff will also appreciate the ease-of-use and customizability of Samsung's unique Smart UX Center. Coupled with a wide range of apps and solutions, the Android-based printing user interface is familiar and easily accessed on an intuitive 7-inch touchscreen. Admin staff will appreciate the large toner capacity and long-lasting parts, which significantly reduce Total Cost of Ownership (TCO). Ultimately, the ProXpress C4062FX offers powerful performance at affordable costs with lower maintenance needs.

Samsung ProXpress :



C4062FX* (40 ppm)

*Only available in North and Latin America

Key benefits

Boost productivity with powerful performance

- Accelerate print speed with a Quad-core 1.5 GHz CPU
- Scan up to 60 ipm with a Dual Scan Document Feeder
- Sharpen and enhance graphic quality with ReCP technology
- Print high volume documents on various paper types

Work smarter, with customized workflows that meet your needs

- Smart UX Center streamlines your workflows
- Work smarter and more efficiently with a wide variety of apps
- Intuitive and customizable UI for efficiency
- XOA-E support for better productivity


Cut down on costs with money-saving technology

- Lower TCO with high yield toners
- Reduce energy consumption with power saving features

BOOST PRODUCTIVITY WITH POWERFUL PERFORMANCE

Accelerate print speed with a Quad-core 1.5 GHz CPU

Reach business goals faster with the Samsung ProXpress C4062FX. Backed by 3GB of memory, the industry's first Quad-core 1.5 GHz CPU with system on chip technology promises powerful performance with print speeds up to 40 pages per minute (ppm).



Quad-core
Up to
40 ppm



Scan up to 60 ipm with a Dual Scan Document Feeder

The Samsung ProXpress C4062FX features Dual Scan Document Feeder technology, enabling exceptional scanning speed. It ensures fast scanning speeds up to 40 single-sided ipm and 60 double-sided ipm.



Sharpen and enhance graphic quality with ReCP technology

Blurry is unprofessional. Samsung's ReCP technology improves print quality by refining small text and thin lines. The Samsung ProXpress C4062FX ensures vivid color saturation with precise and crisp details for enhanced resolution.



Print high volume documents on various paper types

Expand productivity with the Samsung ProXpress C4062FX. With an exceptionally high input capacity of up to 2,250 sheets, it is built for handling heavy business documents fast. It even supports various types of paper that weights up to 220g/m².



WORK SMARTER, WITH CUSTOMIZED WORKFLOWS THAT MEET YOUR NEEDS



Smart UX Center streamlines your workflows

Smart UX Center is the industry's first Android-based printing user interface, complete with an open and steadily growing ecosystem of apps and widgets designed to enhance work productivity. The Smart UX Center offers exceptional extensibility that continues to evolve and improve printer performance, creating a smarter working environment.



Awarded for Smart UX Center's Unique and Innovative Possibilities

Work smarter and more efficiently with a wide variety of apps

Improve work productivity by customizing the user interface to suit your company's needs. Finding the right apps and widgets in the App Center can enhance workflows by automating frequently performed tasks, or remotely diagnosing printer failures to cut maintenance costs. For more information about our apps, please visit smartux.samsung.com.



Pen or gloved hand

Intuitive and customizable UI for efficiency

The Samsung ProXpress C4062FX comes equipped with an interactive 7-inch IR type touch screen panel to access the Smart UX Center. The touch screen is easy-to-use and enables users to easily move widgets and apps around even when operating with a pen or gloved hand.



XOA-E support for better productivity

The XOA-E platform supports Samsung in-house solutions and ISV solutions for all your business requirements. Enjoy access to a variety of Samsung in-house solutions and secure in-house print operations—all without a server—and manage devices conveniently. XOA-E makes it possible to boost productivity and efficiency at the same time.

CUT DOWN ON COSTS WITH MONEY-SAVING TECHNOLOGY

Lower TCO with high yield toners

Larger toner capacity equals lower long-term cost. The Samsung ProXpress C4062FX supports high volume print loads with toner cartridges that yield 15K in mono and 10K in color*. Long-lasting consumables reduce maintenance and labor costs.

*Declared yield value in accordance with ISO/IEC 19798

Toner Cartridge
(Max 10,000 color pages)
(Max 15,000 mono pages)



Reduce energy consumption with power saving features

Long warm up periods create more downtime. The Samsung ProXpress C4062FX reduces Total Energy Consumption with less time spent to prepare before and between print jobs in Ready mode. It also reduces energy consumption even in Sleep mode.

SAMSUNG MULTIFUNCTION PRINTER

proXpress C4062FX

Specifications

General	C4062FX
Standard Functions	Print, Copy, Scan, Fax
Processor	1.5 GHz Quad Core CPU
Operational Panel	7" Touch Screen LCD
Memory (Standard)	3 GB
Memory (Maximum)	5 GB
Hard Disk Drive	320 GB HDD (User Available Space : 279 GB)
Interface (Standard)	USB Device, USB Host x 2, Ethernet 10/100/1000 Base TX
Interface (Optional)	IEEE 802.11 b/g/n (NFC Active Type), IEEE 802.11 b/g/n/ac (NFC Active Type, BLE)
Warm-up Time (From Power On)	30 sec
Warm-up Time (From Sleep)	6 sec
Power Requirements	AC 220 - 240 V, 50 / 60 Hz, AC 110 - 127 V, 50 / 60 Hz (Not dual voltage, power supply varies by country)
Power Consumption	600 W (Printing), 650 W (Copying), 21 W (Ready), 1.4 W (Sleep), 1.872 kWh (TEC)
Noise Level	Less than 53 dBA (Printing), Less than 56 dBA (Copying), Less than 37 dBA (Ready)
Dimension (WxDxH)	530 x 453 x 581 mm (20.9 x 17.8 x 22.9 in)
Weight (SET Only / SET with Supplies)	Set Only : 27.4 kg (60.4 lb) Set with Supplies : 30.3 kg (66.8 lb)
Max. Monthly Duty Cycle	80,000 pages
Recommended Monthly Print Volume	2,000 - 15,000 pages
Security	SSL/TLS, IPv6, IPsec, SNMPv3, IEEE 802.1x, Kerberos, SMB, LDAP, ProtocolPort Management, IP/MAC Filtering, HDD Overwrite, HDD Encryption, Common Criteria Certification (ISO 15408), Audit Log, Access Control
Client OS Support	Windows : XP (32/64 bit), 2003 Server (32/64 bit), Vista (32/64 bit), 2008 Server (32/64 bit), Windows 7 (32/64 bit), 2008 Server R2 (64 bit), Windows 8 (32/64 bit), Windows 8.1 (32/64 bit), Windows Server 2012 (64 bit), Windows Server 2012 R2 (64 bit), Windows 10 (32/64 bit) Linux : RedHat Enterprise Linux 5, 6, Fedora 12, 13, 14, 15, 16, 17, 18, 19, 20, OpenSUSE 11.2, 11.3, 11.4, 12.1, 12.2, 12.3, 13.1, Ubuntu 10.04, 11.04, 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, SuSE Linux Enterprise Desktop 10, 11, Debian 6, 7, Mint 13, 14, 15, 16 Unix : Sun Solaris 9, 10, 11 (x86, SPARC), HP-UX 11.0, 11i v1, 11i v2, 11i v3 (PA-RISC, Itanium), IBM AIX 5.1, 5.2, 5.3, 5.4, 6.1, 7.1 (PowerPC) Mac : OS 10.6 - 10.11
Network Protocols	TCP/IPv4, IPv6, DHCP, BOOTP, AutoIP, DNS, DDNS, WINS, Standard TCP/IP, LPR/LPD, IPP, ThinPrint, Google Cloud Print, AirPrint, WSD print, FTP print, HTTP, SNMP (v1/2c/3), Telnet, SLP, Bonjour, UPnP (SSDP), WSD Discovery, SMTP, SMTP

Print	C4062FX
Speed (Mono)	Up to 40 ppm in A4 (42 ppm in Letter)
Speed (Color)	Up to 40 ppm in A4 (42 ppm in Letter)
First Print Out Time (Mono)	As fast as 8 sec
First Print Out Time (Color)	As fast as 8 sec
Resolution	Up to 9,600 x 600 dpi Effective Output
Print Languages	PCL5, PCL6, PS3, PDF V1.7
Duplex Print	Built-in
Direct Print Support	JPEG, PDF, PRN, TIFF, XPS
Print Features	Secure Print, Stored Print, Booklet Print, N-up, Cover Page Print, Barcode Print, Eco Print, Skip Blank pages, Poster Print, Watermark, Tray Priority Settings, Auto Tray Switching, Tray Protection, Direct Print from USB, Secure PDF Print
Mobile Print Feature	Apple AirPrint, Mopria-certified, Google Cloud Print, Samsung Cloud Print, PrinterOn Cloud Print, Samsung Mobile Print, Samsung Print Plugin

Copy	C4062FX
Speed (Mono)	Up to 40 ppm in A4 (42 ppm in Letter)
Speed (Color)	Up to 40 ppm in A4 (42 ppm in Letter)
First Copy Out Time (Mono)	Less than 9 sec
First Copy Out Time (Color)	Less than 9 sec
Resolution	Up to 600 x 600 dpi
Reduce / Enlarge Range	25 - 400 %
Multi Copy	9,999 pages
Duplex Copy	Built-in
Copy Features	ID Copy, N-Up, Auto Fit, Book Copy, Booklet, Poster Copy, Image Repeat, Overlay, Image Shift, Covers, Color Shift, Negative Image, Saturation, Under Color Removal, Fine Density, Watermark, Stamp, Edge Erase, Background Density, Background Image, Background Adjustment, Mirror Image, Copy to Edge, Program

Scan	C4062FX
Scan Speed (Mono)	Simplex 40 ipm (300 dpi), Duplex 60 ipm (300 dpi)
Scan Speed (Color)	Simplex 40 ipm (300 dpi), Duplex 60 ipm (300 dpi)
Compatibility	Windows : TWAIN / Mac : TWAIN, ICDM / Linux : SANE
Method	Color CIS
File Format	PDF, Searchable PDF, Compact PDF/PDF Encryption, Digital Signature in PDF, PDF/A, Outline PDF, TIFF, XPS, JPEG
Resolution (Optical)	Up to 600 x 600 dpi
Resolution (Enhanced)	Up to 4,800 x 4,800 dpi
Scan Destinations	Email, FTP, SMB, HDD, USB, PC, I-Fax
Scan Document Weight	60 - 120 g/m ²

Fax	C4062FX
Compatibility	ITU-T G3 / Super G3
Modem Speed	33.6 kbps
Resolution	Up to 600 x 600 dpi
Compression Method	MH / MR / MMR / JBIG
Memory	HDD (Shared)
Auto Dial	Yes
Fax Feature	Speed Dial, Group Dial, ECM, Caller ID, Auto Redial, On Hook Dial, Delay Send, Multi Send, Background Adjustment, Job Build, Quick Start, Preview, Secure Reception, Forwarding to Fax/Email/SMB/FTP/Box, etc.

Paper Handling	C4060FX
Input Capacity (Cassette)	550 sheets
Input Capacity (Multipurpose Tray)	50 sheets
Input Capacity (Maximum)	2,250 sheets
Media Type (Cassette)	Plain, Thin, Thick, Heavy Weight, Extra Heavy Weight, Cotton, Colored, Pre-Printed, Recycled, Bond, Archive, Letterhead, Hole Punched, Cardstock, Glossy Photo, Envelope, Thick Envelope, Label
Media Type (Multipurpose Tray)	Plain, Thin, Thick, Heavy Weight, Extra Heavy Weight, Cotton, Colored, Pre-Printed, Recycled, Bond, Archive, Letterhead, Hole Punched, Cardstock, Glossy Photo, Envelope, Thick Envelope, Label
Media Size (Cassette)	A4, A5, A6, B5(JIS), B5(ISO), Legal, Letter, Executive, Statement, Oficio, Folio, Envelope Monarch, Envelope DL, Envelope C5, Envelope C6, Envelope No. 10, Envelope No. 9, Postcard, Custom (98 x 127 mm - 216 x 356 mm (3.86" x 5" - 8.5" x 14"))
Media Size (Multipurpose Tray)	A4, A5, A6, B5(JIS), B5(ISO), Legal, Letter, Executive, Statement, Oficio, Folio, Envelope Monarch, Envelope DL, Envelope C5, Envelope C6, Envelope No. 10, Envelope No. 9, Postcard 4x6, Index Card 3x5, Custom (76 x 127 mm - 216 x 356 mm (3" x 5" - 8.5" x 14"))
Media Weights (Cassette)	60 - 220 g/m ²
Media Weights (Multipurpose Tray)	60 - 220 g/m ²
ADF Type	DSDF
ADF Document Capacity	50 sheets
Output Capacity	250 sheets

Supplies	C4062FX
Toner (Black)	North America : CLT-K604L * Declared Yield Value in accordance with ISO/IEC 19798 / * Ships with initial toner cartridges yield 4,000 pages Latin America : CLT-K603L
Toner (Color)	North America : Yellow Toner : CLT-Y604L (10,000 pages) Magenta Toner : CLT-M604L (10,000 pages) Cyan Toner : CLT-C604L (10,000 pages) Latin America : Yellow Toner : CLT-Y603L (10,000 pages) Magenta Toner : CLT-M603L (10,000 pages) Cyan Toner : CLT-C603L (10,000 pages) * Declared Yield Value in accordance with ISO/IEC 19798 / * Ships with initial toner cartridges yield 2,500 pages

Options

Second Cassette Tray	SL-SCF3001
Capacity	550 sheets
Media Sizes	A4, A5, B5(JIS), B5(ISO), Legal, Letter, Executive, Statement, Oficio, Folio, Custom (98 x 210 mm - 216 x 356 mm (3.86" x 8.3" - 8.5" x 14"))
Media types	Plain, Thin, Thick, Recycled, Bond, Archive, Letterhead, Hole Punched, Cardstock
Media weight	60 - 176 g/m ²
Sensing	H/W Install Detect, Paper Empty Detect
Dimension (WxDxH)	420 x 453 x 147 mm (16.5" x 17.8" x 5.8")
Weight	5.4 kg (11.9 lb)

Short Stand	SL-DSK0035
Dimension (WxDxH)	553 x 480 x 116.9 mm (21.8" x 18.9" x 4.6")
Weight	11.1 kg (24.5 lb)