

### HP EliteDisplay S14 Portable Monitor



1. OSD control buttons

### HP EliteDisplay S14 Portable Monitor



1. USB Type-C™ port

### HP EliteDisplay S14 Portable Monitor



1. Power button

### Technical Specifications

**Model:** 3HX64AA

<b>Panel Specifications*</b>	<b>Display Size (Diagonal)</b>	14"
	<b>Display Panel Type</b>	IPS
	<b>Native Resolution/Timing</b>	1920x1080 60Hz
	<b>NOTE:</b> The video card of the connected PC must be capable of supporting 1920 x 1080 at 60 Hz and include 1 USB Type-C™ (with PD and DP Alt mode) output to drive the monitor at the Preferred Mode.	
	<b>Aspect Ratio</b>	16:9
	<b>Brightness - Typical</b>	200 cd/m <sup>2</sup>
	<b>Static Contrast Ratio - Typical</b>	700:1
	<b>Dynamic Contrast Ratio (DCR)</b>	5,000,000:1
	<b>Pixel Pitch</b>	0.1611 x 0.1611 mm
	<b>Pixels Per Inch (PPI)</b>	157
	<b>Backlight Lamp Life (to half brightness - in hours)</b>	15K minimum
	<b>Anti-Glare Panel</b>	Yes
	<b>Response Time</b>	25ms
	<b>NOTE:</b> Product default is 25ms response time and can be adjusted to as low as 5ms in the display menu. See user guide for more information	
	<b>Color Gamut - Typical</b>	NTSC 45%
	<b>Color Support</b>	262144 colors
	<b>Horizontal Viewing Angle (typical CR&gt;10)</b>	160(min); 178
	<b>Vertical Viewing Angle (typical CR&gt;10)</b>	160(min); 178
	<b>Panel Active Area (W x H)</b>	309.31 x 173.99 mm
	<b>Preset Graphic Modes/Supported Resolutions</b>	640 x 480 @ 60Hz 720 x 400 @ 70 Hz 800 x 600 @ 60 Hz 1024 x 768 @ 60 Hz 1280 x 720 @ 60 Hz 1280 x 800 @ 60 Hz 1280 x 1024 @ 60 Hz 1440 x 900 @ 60 Hz 1680x1050 @ 60Hz 1920 x 1080 @ 60 Hz
	<b>Maximum Resolution</b>	1920x1080 60Hz
	<b>Recommended Resolution</b>	1920x1080 60Hz
	<b>Vertical Scan Range</b>	Up to 60Hz
<b>Horizontal Scan Range</b>	Up to 80 kHz	
<b>Default Color Temperature</b>	Neutral (6500K)	
<b>Maximum Pixel Clock Speed</b>	170MHz	
	*All performance specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower.	
<b>Monitor Specifications</b>	<b>Exterior Color of Monitor Bezel and Stand</b>	Ebony Black
	<b>Plug &amp; Play</b>	Yes
<b>On Screen Display (OSD)</b>	<b>On Screen Display User Controls</b>	Brightness, Contrast, Color Control, Input Control, Image Control, Power Control, Menu Control, Management, Language, Information
	<b>User Programmable Modes</b>	Yes, 11
	<b>Monitor Control Buttons or Switches</b>	Power, Menu/OK, Minus ("-"), Plus ("+"), Exit("X")/Return

### Technical Specifications

	<b>Languages</b>	10 languages (English, French, German, Italian, Dutch, Spanish, Japanese, Portuguese, Traditional Chinese, and Simplified Chinese)	
<b>Connector Types</b>	<b>USB Type-C™</b>	1 USB Type-C™	
<b>Power &amp; Operating Specs</b>	<b>Power Source</b>	5V	
	<b>Power Consumption - Maximum</b>	7W	
	<b>Energy Saving/Standby Mode</b>	0.3W	
	<b>Power Consumption - Typical</b>	5W	
<b>Operating Conditions</b>	<b>Operating Temperature - Celsius</b>	5°C ~ 35°C	
	<b>Operating Temperature - Fahrenheit</b>	41°F~95°F	
	<b>Non-operating Temperature - Celsius</b>	-20°C ~ 60°C	
	<b>Non-operating Temperature - Fahrenheit</b>	-4°F ~ 140°F	
	<b>Operating Humidity</b>	20% - 80% (non-condensing)	
	<b>Non-operating Humidity</b>	5% - 95%	
	<b>Operating Altitude</b>	0 - 5,000 m (16,400 ft.)	
	<b>Non-operating Altitude</b>	0 - 12.192 m (40,000 ft.)	
<b>Environmental Features and Certifications</b>	<b>Mercury-free LED display backlighting</b>	Yes	
	<b>Arsenic-Free Display Glass</b>	Yes	
	<b>Low Halogen</b>	Yes	
	<b>Agency Approvals and Certifications</b>	WW application CE, CB, KC/KCC/ICE/TUV-S/ISO 9241-307/ EAC/UL/CSA/CCC/Energy Star/VCCI/FCC/BSMI/WEEE	
	<b>Microsoft WHQL Certification</b>	Win-8, Win-7, WIN 10	
	<b>ENERGY STAR® Qualified</b>	Yes (7.0)	
	<b>EPEAT® Registered</b>	Silver	
	<b>SmartWay Transport Partnership - NA only</b>	Yes (NA SKU)	
<b>Contains Recycled Plastics</b>	<b>Recyclable Packaging (Box, packing materials)</b>	Yes	
<b>Unit Product/Package Specifications</b>	<b>Product Dimensions (Packed) (W x D x H)</b>	Box: 39.40x6.30x28.40 cm	Box: 15.51x2.48x11.18 in
		Carton: 43.00x35.10x32.80 cm	Carton: 16.93x13.82x12.91 in
	<b>Display Head Dimensions (Unpacked without stand) (W x D x H)</b>	32.78x0.86x20.95 cm	12.91x0.34x8.24 in
	<b>Product Weight (Packed) Metric</b>	1.9 kg	
	<b>Product Weight (Packed) Imperial</b>	4.2 lb	
	<b>Product Weight (Head Only) Metric</b>	1.0 kg	
	<b>Product Weight (Head Only) Imperial</b>	2.20 lb	

### Technical Specifications

<b>Pallet Information</b>	<b>Pallet Dimensions (L x W x H mm)</b>	A:1053x860x2088mm B:860x702x2088mm 32.78x0.86x20.95 cm	A:41.46x33.86x82.20 inch B:33.86x27.64x82.20 inch 12.91x0.34x8.24 in
	<b>Display Head Dimensions (Unpacked without stand) (W x D x H)</b>		
	<b>Pallet Total Weight kg</b>	A: 367 B: 245	
	<b>Pallet Total Weight lbs</b>	A: 810 B: 540	
	<b>Pallet Layers</b>	6	
	<b>Pallet Product per Layer</b>	A:6(CTN) A:30(BOX) B:4(CTN) B:20(BOX) (40' container Estimate)	
	<b>Total Products per Pallet</b>	A:36(CTN) A:180 (BOX) B:24 (CTN) B:120 (BOX)	
<b>Software Included</b>	<b>Software included</b>	HP Display Assistant	
<b>What's in the box?</b>	<b>Monitor and Accessories</b>	USB Type-C™ cable (1.8m)	
<b>User Guide/Warranty Languages</b>	<b>User Guide Languages</b>	English, Arabic, S. Chinese, T. Chinese, Czech, Danish, Dutch, Finnish, French, German, Greek, Hungarian, Italian, Japanese, Kazakh, Korean, Norwegian, Polish, Brazilian Portuguese, Russian, Slovenian, Spanish, Swedish and Turkish.	
	<b>Warranty Languages</b>	English, Arabic, S. Chinese, T. Chinese, Czech, Danish, Dutch, Finnish, French, German, Greek, Hungarian, Italian, Japanese, Kazakh, Korean, Norwegian, Polish, Brazilian Portuguese, Russian, Slovenian, Spanish, Swedish and Turkish.	

© Copyright 2018 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

ENERGY STAR® and the ENERGY STAR® mark are registered trademarks of the U.S. Environmental Protection Agency. DisplayPort™ and the DisplayPort™ logo are trademarks owned by the Video Electronics Standards Association (VESA®) in the United States and other countries. USB Type-C™ is a trademark of USB Implementers Forum.

EPEAT® registered where applicable. EPEAT registration varies by country. See [www.epeat.net](http://www.epeat.net) for registration status by country. See HP's 3rd party option store for solar energy accessory at [www.hp.com/go/options](http://www.hp.com/go/options)

### Summary of Changes

Change Log	
	V1 to V2