

HP 24o 61 cm (24") LED Backlit Monitor



**An amazing view.
Amazingly affordable.**

Enjoy the vibrant quality you've been looking for at a price that will delight you with this 24-inch diagonal Full HD display. Packed with a great screen and easy connectivity, it'll take your entertainment experience to the next level.



Vibrant experience

- The 24-inch diagonal Full HD¹ screen delivers all your entertainment with vivid colors and crisp clarity. Get ready for all your content to take on a beautiful level of detail.

Connect with ease

- With VGA, DVI, and HDMI ports, easily connect your devices with no adapters needed.

No more motion blur

- Say goodbye to choppy games, videos, and movies. With lightning-fast 1 ms response time, every pixel responds at an astounding rate, for a smooth, stutter-free experience.²

¹ Full high-definition (FHD) content required to view FHD images.

² All performance specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower. Results may vary based on quality of the original picture/photo/video and difference between the previous monitor settings compared to the HP Enhance + mode.

¹ Full high-definition (FHD) content is required to view FHD images.

² High definition (HD) content is required to view high-definition images.

HP 24o 61 cm (24") LED Backlit Monitor

TN panel

Enjoy the latest action movie or high-octane video game with the low pixel latency and snappy response times of this TN panel.

Full HD display / 1080p display

Be prepared for brilliant visuals and crisp images with the unforgettable quality of this stunning FHD display.¹

Extreme detail

Amazing clarity is delivered by 10,000,000:1 Dynamic Contrast Ratio for deeper blacks, brighter whites, and crisper colors.

An easier way to HD

With both DVI and HDMI ports this display is ready to connect for brilliant HD visuals over a smooth digital connection.²

Off the desk and on the wall

The display is equipped with standard VESA mounting for showcasing on a wall or swivel arm.

Adjust your view

Adjust the screen to your personal preference with a 5° forward or 23° backward tilt.

¹ Full high-definition (FHD) content required to view FHD images.

² All performance specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower. Results may vary based on quality of the original picture/photo/video and difference between the previous monitor settings compared to the HP Enhance+ mode.

¹ Full high-definition (FHD) content is required to view FHD images.

² High definition (HD) content is required to view high-definition images.

Datasheet

HP 24o 61 cm (24") LED Backlit Monitor



Display Size	61 cm (24")
Aspect Ratio	16:9
Display type	TN /LED backlight
Pixel pitch	0.277 mm
Response time	1 ms on/off
Brightness	250 cd/m ²
Contrast ratio	1000:1 static; 10M:1 dynamic
Viewing angle	170° horizontal; 160° vertical
Video input signal	1 VGA; 1 DVI-D; 1 HDMI
Resolution	1920 x 1080 @ 60Hz
Display Scan Frequency (horizontal)	Up to 80 kHz
Display Scan Frequency (vertical)	Up to 76 Hz
Display features	Anti-glare; Language selection; LED Backlights; On-screen controls; Plug and Play; User programmable; User controls
Physical security features	Security lock-ready (lock is sold separately)
Display moving angle	Tilt: -4 to +22°
Environmental Specifications	Mercury-free LED backlighting; Arsenic-Free Display Glass
Power Supply and Power Requirements	Input voltage: 100-240 VAC at 50 - 60 Hz; Power consumption: 32W maximum, 23W typical; Standby mode: 0.5W
Energy Efficiency	Energy Efficiency class: A+ On-mode power consumption: 18 W; Annual energy consumption: 26 kWh; Standby: 0.2 W; Power consumption (off-mode): 0.2 W
Display User Control Options	Power; Auto; Exit; Right (adjusts the settings right); Left (adjusts the settings left); Enter
Dimensions (W x D x H)	56.54 x 20.29 x 41.19 cm (with stand); 56.54 x 5.65 x 33.99 cm (without stand)
Weight	3.39 kg (with stand); 3.02 kg (without stand)
Package Dimensions (W x D x H)	42.0 x 13.0 x 63.8 cm
Package Weight	4.63kg
Operating Temperature Range	0°C - 40°C
Operating Humidity Range	10% to 90%
Storage Temperature Range	-20°C to 60°C
Non-operating Humidity Range	10% to 90%
Certifications and compliances	CE; CB; TUV-GS; ISO 9241-307; FCC/ICES; WEEE; CSA/UL; EC1062; EUP-LOT6; TCO Certified; Microsoft WHQL Certification Win-10, Win-8, Win-7; SmartWay Transport Partnership - NA only
Product colour	Black
Warranty	2-year limited warranty
Country of Origin	China
Box Content	1 VGA cable; 1 power cable
VESA Mount	Yes
Ordering info	X0J60AA#A2N: 889899726211; X0J60AA#ABB: 889899726136; X0J60AA#ABT: 889899726174; X0J60AA#ABU: 889899726143; X0J60AA#ABV: 889899726198; X0J60AA#ABY: 889899726167; X0J60AA#ACQ: 889899726181; X0J60AA#UUG: 889899726204; X0J60AA#UUZ: 889899726150

© Copyright 2016 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. All other trademarks are the property of their respective owners.

