

HP Pavilion 32 81.28 cm (32") Display



Immerse yourself in life's adventures

Take every moment, memory and movie night to new heights with a massive 81.28 cm (32") diagonal display. The ultra-wide viewing angle and QHD resolution¹ let you transform your content into a big, bold and beautifully immersive experience the whole family can share.



1. Supersize every family memory

- Give your photos and videos a new level of detail with this brilliant 81.28 cm (32") diagonal QHD display¹. And with its wide-viewing angle, the whole family gets a perfect view.

2. Bringing your world to life

- Experience the creative difference of standard 100% sRGB color space² with visuals that pop, and appear just as you saw them in real life.

3. Connectivity made easy

- Connect to all your devices with dual HDMI and Display Port to get big screen visuals without unnecessary adapters. HDMI and Display Port cables included for your convenience.

¹ QHD (Quad High Definition) content required to view QHD images.

² All performance specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower.

HP Pavilion 32 81.28 cm (32") Display

Featuring

Unforgettable QHD picture

Brilliant details and captivating definition. Get it all with the unforgettable image quality of a 2560 x 1440 resolution display.

MVA Panel

The ideal balance of wide-angle viewing, and low pixel latency, the MVA panel is perfect for the everyday use you need from your display.

Highly accurate color

With the standard 100% Srgb² color space, the HP ENVY 32 Media Display provides ideal color reproduction with minimal effort. Perfect for photos, videos—all your creative projects.

USB 2.0/HDMI DISPLAY PORT

With Display Port, HDMI and USB 2.0 you'll get all the ports you need to easily connect your device for big screen entertainment.

Open and accessible

The display is suspended above a distinctly unique open-wedge designed stand, providing convenient access to rear ports, with your tablet or phone stored underneath.

Seamless entertainment

How fast your display's pixels respond is crucial for a silky smooth picture. With a 7ms response time², your action-filled content will look crisp and fluid without motion blur.

Off the desk and on the wall

The display is equipped with standard VESA mounting for showcasing on a wall or swivel arm.

¹ QHD (Quad High Definition) content required to view QHD images.

² All performance specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower.

Datasheet

HP Pavilion 32 81.28 cm (32") Display



Display Size	81.28 cm (32")
Aspect Ratio	16:9
Display type	WVA+
Pixel pitch	0.276 mm
Response time	7 ms gray to gray
Brightness	300 cd/m ²
Contrast ratio	3000:1 static; 10000000:1 dynamic
Viewing angle	178° horizontal; 178° vertical
Video input signal	2 HDMI (with HDCP support); DisplayPort 1.2 (with HDCP support)
Resolution	2560 x 1440 @ 60Hz
Display Scan Frequency (horizontal)	Up to 90 kHz
Display Scan Frequency (vertical)	Up to 60 Hz
Display features	Anti-glare; Language selection; LED Backlights; On-screen controls; Plug and Play; User programmable
Physical security features	Security lock-ready (lock is sold separately)
Display moving angle	Tilt: -5 to +21°
Connectivity	3 USB 2.0 (two downstream; one upstream)
Environmental Specifications	Mercury-free LED backlighting; Arsenic-Free Display Glass; Low Halogen
Power Supply and Power Requirements	Input voltage: 90 - 265 VAC at 45 - 63 Hz; Power consumption: 72W maximum, 54W typical; Standby mode: < 0.5W
Energy Efficiency	Energy Efficiency class: A0n-mode power consumption: 41 W; Annual energy consumption: 60 kWh; Standby: 0,50 W; Power consumption (off-mode): 0,35 W
Display User Control Options	Menu; Plus ("+")/Quick View; Minus ("-")/Input Control; Power
Dimensions (W x D x H)	73.99 x 17.89 x 52.23 cm (with stand); 73.99 x 5.32 x 43.34 cm (without stand)
Weight	9.8 kg (with stand); 8.2 kg (without stand)
Operating Temperature Range	5°C - 35°C
Operating Humidity Range	20% to 70% (non-condensing)
Storage Temperature Range	-20° - 60°C
Non-operating Humidity Range	5% - 95%
Certifications and compliances	CE; CB; KCC; NOM; ICES; TUV-S; CCC; CEL; CECP; SEPA; TCO Certified; EPA; ISC; VCCI; FCC; Taiwan: BSMI; ISO9241-307; Mexico CoC
Product colour	Black
Warranty	2-year limited warranty
Box Content	HDMI cable, Vesa bracket
VESA Mount	yes
Ordering info	V1M69AA#AZN: 889899005743; V1M69AA#ABB: 889899005668; V1M69AA#ABT: 889899005705; V1M69AA#ABU: 889899005675; V1M69AA#ABV: 889899005729; V1M69AA#ABY: 889899005699; V1M69AA#ACQ: 889899005712; V1M69AA#UUG: 889899005736; V1M69AA#UUZ: 889899005682

