

### Overview

#### HP Backlit USB Mechanical Keyboard



Part Number

4RV35AA

### Introduction

Swift. Smooth. Maximize potential with a mechanical keyboard engineered to deliver speed with every stroke. Equipped with Red switches, every key press provides lightning-fast response times—taking your work and play to outstanding levels.

### Main feature

- ◆ USB wired technology
- ◆ Compatible with Windows 10
- ◆ Membrane type mechanical switch, Red switch
- ◆ 10 Keys Rollover of anti-ghosting
- ◆ LGP backlight module with RGB LED
- ◆ Three LED indicators for Num, Caps and Win Lock

### Compatibility

The HP Backlit USB Mechanical Keyboard is compatible with the HP 280 G3 Small Form Factor PC; HP ProDesk 600 G4 Microtower PC; HP EliteDesk 705 G4 Microtower PC; HP EliteDesk 800 G4 Tower PC

### Service and Support

Your Option Limited Warranty is a one (1) year (HP Option Limited Warranty Period) parts replacement warranty on any HP-branded or Compaq-branded options (HP Options). If your HP Option is installed in an HP Hardware Product, HP may provide warranty service either for the HP Option Limited Warranty Period or the remaining Limited Warranty Period of the HP Hardware Product in which the HP Option is being installed, whichever period is the longer but not to exceed three (3) years from the date you purchased the HP Option.

### Technical specifications

<b>Dimension</b>	17.5 x 5.37 x 1.5 in (44.45 x 13.65 x 3.8 cm)
<b>Weight</b>	1.83 lb (0.83 kg)
<b>Electrical</b>	<b>Operating voltage</b> 4.75~5.25V
	<b>System interface</b> USB Type A plug connector
	<b>Power consumption</b> 500mA (Max.) all LEDs on
<b>Mechanical</b>	<b>Keycaps</b> 10 Keys Rollover Membrane solution
	<b>Switch actuation</b> 55-g nominal peak force with tactile feedback
	<b>Switch life</b> 10 million keystrokes
	<b>Switch type</b> Membrane type mechanical switch, Red switch
<b>Environmental</b>	<b>Operating temperature</b> 0 to 40°C
	<b>Non-operating temperature</b> -20 to 60°C
	<b>Operating humidity</b> 0-60% R.H.
	<b>Non-operating humidity</b> 0-60% R.H.
	<b>Operating shock</b> 100 g, six surfaces
	<b>Non-operating shock</b> 100 g, six surfaces
	<b>Drop (out of box)</b> 76cm on carpet, six-drop sequence
	<b>Drop (in box)</b> 92 cm on concrete, 4 corners sequence
<b>Operating system support</b>	Windows 10, Windows 8, Windows 7, Mac system
<b>Approvals</b>	FCC ID ,CE, CB, UL
<b>Kit contents</b>	Keyboard, documents

---

### Change log

© Copyright 2018 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Date of change:	Version History:	Description of change:
2018/07/27	V1	1st released
	V1 to V2	