

ISO/IEC 24734 Printing Productivity Report: Office Category

Full Detailed Test Report - LETTER

HP LaserJet Enterprise Flow MFP M527z & LaserJet Managed Flow MFP M527zm & LaserJet Managed Flow MFP E52545c

Printing device and settings	
Test Start Date and Time	8/4/2015 11:12
Tester	AH
Machine name/model	HP LaserJet Enterprise Flow MFP M527z & LaserJet Managed Flow MFP M527zm & LaserJet Managed Flow MFP E52545c
Colour or B&W	B&W
FW Version	2306242_531750_20150731
Temperature and Humidity	73 degF / 23 degC 32.3 %rH
Voltage	110V
Test End Date and Time	8/27/2015 11:43

	Item	Value
Mode and Setting	Driver Version	Fusion16_0_Release15168_509-277
	Media/Quality Setting	Default / Default
	Simplex B&W Settings	default
	Duplex B&W Settings	default
	Setting N set count	Application
Paper Path	Collating function	Activated (application)
	Paper Sending Direction	Default
	Paper Size Setting	Default
	Paper Feeding	Tray 2
	Paper Exit	Standard Exit Tray
	Output Orientation	Default (face down)
Paper	Duplexing Unit (Yes/No)	Yes
	Paper Manufacturer	HP / Xerox
	Paper Weight	20lb / 75 g/m2
	Paper Size	Letter / A4
	Paper type/name	HP Multipurpose Ultra White / HP Office

Summary Report: Letter			
Office Category Test for B&W Device		FSOT (seconds)	ESAT (ipm)
B&W	Simplex	9.9	45.9
	Duplex	13.5	37.3
Notes			
1) All printing device and driver settings were default mode.			
2) For the B/W results, the print driver was set to "print in B/W".			
3) For more information see http://w.w.w.hp.com/go/printerclaims .			
4) Port monitor not configured to follow device if the IP address changes.			

Detailed Report: LETTER						
	Office Category Test	FSOT (secs)	EFTP (ipm)			ESAT (ipm)
		1 set only (1 set)	1 set only (1 set)	1 set + 30sec (# of sets)	1 set + 4min (# of sets)	1 set + 30sec
Color Mode	Simplex - Adobe Reader		(1 set)			
	Simplex - Word		(1 set)			
	Simplex - Excel		(1 set)			
	Simplex - Average					
	Duplex - Adobe Reader	N/A	N/A	N/A		N/A
	Duplex - Word	N/A	N/A	N/A		N/A
	Duplex - Excel	N/A	N/A	N/A		N/A
	Duplex - Average	N/A	N/A	N/A		N/A
B&W mode (optional for color device)	Simplex - Adobe Reader	10.50	22.85 (1 set)	40.65 (8 sets)	44.81 (50 sets)	45.93
	Simplex - Word	9.49	25.28 (1 set)	41.39 (8 sets)		45.93
	Simplex - Excel	9.69	24.77 (1 set)	41.45 (8 sets)		45.86
	Simplex - Average	9.9	24.3 (1 set)	41.1 (8 sets)	44.8 (50 sets)	45.9
	Duplex - Adobe Reader	14.18	16.92 (1 set)	30.46 (6 sets)		37.24
	Duplex - Word	13.00	18.46 (1 set)	31.18 (6 sets)		37.28
	Duplex - Excel	13.29	18.06 (1 set)	31.36 (6 sets)		37.38
	Duplex - Average	13.5	17.8 (1 set)	31.0 (6 sets)		37.3
Notes						
1) All printing device and driver settings were default mode.						
2) For the B/W results, the print driver was set to "print in B/W".						
3) For more information see http://w.w.w.hp.com/go/printerclaims .						
4) Port monitor not configured to follow device if the IP address changes.						

Test System Parameters	
Item	Value
Computer	HP Compaq Elite 8300 Small Form Factor
Processor	Intel Core i7 -3770, 3.4 GHz
System Chip Set	Intel C216 Chipset Family SMBus Host Controller
System Board	system devices, default system BIOS
System Memory	4 GB
Hard Drive Subsystem	Standard disk drive (Seagate)
Video Subsystem	AMD Radeon HD 6350
Optical Drive	HP DVD A DH16aCSHR ATA
I/O Subsystem	Built-in
USB Subsystem	USB 2.0/3.0
TCP/IP	TCP/IP 10/1000
Operating System	Windows 7 64 Bit
Printing Applications	Microsoft Office 2010
Microsoft Office	Office 2010
Adobe Reader	10
Test files and location	Office category files, hard drive

ISO/IEC 24734 Printing Productivity Report: Office Category

Full Detailed Test Report - A4

HP LaserJet Enterprise Flow MFP M527z & LaserJet Managed Flow MFP M527zm & LaserJet Managed Flow MFP E52545c

Printing device and settings	
Test Start Date and Time	8/4/2015 11:12
Tester	AH
Machine name/model	HP LaserJet Enterprise Flow MFP M527z & LaserJet Managed Flow MFP M527zm & LaserJet Managed Flow MFP E52545c
Colour or B&W	B&W
FW Version	2306242 531750 20150731
Temperature and Humidity	73 degF / 23 degC 32.3 %rH
Voltage	110V
Test End Date and Time	8/27/2015 11:43
Item	Value
Driver Version	Fusion16_0_Release15168_509-277
Media/Quality Setting	Default / Default
Simplex B&W Settings	default
Duplex B&W Settings	default
Setting N set count	Application
Collating function	Activated (application)
Paper Sending Direction	Default
Paper Size Setting	Default
Paper Feeding	Tray 2
Paper Exit	Standard Exit Tray
Output Orientation	Default (face down)
Duplexing Unit (Yes/No)	Yes
Paper Manufacturer	HP / Xerox
Paper Weight	20lb / 75 g/m2
Paper Size	Letter / A4
Paper type/name	HP Multipurpose Ultra White / HP Office

Summary Report: A4			
Office Category Test for B&W Device		FSOT (seconds)	ESAT (ppm)
B&W	Simplex	10.2	43.3
	Duplex	13.7	35.5

Notes
 1) All printing device and driver settings were default mode.
 2) For the B/W results, the print driver was set to "print in B/W".
 3) For more information see <http://w.w.w.hp.com/go/printerclaims>.
 4) Port monitor not configured to follow device if the IP address changes.

Detailed Report: A4						
	Office Category Test	FSOT (secs)	EFTP (ipm)		ESAT (ipm)	
		1 set only (1 set)	1 set only (1 set)	1 set + 30sec (# of sets)	1 set + 4min (# of sets)	1 set + 30sec
Colour Mode	Simplex - Adobe Reader		(1 set)			
	Simplex - Word		(1 set)			
	Simplex - Excel		(1 set)			
	Simplex - Average					
	Duplex - Adobe Reader	N/A	N/A	N/A		N/A
	Duplex - Word	N/A	N/A	N/A		N/A
	Duplex - Excel	N/A	N/A	N/A		N/A
	Duplex - Average	N/A	N/A	N/A		N/A
B&W mode (optional for color device)	Simplex - Adobe Reader	10.71	22.40 (1 set)	38.06 (7 sets)	42.38 (48 sets)	43.41
	Simplex - Word	9.77	24.56 (1 set)	39.06 (7 sets)		43.38
	Simplex - Excel	9.96	24.10 (1 set)	38.88 (7 sets)		43.38
	Simplex - Average	10.2	23.6	38.6	42.3	43.3
	Duplex - Adobe Reader	13.87	17.30 (1 set)	29.74 (6 sets)		35.50
	Duplex - Word	14.08	17.04 (1 set)	30.28 (6 sets)		35.58
	Duplex - Excel	13.00	18.44 (1 set)	30.24 (6 sets)		35.50
	Duplex - Average	13.7	17.5	30.0		35.5

Notes
 1) All printing device and driver settings were default mode.
 2) For the B/W results, the print driver was set to "print in B/W".
 3) For more information see <http://w.w.w.hp.com/go/printerclaims>.
 4) Port monitor not configured to follow device if the IP address changes.

Test System Parameters	
Item	Value
Computer	HP Compaq Elite 8300 Small Form Factor
Processor	Intel Core i7 -3770, 3.4 GHz
System Chip Set	Intel C216 Chipset Family SMBus Host Controller
System Board	system devices, default system BIOS
System Memory	4 GB
Hard Drive Subsystem	Standard disk drive (Seagate)
Video Subsystem	AMD Radeon HD 6350
Optical Drive	HP DVD A DH16aCSHR ATA
I/O Subsystem	Builitn
USB Subsystem	USB 2.0/3.0
TCP/IP	TCP/IP 10/1000
Operating System	Windows 7 64 Bit
Printing Applications	Microsoft Office 2010
Microsoft Office	Office 2010
Adobe Reader	10
Test files and location	Office category files, hard drive

ISO/IEC 24734 Printing Productivity Report: Office Category

Feature Performance Full Report - Office Feature Performance Test

HP LaserJet Enterprise Flow MFP M527z & LaserJet Managed Flow MFP M527zm & LaserJet Managed Flow MFP E52545c

Printing device and settings		
Test Start Date and Time	8/4/2015 11:12	
Tester	AH	
Machine name/model	HP LaserJet Enterprise Flow MFP M527z & LaserJet Managed Flow MFP M527zm & LaserJet Managed Flow MFP E52545c	
Colour or B&W	B&W	
FW Version	2306242 531750 20150731	
Temperature and Humidity	73 degF / 23 degC 32.3 %rH	
Voltage	110V	
Test End Date and Time	8/27/2015 11:43	
Item	Value	
Mode and Setting	Driver Version	Fusion16_0_Release15168_509-277
	Media/Quality Setting	Default / Default
	Simplex B&W Settings	default
	Duplex B&W Settings	default
	Setting N set count	Application
	Collating function	Activated (application)
Paper Path	Paper Sending Direction	Default
	Paper Size Setting	Default
	Paper Feeding	Tray 2
	Paper Exit	Standard Exit Tray
	Output Orientation	Default (face down)
	Duplexing Unit (Yes/No)	Yes
Paper	Paper Manufacturer	HP / Xerox
	Paper Weight	20lb / 75 g/m2
	Paper Size	Letter / A4
	Paper type/name	HP Multipurpose Ultra White / HP Office

ISO Print Productivity Report: Feature Performance Test Summary

Printing Modes (Feature Adobe Reader - Office test file)		Feature Performance Ratio		
		A5 and Legal		
		FSOT (base) FSOT (feature)	ESAT (feature) ESAT (base)	
A5 Landscape Feed - Colour	Simplex			
A5 Portrait Feed - Colour	Simplex			
Legal - Colour	Simplex			
Legal - Colour	Duplex			
A5 Landscape Feed - B/W	Simplex	135%	152%	
A5 Portrait Feed - B/W	Simplex			
Legal - B/W	Simplex			
Legal - B/W	Duplex			

Notes
 1) All printing device and driver settings were default mode.
 2) Test conducted with 8-paper Office Feature Performance file.
 3) For more information see <http://w.w.w.hp.com/go/printerclaims>.
 4) Port monitor not configured to follow device if the IP address changes.

Feature Performance Full Report - Feature Printing Mode: 'Office' Feature Performance Test

Printing Modes Feature Adobe Reader - Office test file (8-page)	Base Printing Mode		Feature Performance			
	FSOT Base	ESAT Base	A5 and Legal			
			1 set FSOT (secs)	1 set + 30 sec ESAT (ipm)	FSOT (base) FSOT (feature)	ESAT (feature) ESAT (base)
Simplex A5 Landscape Feed - Colour						
Simplex A5 Portrait Feed - Colour						
Legal Simplex - Colour						
Legal Duplex - Colour						
Simplex A5 Landscape Feed - B/W	16.85	43.36	12.49	66.0	135%	152%
Simplex A5 Portrait Feed - B/W	16.85	43.36				
Legal Simplex - B/W	16.85	43.36				
Legal Duplex - B/W	16.85	43.36				

Notes
 1) All printing device and driver settings were default mode.
 2) Test conducted with 8-paper Office Feature Performance file.
 3) For more information see <http://w.w.w.hp.com/go/printerclaims>.
 4) Port monitor not configured to follow device if the IP address changes.

Test System Parameters

Item	Value	
Test System	Computer	HP Compaq Elite 8300 Small Form Factor
	Processor	Intel Core i7 -3770, 3.4 GHz
	System Chip Set	Intel C216 Chipset Family SMBus Host Controller
	System Board	system devices, default system BIOS
	System Memory	4 GB
	Hard Drive Subsystem	Standard disk drive (Seagate)
	Video Subsystem	AMD Radeon HD 6350
	Optical Drive	HP DVD A DH16aCSHR ATA
	I/O Subsystem	Built-in
	USB Subsystem	USB 2.0/3.0
I/O	TCP/IP	TCP/IP 10/1000
Software	Operating System	Windows 7 64 Bit
	Printing Applications	Microsoft Office 2010
	Microsoft Office	Office 2010
	Adobe Reader	10
	Test files and location	Office category files, hard drive

ISO/IEC 17629 First Print Out Time Report: Office Category

Full Detailed Test Report - LETTER

HP LaserJet Enterprise Flow MFP M527z & LaserJet Managed Flow MFP M527zm & LaserJet Managed Flow MFP E52545c

Printing device and settings	
Test Start Date and Time	8/4/2015 11:12
Tester	AH
Machine name/model	HP LaserJet Enterprise Flow MFP M527z & LaserJet Managed Flow MFP M527zm & LaserJet Managed Flow MFP E52545c
Colour or B&W	B&W
FW Version	2306242_531750_20150731
Configuration (options)	Default
Controller	1.117
Printing device page count	Not Specified
Printing supplies page count	Not Specified
Temperature and Humidity	73 degF / 23 degC 32.3 %rH
Voltage	110V
Test End Date and Time	8/27/2015 11:43

Item	Value
Mode and Setting	
PDL and driver version	Fusion16_0_Release15168_509-277
Print Quality mode	default
B&W settings	default
Paper feed orientation	Short Edge
Paper	
Paper type setting	default
Paper feeding	Standard cassette
Paper exit	Standard exit tray
Paper Path	
Output orientation	default (face up or face down)

ISO First Page Out Time Summary Report: Office Category

Summary Report: **Letter**

		FPOT from Ready (seconds)
B&W	Simplex	5.90
	Duplex	10.48

Notes
 1) All printing device and driver settings were default mode.
 2) For the B/W results, the print driver was set to "print in B/W".
 3) For more information see <http://www.hp.com/go/printerclaims>.
 4) Port monitor not configured to follow device if the IP address changes.
 5) Page counts were collected after completion of the tests.

ISO First Page Out Time Report: Office Category

Detailed Report: **LETTER**

		Word (seconds)	Excel (seconds)	Adobe Reader (seconds)	Average (seconds)	Delay Time
Color Mode	FPOT from Ready - Simplex					
	FPOT from Ready - Duplex					
	FPOT from Sleep - Simplex			N/A		
	Recovery Time					
	FPOT from Off - Simplex					
	Warm-up Time					
B&W Mode	FPOT from Ready - Simplex	5.59	5.71	6.39	5.90	21 Seconds
	FPOT from Ready - Duplex	10.12	10.22	11.08	10.48	21 Seconds
	FPOT from Sleep - Simplex			8.66		60 Minutes
	Recovery Time			2.3		
	FPOT from Off - Simplex			129.01		
	Warm-up Time			122.62		

Notes
 1) All printing device and driver settings were default mode.
 2) For the B/W results, the print driver was set to "print in B/W".
 3) For more information see <http://www.hp.com/go/printerclaims>.
 4) Port monitor not configured to follow device if the IP address changes.
 5) Page counts were collected after completion of the tests.
 6) Details for FPOT from Sleep are shown below.

HP Data Table

Detailed Report: **LETTER**

		FPOT Avg (secs)	FPOT (secs) Iteration 1	FPOT (secs) Iteration 2	FPOT (secs) Iteration 3	Application	Delay Time
Color Mode	FPOT from Sleep	N/A	N/A	N/A	N/A	Adobe Reader	
	FPOT from Sleep (60 minutes) HP/Non ISO Test	N/A	N/A	N/A	N/A	Adobe Reader	
B&W Mode	FPOT from Sleep	8.66	8.65	8.67	N/A	Adobe Reader	60 Minutes
	FPOT from Sleep (60 minutes) HP/Non ISO Test	8.66	8.65	8.67	N/A	Adobe Reader	60 Minutes

Notes
 1) All printing device and driver settings were default mode.
 2) For the B/W results, the print driver was set to "print in B/W".
 3) DLP includes detailed iterations as data measurements may vary run to run.

Test System Parameters

Item	Value	
Test System	Computer	HP Compaq Elite 8300 Small Form Factor
	Processor	Intel Core i7 -3770, 3.4 GHz
	System Chip Set	Intel C216 Chipset Family SMBus Host Controller
	System Board	System devices, default system BIOS
	System Memory	4 GB
	Hard Drive Subsystem	Standard disk drive (Seagate)
	Video Subsystem	AMD Radeon HD 6350
	Optical Drive	HP DVD A DH16aC5HR ATA
	I/O Subsystem	Builtin
	USB Subsystem	USB 2.0/3.0
Printing Device Connection		
TCP/IP	10/1000	
Software	Operating System	Windows 7 Business/Ultimate, 64 bit, Build 7601, SP 1
	Printing Applications	Microsoft Office 2010 SP2 Adobe Reader 10.1.4
	Print Driver	Fusion16_0_Release15168_509-277

ISO/IEC 17629 First Print Out Time Report: Office Category

Full Detailed Test Report - A4

HP LaserJet Enterprise Flow MFP M527z & LaserJet Managed Flow MFP M527zm & LaserJet Managed Flow MFP E52545c

Printing device and settings	
Test Start Date and Time	8/4/2015 11:12
Tester	AH
Machine name/model	HP LaserJet Enterprise Flow MFP M527z & LaserJet Managed Flow MFP M527zm & LaserJet Managed Flow MFP E52545c
Colour or B&W	B&W
FW Version	2306242_531750_20150731
Configuration (options)	Default
Controller	1.117
Printing device page count	Not Specified
Printing supplies page count	Not Specified
Temperature and Humidity	73 degF / 23 degC 32.3 %rH
Voltage	110V
Test End Date and Time	8/27/2015 11:43

Item	Value
Mode and Setting	
PDL and driver version	Fusion16_0_Release15168_509-277
Print Quality mode	default
B&W settings	default
Paper feed orientation	Short Edge
Paper	
Paper type setting	default
Paper feeding	Standard cassette
Paper exit	Standard exit tray
Paper Path	
Output orientation	default (face up or face down)

ISO First Page Out Time Summary Report: Office Category

Summary Report: A4

		FPOT from Ready (seconds)
B&W	Simplex	5.67
	Duplex	10.67

Notes

- 1) All printing device and driver settings were default mode.
- 2) For the B/W results, the print driver was set to "print in B/W".
- 3) For more information see <http://www.hp.com/go/printerclaims>.
- 4) Port monitor not configured to follow device if the IP address changes.
- 5) Page counts were collected after completion of the tests.

ISO First Page Out Time Report: Office Category

Detailed Report: A4		Word (seconds)	Excel (seconds)	Adobe Reader (seconds)	Average (seconds)	Delay Time
Color Mode	FPOT from Ready - Simplex					
	FPOT from Ready - Duplex					
	FPOT from Sleep - Simplex			N/A		
	Recovery Time					
	FPOT from Off - Simplex					
	Warm-up Time					
B&W Mode	FPOT from Ready - Simplex	5.42	5.57	6.02	5.67	21 Seconds
	FPOT from Ready - Duplex	11.00	10.40	10.59	10.67	21 Seconds
	FPOT from Sleep - Simplex			8.65		60 Minutes
	Recovery Time			2.6		
	FPOT from Off - Simplex			127.70		
	Warm-up Time			121.68		

Notes

- 1) All printing device and driver settings were default mode.
- 2) For the B/W results, the print driver was set to "print in B/W".
- 3) For more information see <http://www.hp.com/go/printerclaims>.
- 4) Port monitor not configured to follow device if the IP address changes.
- 5) Page counts were collected after completion of the tests.
- 6) Details for FPOT from Sleep are shown below.

HP Data Table

Detailed Report: A4

		FPOT Avg (secs)	FPOT (secs) Iteration 1	FPOT (secs) Iteration 2	FPOT (secs) Iteration 3	Application	Delay Time
Color Mode	FPOT from Sleep	N/A	N/A	N/A	N/A	Adobe Reader	
	FPOT from Sleep (60 minutes)	N/A	N/A	N/A	N/A	Adobe Reader	
	HP/Non ISO Test						
B&W Mode	FPOT from Sleep	8.65	8.63	8.66	N/A	Adobe Reader	60 Minutes
	FPOT from Sleep (60 minutes)	8.65	8.63	8.66	N/A	Adobe Reader	60 Minutes

Notes

- 1) All printing device and driver settings were default mode.
- 2) For the B/W results, the print driver was set to "print in B/W".
- 3) DLP includes detailed iterations as data measurements may vary run to run.

Test System Parameters		
Item	Value	
Test System	Computer	HP Compaq Elite 8300 Small Form Factor
	Processor	Intel Core i7 -3770, 3.4 GHz
	System Chip Set	Intel C216 Chipset Family SMBus Host Controller
	System Board	System devices, default system BIOS
	System Memory	4 GB
	Hard Drive Subsystem	Standard disk drive (Seagate)
	Video Subsystem	AMD Radeon HD 6350
	Optical Drive	HP DVD A DH16aC5HR ATA
	I/O Subsystem	Builtin
	USB Subsystem	USB 2.0/3.0
Printing Device Connection		
TCP/IP	10/1000	
Software	Operating System	Windows 7 Business/Ultimate, 64 bit, Build 7601, SP 1
	Printing Applications	Microsoft Office 2010 SP2 Adobe Reader 10.1.4
	Print Driver	Fusion16_0_Release15168_509-277

ISO/IEC 29183 Copy Productivity Report

Full Detailed Test Report - LETTER

HP LaserJet Enterprise Flow MFP M527z & LaserJet Managed Flow MFP M527zm & LaserJet Managed Flow MFP E52545c

Machine Setup Information

Test Start Date and Time	8/10/2015 16:06
Tester	AH
Machine name/model	HP LaserJet Enterprise Flow MFP M527z & LaserJet Managed Flow MFP M527zm & LaserJet Managed Flow MFP E52545c
Colour or B&W	B&W
FW Version	2306242 531750 20150731
Configuration (options)	Not Specified
Temperature and Humidity	73 degF / 23 degC 32.3 %rH
Test End Date and Time:	8/31/2015 15:15

	Pre-set Item	Pre-set Value
Mode	Output Resolution	Default
	Output Quality	Default
	Copying Mode	Colour for Colour and B&W for B&W
	Auto Density Adjustment	Default
	Collating function	Set in Control Panel
Paper	Paper Sending Direction	Default
	Paper Type Setting	Default
Paper Path	Paper Feeding	Tray 2
	Paper Exit	Default
	Face Up Exit	Default (face down)
Temporary Stop	Fixing Capability	Default
	Image Quality Stability	Default
	Capacity of Paper	Default
	Others	None

Paper	Paper Manufacturer	HP / Xerox
	Paper Weight	20lb / 75 g/m2
	Paper Size	Letter / A4
	Paper type/name	HP Multipurpose Ultra White / HP Office

Summary Report: Letter		
	sFCOT	sESAT (ipm)
B&W	6.2	45.9
Notes First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims . Exact speed varies depending on the system configuration and document.		

Detailed Report: LETTER						
	Target	sFCOT (secs)	sEFTP (ipm)			sESAT (ipm)
			1copy	1copy+30sec	1copy+4minutes	
B&W	A	6.00	10.01	39.81	45.03	45.94
				26 sets	196 sets	
	B	6.19	9.69	39.84	45.03	45.91
				26 sets	196 sets	
	C	6.18	9.71	39.59	45.03	45.91
				26 sets	196 sets	
D	6.11	9.81	39.83	45.03	45.89	
			26 sets	196 sets		
Average	6.2	9.8	39.7	45.0	45.9	
Notes First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims . Exact speed varies depending on the system configuration and document.						

ISO/IEC 29183 Copy Productivity Report

Full Detailed Test Report - A4

HP LaserJet Enterprise Flow MFP M527z & LaserJet Managed Flow MFP M527zm & LaserJet Managed Flow MFP E52545c

Machine Setup Information		
	Test Start Date and Time	8/10/2015 16:06
	Tester	AH
	Machine name/model	HP LaserJet Enterprise Flow MFP M527z & LaserJet Managed Flow MFP M527zm & LaserJet Managed Flow MFP E52545c
	Colour or B&W	B&W
	FW Version	2306242_531750_20150731
	Configuration (options)	Not Specified
	Temperature and Humidity	73 degF / 23 degC 32.3 %rH
	Test End Date and Time:	8/31/2015 15:15
Pre-set Item		
Mode	Pre-set Item	Pre-set Value
	Output Resolution	Default
	Output Quality	Default
	Copying Mode	Colour for Colour and B&W for B&W
	Auto Density Adjustment	Default
	Collating function	Set in Control Panel
Paper	Paper Sending Direction	Default
	Paper Type Setting	Default
Paper Path	Paper Feeding	Tray 2
	Paper Exit	Default
	Face Up Exit	Default (face down)
Temporary Stop	Fixing Capability	Default
	Image Quality Stability	Default
	Capacity of Paper	Default
	Others	None
Paper	Paper Manufacturer	HP / Xerox
	Paper Weight	20lb / 75 g/m2
	Paper Size	Letter / A4
	Paper type/name	HP Multipurpose Ultra White / HP Office

Summary Report: A4		
	sFCOT	sESAT (ipm)
B&W	6.3	43.3
Notes First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims . Exact speed varies depending on the system configuration and document.		

Detailed Report: A4							
	Target	sFCOT (secs)	sEFTP (ipm)			sESAT (ipm)	
			1copy	1copy+30sec	1copy+4minutes		
B&W	A	6.15	9.76	37.63 25 sets	42.49 186 sets	43.39	
	B	6.27	9.57	37.53 25 sets	42.49 186 sets	43.38	
				37.62 25 sets	42.49 186 sets		
	D	6.25	9.59	37.86 25 sets	42.49 186 sets	43.38	
				37.86 25 sets	42.49 186 sets		
	Average	6.3	9.6	37.6	42.4	43.3	
	Notes First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims . Exact speed varies depending on the system configuration and document.						

ISO/IEC 24735 Copy Productivity Report

Full Detailed Test Report - LETTER

Machine Setup Information	
Test Start Date and Time	8/25/2015 15:30
Tester	AH
Machine name/model	HP LaserJet Enterprise Flow MFP M527z & LaserJet Managed Flow MFP M527zm & LaserJet Managed Flow MFP E52545c
Colour or B&W	B&W
FW Version	2306242_531750_20150731
Configuration (options)	Not Specified
Temperature and Humidity	73 degF / 23 degC 32.3 %rH
Test End Date and Time:	8/27/2015 7:38
Pre-set Item	
Pre-set Value	
Output Resolution	Default
Output Quality	Default
Copying Mode	Default
Auto Density Adjustment	Default
Collating function	Activated (if not activated in default mode)
Paper Sending Direction	Default
Paper Type Setting	Default
Paper Feeding	Standard cassette
Paper Exit	Standard exit tray
Face Up Exit	Default
Fixing Capability	Default
Image Quality Stability	Default
Capacity of Paper	Default
Others	Default
Paper Manufacturer	HP / Xerox
Paper Weight	20lb / 75 g/m2
Paper Size	Letter / A4

ISO/IEC 24735 Copy Productivity Report						
Detailed Report: LETTER						
	Copying Mode	FSOT (secs)		EFTP (ipm)		ESAT (ipm)
		1 set only	1 set only	1 set + 30sec	1 set + 4min	1 set + 30sec
Color Mode	1:1		(1 set)			
	1:2		(1 set)			
	2:2		(1 set)			
B&W mode	1:1	13.66	17.56	38.29 8 sets	44.37 50 sets	45.91
	1:2	17.69	13.56	28.98 7 sets		37.16
	2:2	17.07	14.06	29.14 6 sets		37.04
Notes						
Reports located: http://www.hp.com/go/printerclaims						

ISO/IEC 24735 Copy Productivity Report

Full Detailed Test Report - A4

Machine Setup Information	
Test Start Date and Time	8/25/2015 15:30
Tester	AH
Machine name/model	HP LaserJet Enterprise Flow MFP M527z & LaserJet Managed Flow MFP M527zm & LaserJet Managed Flow MFP E52545c
Colour or B&W	B&W
FW Version	2306242_531750 20150731
Configuration (options)	Not Specified
Temperature and Humidity	73 degF / 23 degC 32.3 %rH
Test End Date and Time:	8/27/2015 7:38
Pre-set Item	Pre-set Value
Output Resolution	Default
Output Quality	Default
Copying Mode	Default
Auto Density Adjustment	Default
Collating function	Activated (if not activated in default mode)
Paper Sending Direction	Default
Paper Type Setting	Default
Paper Feeding	Standard cassette
Paper Exit	Standard exit tray
Face Up Exit	Default
Fixing Capability	Default
Image Quality Stability	Default
Capacity of Paper	Default
Others	Default
Paper Manufacturer	HP / Xerox
Paper Weight	20lb / 75 g/m2
Paper Size	Letter / A4

ISO/IEC 24735 Copy Productivity Report						
Detailed Report: A4						
	Copying Mode	FSOT (secs)	EFTP (ipm)			ESAT (ipm)
		1 set only	1 set only	1 set + 30sec	1 set + 4min	1 set + 30sec
Colour Mode	1:1		(1 set)			
	1:2		(1 set)			
	2:2		(1 set)			
B&W mode	1:1	13.19	18.20	36.11 7 sets	42.07 48 sets	43.20
	1:2	18.01	13.32	27.44 6 sets		35.52
	2:2	17.12	14.00	27.94 6 sets		35.94
Notes						
Reports located: http://www.hp.com/go/printerclaims						