

ISO/IEC 24734 Printing Productivity Report: Office Category

Full Detailed Test Report - LETTER

HP LaserJet Enterprise M607 & LaserJet Managed E60055 Series

Printing device and settings		
Test Start Date and Time	4/19/2017 11:56	
Tester	NP	
Machine name/model	HP LaserJet Enterprise M607 & LaserJet Managed E60055 Series	
Colour or B&W	B&W	
FW Version	2403298_006034	
Temperature and Humidity	74 degF / 23 degC 20.0 %rH	
Voltage	110V	
Test End Date and Time	4/19/2017 15:33	

	Item	Value
Mode and Setting	Driver Version	43.1.2450
	Media/Quality Setting	Default / Default
	Simplex B&W Settings	default
	Duplex B&W Settings	default
	Setting N set count	Application
Paper Path	Collating function	Activated (application)
	Paper Sending Direction	Default
	Paper Size Setting	Default
	Paper Feeding	Tray 2
	Paper Exit	Standard Exit Tray
	Output Orientation	Default (face down)
Paper	Duplexing Unit (Yes/No)	Yes
	Paper Manufacturer	HP / Xerox
	Paper Weight	20lb / 75 g/m2
	Paper Size	Letter / A4
	Paper type/name	HP Multipurpose Ultra White / HP Office

Summary Report: Letter			
Office Category Test for B&W Device		FSOT (seconds)	ESAT (ipm)
B&W	Simplex	7.8	55.5
	Duplex	9.6	55.9
Notes			
1) All printing device and driver settings were default mode.			
2) For the B/W results, the print driver was set to "print in B/W".			
3) For more information see http://w.w.w.hp.com/go/printerclaims .			
4) Port monitor not configured to follow device if the IP address changes.			

Detailed Report: LETTER						
	Office Category Test	FSOT (secs)	EFTP (ipm)		ESAT (ipm)	
		1 set only (1 set)	1 set only (1 set)	1 set + 30sec (# of sets)	1 set + 4min (# of sets)	1 set + 30sec
Color Mode	Simplex - Adobe Reader		(1 set)			
	Simplex - Word		(1 set)			
	Simplex - Excel		(1 set)			
	Simplex - Average					
	Duplex - Adobe Reader	N/A	N/A	N/A		N/A
	Duplex - Word	N/A	N/A	N/A		N/A
	Duplex - Excel	N/A	N/A	N/A		N/A
	Duplex - Average	N/A	N/A	N/A		N/A
B&W mode (optional for color device)	Simplex - Adobe Reader	8.16	29.41 (1 set)	49.27 (8 sets)	53.81 (57 sets)	55.58
	Simplex - Word	7.25	33.10 (1 set)	50.95 (8 sets)		55.56
	Simplex - Excel	7.81	30.74 (1 set)	50.74 (8 sets)		55.57
	Simplex - Average	7.8	31.0	50.3	53.8	55.5
	Duplex - Adobe Reader	10.26	23.40 (1 set)	47.34 (9 sets)		55.92
	Duplex - Word	9.00	26.68 (1 set)	48.32 (9 sets)		55.90
	Duplex - Excel	9.27	25.88 (1 set)	48.44 (9 sets)		55.92
	Duplex - Average	9.6	25.3	48.0		55.9
Notes						
1) All printing device and driver settings were default mode.						
2) For the B/W results, the print driver was set to "print in B/W".						
3) For more information see http://w.w.w.hp.com/go/printerclaims .						
4) Port monitor not configured to follow device if the IP address changes.						

Test System Parameters	
Item	Value
Computer	HP Compaq Elite 8300 Small Form Factor
Processor	Intel Core i7 -3770, 3.4 GHz
System Chip Set	Intel C216 Chipset Family SMBus Host Controller
System Board	system devices, default system BIOS
System Memory	4 GB
Hard Drive Subsystem	Standard disk drive (Seagate)
Video Subsystem	AMD Radeon HD 6350
Optical Drive	HP DVD A DH16aCSHR ATA
I/O Subsystem	Built-in
USB Subsystem	USB 2.0/3.0
TCP/IP	TCP/IP 10/1000
Operating System	Windows 7 64 Bit
Printing Applications	Microsoft Office 2010
Microsoft Office	Office 2010
Adobe Reader	10
Test files and location	Office category files, hard drive

ISO/IEC 24734 Printing Productivity Report: Office Category

Full Detailed Test Report - A4

HP LaserJet Enterprise M607 & LaserJet Managed E60055 Series

Printing device and settings	
Test Start Date and Time	4/19/2017 11:56
Tester	NP
Machine name/model	HP LaserJet Enterprise M607 & LaserJet Managed E60055 Series
Colour or B&W	B&W
FW Version	2403298 006034
Temperature and Humidity	74 degF / 23 degC 20.0 %rH
Voltage	110V
Test End Date and Time	4/19/2017 15:33

Item	Value
Driver Version	43.1.2450
Media/Quality Setting	Default / Default
Simplex B&W Settings	default
Duplex B&W Settings	default
Setting N set count	Application
Collating function	Activated (application)
Paper Sending Direction	Default
Paper Size Setting	Default
Paper Feeding	Tray 2
Paper Exit	Standard Exit Tray
Output Orientation	Default (face down)
Duplexing Unit (Yes/No)	Yes
Paper Manufacturer	HP / Xerox
Paper Weight	20lb / 75 g/m2
Paper Size	Letter / A4
Paper type/name	HP Multipurpose Ultra White / HP Office

Summary Report: A4			
Office Category Test for B&W Device		FSOT (seconds)	ESAT (ipm)
B&W	Simplex	8.3	52.9
	Duplex	9.8	53.5

Notes
 1) All printing device and driver settings were default mode.
 2) For the B/W results, the print driver was set to "print in B/W".
 3) For more information see <http://w.w.w.hp.com/go/printerclaims>.
 4) Port monitor not configured to follow device if the IP address changes.

Detailed Report: A4						
	Office Category Test	FSOT (secs)		EFTP (ipm)		ESAT (ipm)
		1 set only (1 set)	1 set only (1 set)	1 set + 30sec (# of sets)	1 set + 4min (# of sets)	1 set + 30sec
Colour Mode	Simplex - Adobe Reader		(1 set)			
	Simplex - Word		(1 set)			
	Simplex - Excel		(1 set)			
	Simplex - Average					
	Duplex - Adobe Reader	N/A	N/A	N/A		N/A
	Duplex - Word	N/A	N/A	N/A		N/A
	Duplex - Excel	N/A	N/A	N/A		N/A
	Duplex - Average	N/A	N/A	N/A		N/A
B&W mode (optional for color device)	Simplex - Adobe Reader	8.84	27.17 (1 set)	47.28 (8 sets)	51.29 (54 sets)	52.98
	Simplex - Word	8.02	29.92 (1 set)	48.31 (8 sets)		52.98
	Simplex - Excel	8.01	29.96 (1 set)	48.25 (8 sets)		52.95
	Simplex - Average	8.3	29.0	47.9	51.2	52.9
	Duplex - Adobe Reader	10.35	23.18 (1 set)	44.28 (8 sets)		53.56
	Duplex - Word	9.42	25.46 (1 set)	45.20 (8 sets)		53.54
	Duplex - Excel	9.50	25.26 (1 set)	45.30 (8 sets)		53.52
	Duplex - Average	9.8	24.6	44.9		53.5

Notes
 1) All printing device and driver settings were default mode.
 2) For the B/W results, the print driver was set to "print in B/W".
 3) For more information see <http://w.w.w.hp.com/go/printerclaims>.
 4) Port monitor not configured to follow device if the IP address changes.

Test System Parameters	
Item	Value
Computer	HP Compaq Elite 8300 Small Form Factor
Processor	Intel Core i7 -3770, 3.4 GHz
System Chip Set	Intel C216 Chipset Family SMBus Host Controller
System Board	system devices, default system BIOS
System Memory	4 GB
Hard Drive Subsystem	Standard disk drive (Seagate)
Video Subsystem	AMD Radeon HD 6350
Optical Drive	HP DVD A DH16aCSHR ATA
I/O Subsystem	Built-in
USB Subsystem	USB 2.0/3.0
TCP/IP	TCP/IP 10/1000
Operating System	Windows 7 64 Bit
Printing Applications	Microsoft Office 2010
Microsoft Office	Office 2010
Adobe Reader	10
Test files and location	Office category files, hard drive

ISO/IEC 24734 Printing Productivity Report: Office Category

Feature Performance Full Report - Office Feature Performance Test

HP LaserJet Enterprise M607 & LaserJet Managed E60055 Series

Printing device and settings		
Test Start Date and Time	4/19/2017 11:56	
Tester	NP	
Machine name/model	HP LaserJet Enterprise M607 & LaserJet Managed E60055 Series	
Colour or B&W	B&W	
FW Version	2403298 006034	
Temperature and Humidity	74 degF / 23 degC 20.0 %rH	
Voltage	110V	
Test End Date and Time	4/19/2017 15:33	

	Item	Value
Mode and Setting	Driver Version	43.1.2450
	Media/Quality Setting	Default / Default
	Simplex B&W Settings	default
	Duplex B&W Settings	default
	Setting N set count	Application
	Collating function	Activated (application)
Paper Path	Paper Sending Direction	Default
	Paper Size Setting	Default
	Paper Feeding	Tray 2
	Paper Exit	Standard Exit Tray
	Output Orientation	Default (face down)
	Duplexing Unit (Yes/No)	Yes
Paper	Paper Manufacturer	HP / Xerox
	Paper Weight	20lb / 75 g/m2
	Paper Size	Letter / A4
	Paper type/name	HP Multipurpose Ultra White / HP Office

ISO Print Productivity Report: Feature Performance Test Summary

Printing Modes (Feature Adobe Reader - Office test file)		Feature Performance Ratio		
		A5 and Legal		
		FSOT (base) FSOT (feature)	ESAT (feature) ESAT (base)	
A5 Landscape Feed - Colour	Simplex			
A5 Portrait Feed - Colour	Simplex			
Legal - Colour	Simplex			
Legal - Colour	Duplex			
A5 Landscape Feed - B/W	Simplex	134%	152%	
A5 Portrait Feed - B/W	Simplex	70%	56%	
Legal - B/W	Simplex			
Legal - B/W	Duplex			

Notes

- 1) All printing device and driver settings were default mode.
- 2) Test conducted with 8-paper Office Feature Performance file.
- 3) For more information see <http://w.w.w.hp.com/go/printerclaims>.
- 4) Port monitor not configured to follow device if the IP address changes.

Feature Performance Full Report - Feature Printing Mode: 'Office' Feature Performance Test

Printing Modes Feature Adobe Reader - Office test file (8-page)	Base Printing Mode		Feature Performance			
	FSOT Base	ESAT Base	A5 and Legal			
			1 set FSOT (secs)	1 set + 30 sec ESAT (ipm)	FSOT (base) FSOT (feature)	ESAT (feature) ESAT (base)
Simplex A5 Landscape Feed - Colour						
Simplex A5 Portrait Feed - Colour						
Legal Simplex - Colour						
Legal Duplex - Colour						
Simplex A5 Landscape Feed - B/W	13.63	52.97	10.2	80.8	134%	152%
Simplex A5 Portrait Feed - B/W	13.63	52.97	19.73	30.0	70%	56%
Legal Simplex - B/W	13.63	52.97				
Legal Duplex - B/W	13.63	52.97				

Notes

- 1) All printing device and driver settings were default mode.
- 2) Test conducted with 8-paper Office Feature Performance file.
- 3) For more information see <http://w.w.w.hp.com/go/printerclaims>.
- 4) Port monitor not configured to follow device if the IP address changes.

Test System Parameters

	Item	Value
Test System	Computer	HP Compaq Elite 8300 Small Form Factor
	Processor	Intel Core i7 -3770, 3.4 GHz
	System Chip Set	Intel C216 Chipset Family SMBus Host Controller
	System Board	system devices, default system BIOS
	System Memory	4 GB
	Hard Drive Subsystem	Standard disk drive (Seagate)
	Video Subsystem	AMD Radeon HD 6350
	Optical Drive	HP DVD A DH16aCSHR ATA
	I/O Subsystem	Built-in
	USB Subsystem	USB 2.0/3.0
I/O	TCP/IP	TCP/IP 10/1000
Software	Operating System	Windows 7 64 Bit
	Printing Applications	Microsoft Office 2010
	Microsoft Office	Office 2010
	Adobe Reader	10
	Test files and location	Office category files, hard drive

ISO/IEC 17629 First Print Out Time Report: Office Category

Full Detailed Test Report - LETTER

HP LaserJet Enterprise M607 & LaserJet Managed E60055 Series

Printing device and settings		
Test Start Date and Time	4/19/2017 11:56	
Tester	NP	
Machine name/model	HP LaserJet Enterprise M607 & LaserJet Managed E60055 Series	
Colour or B&W	B&W	
FW Version	2403298_006034	
Configuration (options)	Default	
Controller	4.119	
Printing device page count	Not Specified	
Printing supplies page count	Not Specified	
Temperature and Humidity	74 degF / 23 degC 20.0 %rH	
Voltage	110V	
Test End Date and Time	4/19/2017 15:33	

Item	Value
Mode and Setting	
PDL and driver version	43.1.2450
Print Quality mode	default
B&W settings	default
Paper feed orientation	Short Edge
Paper	
Paper type setting	default
Paper feeding	Standard cassette
Paper exit	Standard exit tray
Paper Path	
Output orientation	default (face up or face down)

ISO First Page Out Time Summary Report: Office Category

Summary Report: Letter		
		FPOT from Ready (seconds)
B&W	Simplex	4.79
	Duplex	

- Notes
- 1) All printing device and driver settings were default mode.
 - 2) For the B/W results, the print driver was set to "print in B/W".
 - 3) For more information see <http://www.hp.com/go/printerclaims>.
 - 4) Port monitor not configured to follow device if the IP address changes.
 - 5) Page counts were collected after completion of the tests.

ISO First Page Out Time Report: Office Category

Detailed Report: LETTER						
		Word (seconds)	Excel (seconds)	Adobe Reader (seconds)	Average (seconds)	Delay Time
Color Mode	FPOT from Ready - Simplex					
	FPOT from Ready - Duplex					
	FPOT from Sleep - Simplex			N/A		
	Recovery Time					
	FPOT from Off - Simplex					
	Warm-up Time					
B&W Mode	FPOT from Ready - Simplex	4.66	4.68	5.02	4.79	21 Seconds
	FPOT from Ready - Duplex					
	FPOT from Sleep - Simplex			11.61		105 Minutes
	Recovery Time			6.6		
	FPOT from Off - Simplex			160.17		
	Warm-up Time			155.15		

- Notes
- 1) All printing device and driver settings were default mode.
 - 2) For the B/W results, the print driver was set to "print in B/W".
 - 3) For more information see <http://www.hp.com/go/printerclaims>.
 - 4) Port monitor not configured to follow device if the IP address changes.
 - 5) Page counts were collected after completion of the tests.
 - 6) Details for FPOT from Sleep are shown below.

HP Data Table

Detailed Report: LETTER							
		FPOT Avg (secs)	FPOT (secs) Iteration 1	FPOT (secs) Iteration 2	FPOT (secs) Iteration 3	Application	Delay Time
Color Mode	FPOT from Sleep	N/A	N/A	N/A	N/A	Adobe Reader	
	FPOT from Sleep (15 minutes)	N/A	N/A	N/A	N/A	Adobe Reader	
	HP/Non ISO Test						
B&W Mode	FPOT from Sleep	11.61	11.54	11.67	N/A	Adobe Reader	105 Minutes
	FPOT from Sleep (15 minutes)	7.14	7.19	7.08	N/A	Adobe Reader	16 Minutes
	HP/Non ISO Test						

- Notes
- 1) All printing device and driver settings were default mode.
 - 2) For the B/W results, the print driver was set to "print in B/W".
 - 3) DLP includes detailed iterations as data measurements may vary run to run.

Test System Parameters		
Item	Value	
Test System	Computer	HP Compaq Elite 8300 Small Form Factor
	Processor	Intel Core i7 -3770, 3.4 GHz
	System Chip Set	Intel C216 Chipset Family SMBus Host Controller
	System Board	System devices, default system BIOS
	System Memory	4 GB
	Hard Drive Subsystem	Standard disk drive (Seagate)
	Video Subsystem	AMD Radeon HD 6350
	Optical Drive	HP DVD A DH16aC5HR ATA
	I/O Subsystem	Builtin
	USB Subsystem	USB 2.0/3.0
Printing Device Connection	TCP/IP	10/1000
Software	Operating System	Windows 7 Business/Ultimate, 64 bit, Build 7601, SP 1
	Printing Applications	Microsoft Office 2010 SP2 Adobe Reader 10.1.4
	Print Driver	43.1.2450

ISO/IEC 17629 First Print Out Time Report: Office Category

Full Detailed Test Report - A4

HP LaserJet Enterprise M607 & LaserJet Managed E60055 Series

Printing device and settings		
Test Start Date and Time	4/19/2017 11:56	
Tester	NP	
Machine name/model	HP LaserJet Enterprise M607 & LaserJet Managed E60055 Series	
Colour or B&W	B&W	
FW Version	2403298_006034	
Configuration (options)	Default	
Controller	4.119	
Printing device page count	Not Specified	
Printing supplies page count	Not Specified	
Temperature and Humidity	74 degF / 23 degC 20.0 %rH	
Voltage	110V	
Test End Date and Time	4/19/2017 15:33	

Item	Value
Mode and Setting	
PDL and driver version	43.1.2450
Print Quality mode	default
B&W settings	default
Paper feed orientation	Short Edge
Paper	
Paper type setting	default
Paper feeding	Standard cassette
Paper exit	Standard exit tray
Paper Path	
Output orientation	default (face up or face down)

ISO First Page Out Time Summary Report: Office Category

Summary Report: A4		
		FPOT from Ready (seconds)
B&W	Simplex	4.82
	Duplex	

Notes

- 1) All printing device and driver settings were default mode.
- 2) For the B/W results, the print driver was set to "print in B/W".
- 3) For more information see <http://www.hp.com/go/printerclaims>.
- 4) Port monitor not configured to follow device if the IP address changes.
- 5) Page counts were collected after completion of the tests.

ISO First Page Out Time Report: Office Category

Detailed Report: A4						
		Word (seconds)	Excel (seconds)	Adobe Reader (seconds)	Average (seconds)	Delay Time
Color Mode	FPOT from Ready - Simplex					
	FPOT from Ready - Duplex					
	FPOT from Sleep - Simplex			N/A		
	Recovery Time					
	FPOT from Off - Simplex					
	Warm-up Time					
B&W Mode	FPOT from Ready - Simplex	4.64	4.71	5.09	4.82	21 Seconds
	FPOT from Ready - Duplex					
	FPOT from Sleep - Simplex			12.84		105 Minutes
	Recovery Time			7.8		
	FPOT from Off - Simplex			159.64		
	Warm-up Time			154.55		

Notes

- 1) All printing device and driver settings were default mode.
- 2) For the B/W results, the print driver was set to "print in B/W".
- 3) For more information see <http://www.hp.com/go/printerclaims>.
- 4) Port monitor not configured to follow device if the IP address changes.
- 5) Page counts were collected after completion of the tests.
- 6) Details for FPOT from Sleep are shown below.

HP Data Table

Detailed Report: A4							
		FPOT Avg (secs)	FPOT (secs) Iteration 1	FPOT (secs) Iteration 2	FPOT (secs) Iteration 3	Application	Delay Time
Color Mode	FPOT from Sleep	N/A	N/A	N/A	N/A	Adobe Reader	
	FPOT from Sleep (15 minutes) HP/Non ISO Test	N/A	N/A	N/A	N/A	Adobe Reader	
	FPOT from Sleep	12.84	12.88	12.80	N/A	Adobe Reader	105 Minutes
B&W Mode	FPOT from Sleep (15 minutes) HP/Non ISO Test	7.13	7.12	7.13	N/A	Adobe Reader	16 Minutes

Notes

- 1) All printing device and driver settings were default mode.
- 2) For the B/W results, the print driver was set to "print in B/W".
- 3) DLP includes detailed iterations as data measurements may vary run to run.

Test System Parameters		
Item	Value	
Test System	Computer	HP Compaq Elite 8300 Small Form Factor
	Processor	Intel Core i7 -3770, 3.4 GHz
	System Chip Set	Intel C216 Chipset Family SMBus Host Controller
	System Board	System devices, default system BIOS
	System Memory	4 GB
	Hard Drive Subsystem	Standard disk drive (Seagate)
	Video Subsystem	AMD Radeon HD 6350
	Optical Drive	HP DVD A DH16aC5HR ATA
	I/O Subsystem	Builtin
	USB Subsystem	USB 2.0/3.0
Printing Device Connection	TCP/IP	10/1000
Software	Operating System	Windows 7 Business/Ultimate, 64 bit, Build 7601, SP 1
	Printing Applications	Microsoft Office 2010 SP2 Adobe Reader 10.1.4
	Print Driver	43.1.2450